

**Name of Journal:** *World Journal of Transplantation*

**ESPS Manuscript NO:** 24345

**Manuscript Type:** Retrospective Cohort Study

**Risk factors for fracture in adult kidney transplant recipients**

Kyla L. Naylor, Guangyong Zou, William D. Leslie, Anthony B. Hodsman,  
Ngan N. Lam, Eric McArthur, Lisa-Ann Fraser, Gregory A. Knoll, Jonathan D.  
Adachi, S. Joseph Kim, Amit X. Garg

### Match Overview

1	CrossCheck 95 words Naylor, Kyla L., Guangyong Zou, William D. Leslie, Eric McArthur, Ngan N. Lam, Gregory A. Knoll, S. Joseph Kim,	2%
2	CrossCheck 75 words Li, Daniel Q., Richard B. Kim, Eric McArthur, Jamie L. Fleet, Robert A. Hegele, Baiju R. Shah, Matthew A. Weir, Am	2%
3	CrossCheck 34 words Naylor, K. L., L. M. Lix, D. Hans, A. X. Garg, D. N. Rush, A. B. Hodsman, and W. D. Leslie. Trabecular bone score...	1%
4	Internet 30 words crawled on 28-Oct-2015 <a href="http://www.cjkhhd.org">www.cjkhhd.org</a>	1%
5	Internet 20 words crawled on 17-Mar-2016 <a href="http://archpedi.jamanetwork.com">archpedi.jamanetwork.com</a>	<1%
6	CrossCheck 16 words Naylor, Kyla L., Sophie A. Jamal, Guangyong Zou, Eric McArthur, Ngan N. Lam, William D. Leslie, Anthony B. Hod	<1%

学术搜索

找到约 23,400 条结果 (用时0.11秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

Advanced coronary and carotid arteriopathy in young adults with childhood-onset chronic renal failure

ahajournals.org

J Oh, R Wunsch, M Turzer, M Bahner, P Raggi... - Circulation, 2002 - Am Heart Assoc  
... The broken and solid lines indicate the 75th, 90th, and 95th reference percentiles of ... Multivariate risk factor analysis revealed microinflammation and alterations of mineral metabolism as the most important ... The effects of these risk factors persist in part even after successful renal ...

被引用次数: 622 相关文章 所有 7 个版本 引用

Risk factors for reduced bone density in haemodialysis patients

oxfordjournals.or

MW Taal, T Masud, D Green... - ... Dialysis Transplantation, 1999 - ERA-EDTA  
... age-related bone loss can be expected to become an increasingly important factor affecting bone ... findings suggest that in future, increased attention should be paid to factors associated with ... Prospective studies are required in order to quantitate the fracture risk and to determine ...

被引用次数: 166 相关文章 所有 5 个版本 引用

[引用] The Registry of the International Society for Heart and Lung Transplantation: eighteenth official report—2001

JD Hosenpud, LE Bennett, BM Keck... - ... and lung transplantation, 2001 - Elsevier

被引用次数: 728 相关文章 所有 11 个版本 引用

Prevention of bone loss in renal transplant recipients: a prospective, randomized trial of intravenous pamidronate

asnjournals.org

M Coco, D Glicklich, MC Faugere, L Burris... - Journal of the ..., 2003 - Am Soc Nephrol  
... preserved vertebral BMD at 1 yr in PAM would be associated with decreased fracture risk. ... bone density in these subjects treated with bisphosphonates carries the same risks associated with ... Deal C, Fleming-Brooks S, Bartucci M, Schulak J, Hricik D: Factors influencing vertebral ...

被引用次数: 176 相关文章 所有 5 个版本 引用

Mineral metabolism, mortality, and morbidity in maintenance hemodialysis

asnjournals.org



学术搜索

找到约 23,000 条结果 (用时0.11秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

## Advanced coronary and carotid arteriopathy in young adults with childhood-onset chronic renal failure

J Oh, R Wunsch, M Turzer, M Bahner, P Raggi... - Circulation, 2002 - Am Heart Assoc

... The broken and solid lines indicate the 75th, 90th, and 95th reference percentiles of ... Multivariate risk factor analysis revealed microinflammation and alterations of mineral metabolism as the most important ... The effects of these risk factors persist in part even after successful renal ...

被引用次数: 620 相关文章 所有 9 个版本 引用

## [HTML] Risk factors for reduced bone density in haemodialysis patients

MW Taal, T Masud, D Green... - ... Dialysis Transplantation, 1999 - ERA-EDTA

... age-related bone loss can be expected to become an increasingly important factor affecting bone ... findings suggest that in future, increased attention should be paid to factors associated with ... Prospective studies are required in order to quantitate the fracture risk and to determine ...

被引用次数: 170 相关文章 所有 4 个版本 引用

## Prevention of bone loss in renal transplant recipients: a prospective, randomized trial of intravenous pamidronate

M Coco, D Glicklich, MC Faugere, L Burris... - Journal of the ..., 2003 - Am Soc Nephrol

... preserved vertebral BMD at 1 yr in PAM would be associated with decreased fracture risk. ... bone density in these subjects treated with bisphosphonates carries the same risks associated with ... Deal C, Fleming-Brooks S, Bartucci M, Schulak J, Hricik D: Factors influencing vertebral ...

被引用次数: 181 相关文章 所有 6 个版本 引用

## Prevalence and treatment of decreased bone density in renal transplant recipients: a randomized prospective trial of calcitriol versus alendronate

JR Jeffery, WD Leslie, ME Karpinski... - ..., 2003 - journals.lww.com

... 8 ). Clinically, the bone loss results in 9% to 44% of patients experiencing a fracture, with diabetic ... Time since transplantation was not a risk factor for a decreased BMD in the cross-sectional data ... In other studies, various risk factors correlated with decreased BMD.

全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 303,000 条结果 (用时 0.50 秒)

## Google 学术: Risk factors for fracture in adult kidney transplant recipients

... in young adults with childhood-onset chronic renal ... - Oh - 被引用次数: 620

Risk factors for reduced bone density in haemodialysis ... - Taal - 被引用次数: 171

Prevention of bone loss in renal transplant recipients: a ... - Coco - 被引用次数: 181

## Fracture Incidence in Adult Kidney Transplant Recipients. - NCBI

[www.ncbi.nlm.nih.gov/pubmed/26154389](http://www.ncbi.nlm.nih.gov/pubmed/26154389) ▾ 翻译此页

作者: KL Naylor - 2016 - 被引用次数: 2 - 相关文章

Fracture Incidence in Adult Kidney Transplant Recipients. ... It remains uncertain whether kidney transplant recipients are a high-risk group for fracture. ... Adult; Age Factors; Databases, Factual; Female; Forearm Injuries/diagnosis; Forearm ...

## Fracture risk in kidney transplant recipients: a systematic review. - NCBI

[www.ncbi.nlm.nih.gov/pubmed/23594857](http://www.ncbi.nlm.nih.gov/pubmed/23594857) ▾ 翻译此页

作者: KL Naylor - 2013 - 被引用次数: 16 - 相关文章

2013年6月27日 - Fracture risk in kidney transplant recipients: a systematic review. ... that provided estimates on incidence and risk factors for fracture in kidney transplant recipients. ... Adult; Age Factors; Cohort Studies; Female; Fractures, ...

## Frequency of bone mineral density testing in adult kidney transplant ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: KL Naylor - 2016 - 相关文章

2016年1月16日 - We selected this age dichotomization for several reasons: kidney transplant recipients aged ≥50 years are at an increased fracture risk ...

## Fracture Risk in Kidney Transplant Recipients: A Systematic Review