



PEER-REVIEW REPORT

Name of journal: World Journal of Gastroenterology

Manuscript NO: 46965

Title: Lumen-apposing metal stents for malignant biliary obstruction: Is this the ultimate horizon of our experience?

Reviewer's code: 03727100

Reviewer's country: Japan

Science editor: Jia-Ping Yan

Reviewer accepted review: 2019-04-08 00:51

Reviewer performed review: 2019-04-11 04:12

Review time: 3 Days and 3 Hours

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language	(High priority)	<input type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input checked="" type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input checked="" type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input checked="" type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

Thank your for precise review for lumen apposing metal stents. I have some comments.

1. What is the LAM with most bulged flange?
2. What should be performed to avoid LAM obstruction due to food impaction?
3. In page 9, line 20, you described 1 stent



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

migration of your institution. Is the patient rescued from the severe adverse event? 4. Please try to make an independent section of adverse events and countermeasure for that, if possible? 5. In reference section, journal name should be mentioned as abbreviation.

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- The same title
- Duplicate publication
- Plagiarism
- No

BPG Search:

- The same title
- Duplicate publication
- Plagiarism
- No