

Match Overview

1	Crossref 18 words Liu, Po-Hong, Chia-Yang Hsu, Cheng-Yuan Hsia, Yun-Hsu an Lee, Chien-Wei Su, Yi-Hsiang Huang, Fa-Yauh Lee, Ha	1%
2	Internet 16 words crawled on 15-Jul-2015 www.ncbi.nlm.nih.gov	1%
3	Internet 14 words crawled on 01-Nov-2016 www.univerciencia.org	1%
4	Crossref 13 words Lee, Yun-Hsuan, Chia-Yang Hsu, Chen-Wei Chu, Po-Hong Liu, Cheng-Yuan Hsia, Yi-Hsiang Huang, Chien-Wei Su, Yi-	1%

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 33249

Manuscript Type: LETTER TO THE EDITOR

Usefulness of the MESH score in a European hepatocellular carcinoma cohort

Xavier Adhoute, Guillaume Pénaranda, Jean Luc Raoul, Marc Bourlière

Abstract

The Barcelona Clinic Liver Cancer (BCLC) classification is the most widely – used hepatocellular carcinoma (HCC) staging system because it is simple, precise and linked to a treatment algorithm based on randomized studies. But each group includes a broad spectrum of tumors, with limited therapeutic options, particularly for intermediate and advanced stages. Consequently, different additional scoring systems have been proposed to refine the prognosis and/or to improve the management. But until now, there is no consensus. Liu *et al* proposes a new scoring

Usefulness of the MESH scored in a European hepatocellular carcinoma cohort

全部

图片

视频

新闻

地图

图书

找到约 197,000 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Usefulness of staging systems and prognostic scores for ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4911504/>

18 Jun 2016 ... **Hepatocellular carcinoma scores** and staging systems published in the value was comparable to the BCLC system for a **European cohort** of ...

[Comparing staging systems for predicting prognosis and survival in ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/24603710>

6 Mar 2014 ... INTRODUCTION: Several **hepatocellular carcinoma** (HCC) staging systems are ... Although the **European** Association for Study of Liver Diseases ... recommended the **use** of Barcelona Clinic Liver Cancer (BCLC), many ... The 1-, 2-, 3- and 4-year survival of the entire **cohort** was 56%, 34%, ... **MeSH** Terms.

[Abstract - European Journal of Cancer](#)

[www.ejancer.com/article/S0959-8049\(16\)32121-9/abstract](http://www.ejancer.com/article/S0959-8049(16)32121-9/abstract)

31 May 2016 ... •The **MESH score** contains large tumour, vascular invasion or metastasis, child ... The survival of **hepatocellular carcinoma** (HCC) patients is heterogeneous. ... The validation **cohort** was employed to examine the prognostic capabilities. ... The **MESH** system is a **useful** supplement to the BCLC and HKLC ...

[Proposal and validation of a new model to estimate ... - ScienceDirect](#)

www.sciencedirect.com/science/article/pii/S0959804916321219

31 May 2016 ... The survival of **hepatocellular carcinoma** (HCC) patients is heterogeneous

Usefulness of the MESH score in a European hepatocellular carcinoma cohort

全部 图片 视频 新闻 地图 图书

找到约 643,000 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Usefulness of staging systems and prognostic scores for ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4911504/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4911504/>

18 Jun 2016 ... Hepatocellular carcinoma scores and staging systems published in the ... value was comparable to the BCLC system for a European cohort of ...

[An independent evaluation of modern prognostic scores in a central ...](https://www.ncbi.nlm.nih.gov/pubmed/14624154)

<https://www.ncbi.nlm.nih.gov/pubmed/14624154>

An independent evaluation of modern prognostic scores in a central European cohort of 120 patients with hepatocellular carcinoma. Rabe C(1), Lenz M, Schmitz ...

[Recommendations for the use of chemoembolization in patients with ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4381174/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4381174/>

27 Mar 2015 ... Core tip: Despite its widespread use in hepatocellular carcinoma, the ... We recently validated this scoring system in a European cohort ...

[Abstract - European Journal of Cancer](http://www.ejocancer.com/article/S0959-8049(16)32121-9/abstract)

[www.ejocancer.com/article/S0959-8049\(16\)32121-9/abstract](http://www.ejocancer.com/article/S0959-8049(16)32121-9/abstract)

31 May 2016 ... The MESH score contains large tumour, vascular invasion or metastasis, child ... The survival of hepatocellular carcinoma (HCC) patients is heterogeneous. ... The validation cohort was employed to examine the prognostic capabilities. ... The MESH system is a useful supplement to the BCLC and HKLC ...

[Proposal and validation of a new model to estimate survival for ...](http://www.sciencedirect.com/science/article/pii/S0959804916321219)

www.sciencedirect.com/science/article/pii/S0959804916321219

31 May 2016 ... The survival of hepatocellular carcinoma (HCC) patients is heterogeneous. ... The MESH system is a useful supplement to the BCLC and HKLC ... The BCLC system has been integrated in the European Association for the Study of the ... The prognostic scores were developed in the derivation cohort with all ...

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 590,000 条结果 (用时 0.74 秒)

Usefulness of staging systems and prognostic scores for ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: X Adhoute - 2016 - 被引用次数: 2 - 相关文章

2016年6月18日 - **Hepatocellular carcinoma scores** and staging systems published in the value was comparable to the BCLC system for a **European cohort** of ...

An independent evaluation of modern prognostic scores in a central ...

<https://www.ncbi.nlm.nih.gov/pubmed/14624154> - 翻译此页

作者: C Rabe - 2003 - 被引用次数: 24 - 相关文章

An independent evaluation of modern prognostic **scores** in a central **European cohort** of 120 patients with **hepatocellular carcinoma**. Rabe C(1), Lenz M, Schmitz ...

HCC: What's the score - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: D Shouval - 2002 - 被引用次数: 6 - 相关文章

See the article "Staging of **hepatocellular carcinoma**: assessment of the CLIP, Okuda, and Child-Pugh staging systems in a **cohort** of 257 patients ... In contrast, the TNM (tumour node metastasis) classification or its variant pTNM **uses** only tumour ... Since 1998, three new **scoring** systems have been proposed by **European** ...

Abstract - European Journal of Cancer

[www.ejancer.com/article/S0959-8049\(16\)32121-9/abstract](http://www.ejancer.com/article/S0959-8049(16)32121-9/abstract) - 翻译此页

作者: PH Liu - 2016 - 被引用次数: 7 - 相关文章

2016年5月31日 - •The **MESH score** contains large tumour, vascular invasion or metastasis, child ... The survival of **hepatocellular carcinoma** (HCC) patients is heterogeneous. ... The validation **cohort** was employed to examine the prognostic capabilities. ... The **MESH** system is a **useful** supplement to the