

[全部](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多](#)[设置](#) [工具](#)

找到约 19,100 条结果 (用时 0.65 秒)

Google 学术: Midgut neuroendocrine tumor presenting with acute intestinal ischemia

- ... on the outcome of midgut carcinoid disease with lymph ... - Hellman - 被引用次数: 226
- ... from laparotomy in midgut carcinoid tumors - Makridis - 被引用次数: 83
- ... mesenteric metastases from neuroendocrine tumors - Chambers - 被引用次数: 67

Small bowel neuroendocrine tumors - Surgical Treatment - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/books/NBK6976/> - 翻译此页

作者: G Åkerström - 2001 - 相关文章

The small intestinal neuroendocrine tumor or midgut carcinoid is rare, but still prevalent among small ...
the mesenteric vessels with resulting venous stasis and ischemia in segments of the intestine. ...
Clinical presentation ... When carcinoid patients are subjected to acute laparotomy with intestinal
obstruction it is essential ...
Definition and incidence - Clinical presentation - Surgery of the mesenteric ...

Prognosis and Survival in Patients With Gastrointestinal Tract ...

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: KO Shebani - 1999 - 被引用次数: 298 - 相关文章

Carcinoid tumors are neuroendocrine tumors and, as such, are part of the APUD (amine ... and pancreas), midgut (distal duodenum, ileojejunum, proximal colon), and hindgut ... Pain presenting as acute appendicitis was seen in 19 patients. angiopathy and vascular fibroelastosis, which can lead to bowel ischemia.

Intestinal Carcinoid Tumor Clinical Presentation: History, Causes ...

emedicine.medscape.com/article/276837-clinical ▾ 翻译此页

2017年3月2日 - Intestinal ischemia or infarction can occur secondary to mesenteric ... Carcinoid abdominal crisis is a rare acute abdominal syndrome ...

Intestinal Ischaemia Associated with Carcinoid Tumor: A Case Report ...

https://pmr.lf1.cuni.cz/media/pdf/pmr_2013114010043.pdf - 翻译此页

作者: O Yener - 2013 - 被引用次数: 1 - 相关文章



Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 35886

Manuscript Type: CASE REPORT

Midgut neuroendocrine tumor presenting with acute intestinal ischemia

Mantzoros I et al. Acute intestinal ischemia from neuroendocrine tumor

Ioannis Mantzoros, Natalia Antigoni Savvala, Orestis Ioannidis, Styliani Parpoudi, Lydia Loutzidou, Despoina Kyriakidou, Angeliki Cheva, Vasileios Intzos, Konstantinos Tsalis

Abstract

Neuroendocrine tumors represent a heterogeneous group of neoplasms that arise from neuroendocrine cells and secrete various peptides and bioamines. While gastrointestinal neuroendocrine tumors, commonly called carcinoids, account for about 2/3 of all neuroendocrine tumors, they are relatively rare.

Match Overview

Rank	Type	Details	Similarity (%)
1	Crossref	76 words Neuroendocrine Tumours, 2015.	3%
2	Crossref	29 words K. Oberg. "Neuroendocrine gastroenteropancreatic tumo... s: ESMO Clinical Practice Guidelines for diagnosis, treatme	1%
3	Internet	16 words crawled on 10-May-2014 amend.org.uk	1%
4	Internet	13 words crawled on 11-Jan-2016 www.sriramachandra.edu.in	1%
5	Crossref	12 words "Surgical Approach in the Treatment of Neuroendocrine Tu... mours". Neuroendocrine Tumours, 2015.	<1%



找到约 7,480 条结果 (用时 0.48 秒)

Google 学术: Midgut neuroendocrine tumor presenting with acute intestinal ischemia

... on the outcome of midgut carcinoid disease with lymph ... - Hellman - 被引用次数: 229

... from laparotomy in midgut carcinoid tumors - Makridis - 被引用次数: 84

... mesenteric metastases from neuroendocrine tumors - Chambers - 被引用次数: 69

Small bowel neuroendocrine tumors - Surgical Treatment - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/books/NBK6976/> - 翻译此页

作者: G Åkerström - 2001 - 相关文章

The small **intestinal neuroendocrine tumor** or **midgut** carcinoid is rare, but still prevalent among small ...

the **mesenteric** vessels with resulting venous stasis and **ischemia** in segments of the **intestine**, ...

Clinical presentation ... When carcinoid patients are subjected to **acute** laparotomy with intestinal obstruction it is essential ...

Definition and incidence - Clinical presentation - Surgery of the **mesenteric** ...

您 17-9-1 访问过该网页。

Partial abdominal evisceration and intestinal autotransplantation to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3030723/> - 翻译此页

作者: WH Kitchens - 2011 - 被引用次数: 10 - 相关文章

2011年1月31日 - **Midgut** carcinoids are **neuroendocrine tumors** that commonly ... risk of uncontrollable

bleeding and prolonged **intestinal ischemia**. ... A 60-year-old man **presented** to our unit in January 2008

with a ... **acute abdominal** pain or as GI bleeds (noted in 5% of **midgut** carcinoid patients in one case series) [3,13].

Intestinal Carcinoid Tumor Clinical Presentation: History, Causes ...

emedicine.medscape.com/article/276837-clinical - 翻译此页

2017年3月2日 - **Intestinal ischemia** or infarction can occur secondary to **mesenteric** ... Carcinoid abdominal crisis is a rare **acute abdominal** syndrome ...

[全部](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多](#) [设置](#) [工具](#)

找到约 18,800 条结果 (用时 0.36 秒)

Google 学术: Midgut neuroendocrine tumor presenting with acute intestinal ischemia

- ... on the outcome of midgut carcinoid disease with lymph ... - Hellman - 被引用次数: 230
- ... from laparotomy in midgut carcinoid tumors - Makridis - 被引用次数: 85
- ... mesenteric metastases from neuroendocrine tumors - Chambers - 被引用次数: 69

Small bowel neuroendocrine tumors - Surgical Treatment - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/books/NBK6976/> - 翻译此页

作者: G Åkerström - 2001 - 相关文章

The small **intestinal neuroendocrine tumor** or **midgut** carcinoid is rare, but still prevalent among small ...
the **mesenteric** vessels with resulting venous stasis and **ischemia** in segments of the **intestine** ...
Clinical presentation ... When carcinoid patients are subjected to **acute** laparotomy with **intestinal**
obstruction it is essential ...
Definition and incidence - Clinical presentation - Surgery of the **mesenteric** ...

Partial abdominal evisceration and intestinal autotransplantation to ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: WH Kitchens - 2011 - 被引用次数: 10 - 相关文章

2011年1月31日 - **Midgut** carcinoids are **neuroendocrine tumors** that commonly ... risk of uncontrollable
bleeding and prolonged **intestinal ischemia** ... A 60-year-old **man** presented to our unit in January 2008
with a ... **acute abdominal** pain or as **GI** bleeds (noted in 5% of **midgut** carcinoid patients in one case
series) [3,13].

Intestinal Carcinoid Tumor Clinical Presentation: History, Causes ...

emedicine.medscape.com/article/276837-clinical ▾ 翻译此页

2017年3月2日 - **Intestinal ischemia** or infarction can occur secondary to **mesenteric** ... **Carcinoid**
abdominal crisis is a rare **acute abdominal syndrome**.