

Name of journal: *World Journal of Clinical Pediatrics*

ESPS Manuscript NO: 15287

Columns: MINIREVIEWS

1 Pyuria in patients with Kawasaki disease

Toru Watanabe

Abstract

Kawasaki disease (KD) is an acute, febrile vasculitis that predominantly develops in children ≤ 5 year of age and can lead to multiple organ injuries including the kidneys. Of these injuries, pyuria is a common feature of patients with KD, occurring in 30%-80% of patients. Sterile pyuria is most common in KD patients ≤ 1 year of age. KD patients with sterile pyuria exhibit more severe inflammatory reactions and may have sub-clinical renal injuries. Sterile pyuria in KD is associated with mononuclear

Match Overview

| | | |
|---|---|----|
| 1 | CrossCheck 162 words Toru Watanabe. "Sterile pyuria in patients with Kawasaki disease originates from both the urethra and the kidney" | 5% |
| 2 | Internet 124 words crawled on 22-Sep-2010 lib.bioinfo.pl | 4% |
| 3 | CrossCheck 35 words A. L. Nager. "Jaundice as an Early Diagnostic Sign of Urinary Tract Infection in Infancy", PEDIATRICS, 05/01/2002 | 1% |
| 4 | CrossCheck 31 words Lee, K.Y.. "Kawasaki disease may be a hyperimmune action of genetically susceptible children to variants of n | 1% |
| 5 | CrossCheck 30 words Perrin, L. "Comparative study of complete versus incomplete Kawasaki disease in 59 pediatric patients", Joint B | 1% |
| 6 | CrossCheck 24 words Maria Cristina Diana. "Sudden Death in an Infant Revealing Atypical Kawasaki Disease", Pediatric Emergency Ca | 1% |
| 7 | CrossCheck 19 words K. Ohta. "Increased levels of urinary interleukin-6 in Kawasaki disease", European Journal of Pediatrics, 08/1993 | 1% |
| 8 | CrossCheck 18 words Sheno-Ling Jan. "Pyuria is not always sterile in children" | 1% |



Pyuria in patients with Kawasaki disease



网页

图片

新闻

视频

更多 ▾

搜索工具

找到约 230,000 条结果 (用时 0.56 秒)

Google 学术: Pyuria in patients with Kawasaki disease

Sterile pyuria in patients with Kawasaki disease ... - Watanabe - 被引用次数: 29

... Kawasaki Disease, Council on Cardiovascular Disease ... - Newburger - 被引用次数: 1785

Kawasaki disease in infants less than one year of age - Rosenfeld - 被引用次数: 193

Sterile pyuria in patients with Kawasaki disease originates ...

www.ncbi.nlm.nih.gov/pubmed/17323086 ▾ 翻译此页

作者: T Watanabe - 2007 - 被引用次数: 29 - 相关文章

2007年2月24日 - Sterile pyuria in patients with Kawasaki disease originates from both the urethra and the kidney. Watanabe T(1), Abe Y, Sato S, Uehara Y, ...

Clinical characteristics of Kawasaki disease with sterile pyuria

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: JY Choi - 2013 - 被引用次数: 6 - 相关文章

2013年1月29日 - It has been reported that the most common finding is sterile pyuria and accounts for 33% to 63% of total patients with Kawasaki diseases5-8).

Kidney and Urinary Tract Involvement in Kawasaki Disease

www.hindawi.com/journals/ijpedi/2013/831834/ ▾ 翻译此页

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 227,000 条结果 (用时 0.41 秒)

Google 学术: Pyuria in patients with Kawasaki disease

Sterile pyuria in patients with Kawasaki disease ... - Watanabe - 被引用次数: 29

... Kawasaki Disease, Council on Cardiovascular Disease ... - Newburger - 被引用次数: 1790

Kawasaki disease in infants less than one year of age - Rosenfeld - 被引用次数: 193

Sterile pyuria in patients with Kawasaki disease originates ...

www.ncbi.nlm.nih.gov/pubmed/17323086 ▾ 翻译此页

作者: T Watanabe - 2007 - 被引用次数: 29 - 相关文章

2007年2月24日 - Sterile pyuria in patients with Kawasaki disease originates from both the urethra and the kidney. Watanabe T(1), Abe Y, Sato S, Uehara Y, ...

Clinical characteristics of Kawasaki disease with sterile pyuria

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: JY Choi - 2013 - 被引用次数: 6 - 相关文章

2013年1月29日 - It has been reported that the most common finding is sterile pyuria and accounts for 33% to 63% of total patients with Kawasaki diseases5-8).

Kidney and Urinary Tract Involvement in Kawasaki Disease

www.hindawi.com/journals/ijpedi/2013/831834/ ▾ 翻译此页

作者: T Watanabe - 2013 - 被引用次数: 4 - 相关文章