

Name of Journal: *World Journal of Hepatology*

ESPS Manuscript NO: 29620

Manuscript Type: Editorial

From the liver to the heart: Cardiac dysfunction in obese children with non-alcoholic fatty liver disease

Anna Di Sessa, Giuseppina Rosaria Umamo, Emanuele Miraglia del Giudice, Nicola Santoro

Abstract

In the last decades the prevalence of non alcoholic fatty liver disease (NAFLD) has increased as a consequence of the childhood obesity world epidemic. The liver damage occurring in NAFLD ranges from simple steatosis to steatohepatitis, fibrosis and

Match Overview

- | | | |
|---|------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1 | Crossref 20 words
santoro, Nicola, and sonia caprio. "NAFLD/NASH in obese adolescents: A looming marker of cardiac dysfunction", Hep | 1% |
| 2 | Internet 17 words
crawled on 28-Oct-2015
www.science.gov | 1% |

[All](#)[News](#)[Shopping](#)[Images](#)[Videos](#)[More ▾](#)[Search tools](#)

About 295,000 results (0.56 seconds)

Non-alcoholic fatty liver disease - the heart of the matter - NCBI

www.ncbi.nlm.nih.gov/.../PMC44502... ▾ National Center for Biotechnology Information ▾
by H Azzam - 2015 - Cited by 5 - Related articles

Jun 8, 2015 - **Non-alcoholic fatty liver disease** (NAFLD) is one of the most common forms of ... need to be aware of, and search for, the **cardiac** morbidity associated with NAFLD. Keywords: Cardiovascular, Diastolic **dysfunction**, Sleep apnea, Another study on **obese children** and adolescents with NAFLD included 108 ...

Left ventricular dysfunction in obese children and adolescents ... - NCBI

www.ncbi.nlm.nih.gov/.../23843206 ▾ National Center for Biotechnology Information ▾
by L Pacifico - 2014 - Cited by 44 - Related articles

Dec 23, 2013 - (1)Department of Pediatrics and Child Neuropsychiatry, Sapienza ... **Nonalcoholic fatty liver disease** (NAFLD) may increase the risk for **cardiac** ...

Nonalcoholic fatty liver disease and the heart in children and ... - NCBI

www.ncbi.nlm.nih.gov/.../PMC41128... ▾ National Center for Biotechnology Information ▾
by L Pacifico - 2014 - Cited by 11 - Related articles

Jul 21, 2014 - Core tip: **Nonalcoholic fatty liver disease** (NAFLD) is an important Thus, **obese children** and adolescents with a definitive diagnosis of Also, **cardiac dysfunction** was correlated with the increase in grades of **liver** steatosis.

Left ventricular dysfunction in obese children ... - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1002/hep.26610/pdf ▾ John Wiley & Sons ▾
by L Pacifico - 2014 - Cited by 44 - Related articles

Nonalcoholic fatty liver disease (NAFLD) may increase the risk for **cardiac dysfunction**. The present study ... ity, and high-sensitivity C-reactive protein in 108 **obese children**, 54 with (HFF 5%) and ... cular disease and coronary heart disease.2.

Nonalcoholic Fatty Liver Disease Is Independently Associated with ...

journals.plos.org/plosone/article?id=10.1371/journal.pone.0135329 ▾



All News Shopping Images Videos More ▾ Search tools

About 328,000 results (0.31 seconds)

Children's Liver Transplants - The Best Chance For Success.

Ad treat.stanfordchildrens.org/Liver/Transplants ▾ +1 844-201-9522

Best 3 Year Outcomes for Pediatric Liver Transplant Patients. Call Now For Info!

Best Children's Hospitals 2016-17 Honor Roll – U.S. News

Nonalcoholic fatty liver disease and the heart in children and ... - NCBI

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC)

by L Pacifico - 2014 - Cited by 13 - Related articles

Jul 21, 2014 - Core tip: **Nonalcoholic fatty liver disease** (NAFLD) is an important Thus, **obese children** and adolescents with a definitive diagnosis of Also, **cardiac dysfunction** was correlated with the increase in grades of **liver** steatosis.

Left ventricular dysfunction in obese children and adolescents ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/23843206 ▾

by L Pacifico - 2014 - Cited by 46 - Related articles

Dec 23, 2013 - (1)Department of Pediatrics and Child Neuropsychiatry, Sapienza ... **Nonalcoholic fatty liver disease** (NAFLD) may increase the risk for **cardiac** ...

Non-Alcoholic Fatty Liver Disease and Cardiovascular Risk - NCBI

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC)

by VL Misra - 2009 - Cited by 79 - Related articles

Nonalcoholic fatty liver disease (NAFLD) is a very common cause of chronic **liver** disease in ... hsCRP, atheroma formation, mediastinal **fat** pad, endothelial **dysfunction** and ... [14] An Italian pediatric study showed that **obese children** with NAFLD Patients with NAFLD have very high prevalence of **cardiac** risk factors and ...

Left ventricular dysfunction in obese children ... - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1002/hep.26610/pdf ▾

by L Pacifico - 2014 - Cited by 46 - Related articles

Nonalcoholic fatty liver disease (NAFLD) may increase the risk for **cardiac dysfunction**. The present



全部 新闻 图片 视频 更多 ▾ 搜索工具

找到约 717,000 条结果 (用时 0.88 秒)

小提示: 仅限搜索简体中文结果。您可以在设置中指定搜索语言

Nonalcoholic fatty liver disease and the heart in children and ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: L Pacifico - 2014 - 被引用次数: 13 - 相关文章

2014年7月21日 - Core tip: **Nonalcoholic fatty liver disease** (NAFLD) is an important Thus, **obese children** and adolescents with a definitive diagnosis of Also, **cardiac dysfunction** was correlated with the increase in grades of **liver** steatosis.

Left ventricular dysfunction in obese children and adolescents ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/23843206 ▾ 翻译此页

作者: L Pacifico - 2014 - 被引用次数: 46 - 相关文章

2013年12月23日 - (1)Department of Pediatrics and **Child Neuropsychiatry**, Sapienza ... **Nonalcoholic fatty liver disease** (NAFLD) may increase the risk for **cardiac** ...

Left ventricular dysfunction in obese children ... - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1002/hep.26610/pdf ▾ 翻译此页

作者: L Pacifico - 2014 - 被引用次数: 46 - 相关文章

Nonalcoholic fatty liver disease (NAFLD) may increase the risk for **cardiac dysfunction**. The present study ... ity, and high-sensitivity C-reactive protein in 108 **obese children**, 54 with (HFF 5%) and ... cular disease and coronary **heart** disease.2.

Left ventricular dysfunction in obese children ... - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1002/hep.26610/full ▾ 翻译此页

作者: L Pacifico - 2014 - 被引用次数: 46 - 相关文章

2013年12月23日 - **Nonalcoholic fatty liver disease** (NAFLD) may increase the risk for **cardiac dysfunction** ... Conclusion: Asymptomatic **obese children** with NAFLD exhibit features ... at risk of