

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 92,900 条结果 (用时 0.33 秒)

Google 学术: Duplicate publication bias weakens the validity of meta-analysis of immunosuppression after transplantation

... Renal Transplantation: A Systematic Review and Meta ... - Sawinski - 被引用次数: 17

... -related acute-on-chronic liver failure: a meta-analysis - Shi - 被引用次数: 43

... B virus reactivation during immunosuppressive drug ... - Perrillo - 被引用次数: 117

Duplicate publication of articles used in meta-analysis in Korea

<https://www.ncbi.nlm.nih.gov> - NCBI - Literature - PubMed Central (PMC) - 翻译此页

作者: WS Choi - 2014 - 被引用次数: 6 - 相关文章

2014年4月9日 - Our study found only 6 instances of duplicate publication after analyzing ... Keywords:

Duplicate publication, Meta-analysis, Korea, Bias Multiple publication bias may be an important threat to the validity of meta-analyses.

缺少字词: weakens immunosuppression transplantation

Systematic Review and Meta-Analysis of Tacrolimus versus ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5094765/> - 翻译此页

作者: G Muduma - 2016 - 被引用次数: 2 - 相关文章

2016年11月3日 - Meta-analysis of RCTs published since 2000 showed tacrolimus to be ... Changes to the formulations of primary immunosuppressive therapies have ... Duplicate studies were removed and screening of the titles and abstracts of Finally, NODAT rate at 12 months after transplantation was reported in five of ...

缺少字词: weakens validity

PLOS ONE: Systematic Review and Meta-Analysis of Tacrolimus ...

journals.plos.org/plosone/article?id=10.1371/journal.pone.0160421 - 翻译此页

作者: G Muduma - 2016 - 被引用次数: 3 - 相关文章

2016年11月3日 - Conclusions Meta-analysis of RCTs published since 2000 showed tacrolimus to ... versus Ciclosporin as Primary Immunosuppression After Liver Transplant Duplicate studies were removed and screening of the titles and abstracts ... Additionally, the Cochrane Collaboration's risk of bias tool was used to ...

缺少字词: weakens validity

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 36061

Manuscript Type: LETTER TO THE EDITOR

Duplicate publication bias weakens the validity of meta-analysis of immunosuppression after transplantation

Fairfield CJ *et al.* Duplicate publication bias in meta-analysis

Cameron J Fairfield, Ewen M Harrison, Stephen J Wigmore

Abstract

Duplicate publication can introduce significant bias into a meta-analysis if studies are inadvertently included more than once. Many studies are published in more than one journal to maximize readership and impact of the study findings. Inclusion of multiple publications of the same study within a meta-analysis affords inappropriate weight to the duplicated data if reports of the same study are not linked together.

Match Overview

1

Crossref 9 words

Yun Qian, "Cannulation of the intradiverticular papilla usin ...
a duodenoscope: Is it a safe method?", World Journal of Ga

1%

2

Internet 9 words

crawled on 03-Mar-2017
www.wjgnet.com

1%

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 99,300 条结果 (用时 0.79 秒)

Google 学术: Duplicate publication bias weakens the validity of meta-analysis of immunosuppression after transplantation

... Renal Transplantation: A Systematic Review and Meta ... - Sawinski - 被引用次数: 17

... -related acute-on-chronic liver failure: a meta-analysis - Shi - 被引用次数: 43

... B virus reactivation during immunosuppressive drug ... - Perrillo - 被引用次数: 120

Duplicate publication of articles used in meta-analysis in Korea

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMed Central \(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者: WS Choi - 2014 - 被引用次数: 6 - 相关文章

2014年4月9日 - Our study found only 6 instances of duplicate publication after analyzing ... Keywords:

Duplicate publication, Meta-analysis, Korea, Bias Multiple publication bias may be an important threat to the validity of meta-analyses.

缺少字词: weakens immunosuppression transplantation

The implications of publication bias for meta-analysis' other parameter.

<https://www.ncbi.nlm.nih.gov/pubmed/16345059> - 翻译此页

作者: D Jackson - 2006 - 被引用次数: 30 - 相关文章

Perhaps the greatest threat to the validity of a meta-analysis is the possibility of publication bias, where studies that are interesting or statistically significant are ...

缺少字词: duplicate weakens immunosuppression transplantation

Systematic Review and Meta-Analysis of Tacrolimus versus ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5094765/> - 翻译此页

作者: G Muduma - 2016 - 被引用次数: 2 - 相关文章

2016年11月3日 - Meta-analysis of RCTs published since 2000 showed tacrolimus to be ... Changes to the formulations of primary immunosuppressive therapies have ... Duplicate studies were removed and screening of the titles and abstracts of Finally, NODAT rate at 12 months after transplantation was reported in five of ...

缺少字词: weakens validity

全部

新闻

图片

视频

购物

更多

设置

工具

找到约 91,100 条结果 (用时 0.70 秒)

Google 学术: Duplicate publication bias weakens the validity of meta-analysis of immunosuppression after transplantation

... Renal Transplantation: A Systematic Review and Meta ... - Sawinski - 被引用次数: 17

... -related acute-on-chronic liver failure: a meta-analysis - Shi - 被引用次数: 43

... B virus reactivation during immunosuppressive drug ... - Perrillo - 被引用次数: 120

Duplicate publication of articles used in meta-analysis in Korea

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: WS Choi - 2014 - 被引用次数: 6 - 相关文章

2014年4月9日 - Our study found only 6 instances of duplicate publication after analyzing ... Keywords:

Duplicate publication, Meta-analysis, Korea, Bias Multiple publication bias may be an important threat to the validity of meta-analyses.

缺少字词: weakens immunosuppression transplantation

The implications of publication bias for meta-analysis' other parameter.

<https://www.ncbi.nlm.nih.gov/pubmed/16345059> - 翻译此页

作者: D Jackson - 2006 - 被引用次数: 30 - 相关文章

Perhaps the greatest threat to the validity of a meta-analysis is the possibility of publication bias, where studies that are interesting or statistically significant are ...

缺少字词: duplicate weakens immunosuppression transplantation

Evaluating Meta-analyses in the General Surgical Literature: A Critical ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: E Dixon - 2005 - 被引用次数: 127 - 相关文章

After excluding articles based on a priori criteria, 51 meta-analyses fulfilled eligibility criteria. In duplicate and independently, 2 reviewers assessed the quality of these ... This critical appraisal of meta-analyses published in the general surgery literature ... The quality of these reports limits the validity of the findings