

学术搜索

找到约 214 条结果 (用时0.11秒)

- 文章
- 我的图书馆
- 时间不限
- 2016以来
- 2015以来
- 2012以来
- 自定义范围...
- 按相关性排序
- 按日期排序
- 搜索所有网页
- 中文网页
- 简体中文网页
- ☒ 包括专利
- ☒ 包含引用
-  创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Clinical outcomes after double-balloon enteroscopy in patients with obscure GI bleeding and a positive capsule endoscopy [PDF] researchgate.net

AJ Kaffes, C Siah, JH Koo - *Gastrointestinal endoscopy*, 2007 - Elsevier
... to improving the diagnostic ability in small-bowel disease and providing traditional endoscopic interventions in previously ... to CE for the diagnostic and treatment protocol for OGIB had a major impact. ... Diagnosing small bowel Crohn's disease with wireless capsule endoscopy. ...
被引用次数: 93 相关文章 所有 7 个版本 引用 保存

Risk factors for incomplete small-bowel capsule endoscopy [PDF] researchgate.net

J Westerhof, RK Weersma, JJ Koomstra - *Gastrointestinal endoscopy*, 2009 - Elsevier
... In contrast, Caddy et al 25 found that erythromycin had no effect on GTTs or ... Future prospective studies are needed to see whether these interventions indeed decrease the rate ... compared to other diagnostic modalities in patients with non-stricturing small bowel Crohn's disease. ...
被引用次数: 130 相关文章 所有 7 个版本 引用 保存

Negative capsule endoscopy without subsequent enteroscopy does not predict lower long-term rebleeding rates in patients with obscure GI bleeding

JJ Park, JH Cheon, HM Kim, HS Park, CM Moon... - *Gastrointestinal ...*, 2010 - Elsevier
... Thus, the clinical implications of negative results of CE studies in the long term remain ... populations as well as differences in the follow-up duration and subsequent interventions after CE. ... examinations in patients with OGIB, if there is a suspicion of significant small-bowel lesions. ...
被引用次数: 55 相关文章 所有 6 个版本 引用 保存

Cost-effectiveness analysis of management strategies for obscure GI bleeding [PDF] academia.edu

L Gerson, A Kamal - *Gastrointestinal endoscopy*, 2008 - Elsevier
... We modeled that patients in the no-therapy arm would not undergo any endoscopic interventions. ... a paucity of published literature about the natural history of bleeding from small-bowel AVMs in ... over time, we did not model this occurrence because of the short time horizon of 1 ...
被引用次数: 123 相关文章 所有 10 个版本 引用 保存

Capsule retentions and incomplete capsule endoscopy examinations: an analysis of 2300 examinations [PDF] hindawi.com

CM Höög, LA Bark, J Arkani, J Gorsetman... - ... research and practice, 2011 - hindawi.com
are CD, obstructive tumor, and diaphragm disease due to the side effects of nonsteroid. ... it is unlikely

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 30938

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Implications of small-bowel transit time in the detection rate of capsule endoscopy: A multivariable multicenter study of patients with obscure gastrointestinal bleeding

Girelli CM *et al.* Capsule endoscopy detection rate and small-bowel transit time

Carlo Maria Girelli, Marco Soncini, Emanuele Rondonotti

Carlo Maria Girelli, Gastroenterology and Digestive Endoscopy Unit, Hospital of Busto Arsizio (VA), Italy

Marco Soncini, Gastroenterology, S. Carlo Hospital, Milano, Italy

Match Overview

1	Internet 172 words crawled on 05-Jun-2016 www.wjgnet.com	6%
2	Crossref 32 words Rondonotti, Emanuele, Anastasios Koulaouzidis, Alexandros Karargyris, Andry Giannakou, Lucia Fini, Marco Soncini,	1%

学术搜索

找到约 216 条结果 (用时0.09秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Clinical outcomes after double-balloon enteroscopy in patients with obscure GI bleeding and a positive capsule endoscopy

AJ Kaffes, C Siah, JH Koo - *Gastrointestinal endoscopy*, 2007 - Elsevier

... to improving the diagnostic ability in small-bowel disease and providing traditional endoscopic interventions in previously ... to CE for the diagnostic and treatment protocol for OGIB had a major impact. ... Diagnosing small bowel Crohn's disease with wireless capsule endoscopy. ...

被引用次数: 93 相关文章 所有 7 个版本 引用 保存

[PDF] researchgate.net

Risk factors for incomplete small-bowel capsule endoscopy

J Westerhof, RK Weersma, JJ Koomstra - *Gastrointestinal endoscopy*, 2009 - Elsevier

... In contrast, Caddy et al 25 found that erythromycin had no effect on GTTs or ... Future prospective studies are needed to see whether these interventions indeed decrease the rate ... compared to other diagnostic modalities in patients with non-stricturing small bowel Crohn's disease. ...

被引用次数: 131 相关文章 所有 7 个版本 引用 保存

[PDF] researchgate.net

Negative capsule endoscopy without subsequent enteroscopy does not predict lower long-term rebleeding rates in patients with obscure GI bleeding

JJ Park, JH Cheon, HM Kim, HS Park, CM Moon... - *Gastrointestinal ...*, 2010 - Elsevier

... Thus, the clinical implications of negative results of CE studies in the long term remain ... populations as well as differences in the follow-up duration and subsequent interventions after CE. ... examinations in patients with OGIB, if there is a suspicion of significant small-bowel lesions. ...

被引用次数: 57 相关文章 所有 6 个版本 引用 保存

Cost-effectiveness analysis of management strategies for obscure GI bleeding

L Gerson, A Kamal - *Gastrointestinal endoscopy*, 2008 - Elsevier

... We modeled that patients in the no-therapy arm would not undergo any endoscopic interventions. ... a paucity of published literature about the natural history of bleeding from small-bowel AVMs in ... over time, we did not model this occurrence because of the short time horizon of 1 ...

被引用次数: 123 相关文章 所有 10 个版本 引用 保存

[PDF] academia.edu

Capsule retentions and incomplete capsule endoscopy examinations: an analysis of 2300 examinations

CM Hünig, LÅ Park, J Adachi, J Gassman... - *research and practice*, 2011 - hindawi.com

[PDF] hindawi.com



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 3,580 条结果 (用时 0.93 秒)

The Role of Capsule Endoscopy in Patients with Obscure ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: YW Min - 2016 - 相关文章

2016年1月28日 - However, the **small bowel** is now within the reach of **GI endoscopy**, ... was the most common indication (66.0%), and the pooled **detection rate** for ... **Patients** with ongoing overt **bleeding** are more likely to yield positive CE results [28,29]. ... for DBE when the **capsule transit time** from the pylorus to the lesion ...

缺少字词: multivariable

What is the impact of capsule endoscopy in the long term period? - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Ormeci - 2016 - 被引用次数: 1 - 相关文章

2016年4月10日 - The rebleeding **rates** of **patients** with positive and negative capsule ... Keywords: **Capsule endoscopy**, **Small bowel**, **Obscure gastrointestinal bleeding**, **Rebleeding** ... **Obscure gastrointestinal bleeding** (OGIB) is a frequent problem in the ... In 112 of the 139 (80.6%) **patients**, capsule **transit time** to caecum ...

Small Bowel Tumors in Patients Undergoing Capsule Endoscopy: a ...

https://www.researchgate.net/.../42834272_Small_Bowel_Tumors_in_Patients_Undergoi...

The present **study** is aimed at evaluating the prevalence, clinical ... The main indication for CE was **obscure gastrointestinal bleeding**, occult or the pylorus to the lesion divided by the **transit time** from the ... **Small bowel** tumors **detected** by **capsule endoscopy** 23 in **small-bowel** malignancy: a **multicenter** Belgian **study**.

Current status and future perspectives of capsule endoscopy

www.irjournal.org/view.html?uid=490&vmd=Full ▼ 翻译此页

Small bowel capsule endoscopy (CE) was first introduced 15 years ago, and a ... The primary indications for **small bowel** CE are **obscure gastrointestinal bleeding**, ... did not have a significant **impact** on the long-term outcome of **patients** with OGIB ... capsule **transit time** as validated by a