

PEER-REVIEW REPORT

Name of journal: World Journal of Orthopedics

Manuscript NO: 62856

Title: Hip prosthetic loosening – a very personal review

Reviewer's code: 03442364 Position: Peer Reviewer

Academic degree: MD, PhD

Professional title: Doctor

Reviewer's Country/Territory: China

Author's Country/Territory: Sweden

Manuscript submission date: 2021-01-20

Reviewer chosen by: Man Liu

Reviewer accepted review: 2021-03-01 13:20

Reviewer performed review: 2021-03-01 13:33

Review time: 1 Hour

Scientific quality	[] Grade A: Excellent [] Grade B: Very good [Y] Grade C: Good [] Grade D: Fair [] Grade E: Do not publish
Language quality	[] Grade A: Priority publishing [Y] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	[] Accept (High priority) [] Accept (General priority) [Y] Minor revision [] Major revision [] Rejection
Re-review	[Y] Yes [] No
Peer-reviewer statements	Peer-Review: [Y] Anonymous [] Onymous Conflicts-of-Interest: [] Yes [Y] No



SPECIFIC COMMENTS TO AUTHORS

This is an interesting and meaningful study, and I recommend accept.



PEER-REVIEW REPORT

Name of journal: World Journal of Orthopedics

Manuscript NO: 62856

Title: Hip prosthetic loosening - a very personal review

Reviewer's code: 00724254 Position: Peer Reviewer

Academic degree: MD, PhD

Professional title: Professor, Surgeon

Reviewer's Country/Territory: Spain

Author's Country/Territory: Sweden

Manuscript submission date: 2021-01-20

Reviewer chosen by: Man Liu

Reviewer accepted review: 2021-04-12 07:42

Reviewer performed review: 2021-04-14 09:10

Review time: 2 Days and 1 Hour

Scientific quality	[] Grade A: Excellent [Y] Grade B: Very good [] Grade C: Good [] Grade D: Fair [] Grade E: Do not publish
Language quality	[Y] Grade A: Priority publishing [] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	[] Accept (High priority) [Y] Accept (General priority) [] Minor revision [] Major revision [] Rejection
Re-review	[Y]Yes []No
Peer-reviewer statements	Peer-Review: [Y] Anonymous [] Onymous Conflicts-of-Interest: [] Yes [Y] No



SPECIFIC COMMENTS TO AUTHORS

This is a very interesting manuscript about a field not always good understood. My sugestions are: In the paragraph (High or Low Migration Treshold?) It would be usefull that author give a RANGE on threshold migration parameters based upon the different references. In the same paragraph A curiosity of this reviewer: on 2015 it was been possible to elucidate by CT´scan a migration less than 0.15 mm?



PEER-REVIEW REPORT

Name of journal: World Journal of Orthopedics

Manuscript NO: 62856

Title: Hip prosthetic loosening - a very personal review

Reviewer's code: 03067229 Position: Peer Reviewer Academic degree: DSc

Professional title: Research Scientist

Reviewer's Country/Territory: Russia

Author's Country/Territory: Sweden

Manuscript submission date: 2021-01-20

Reviewer chosen by: Man Liu

Reviewer accepted review: 2021-04-09 04:05

Reviewer performed review: 2021-04-20 05:53

Review time: 11 Days and 1 Hour

Scientific quality	[] Grade A: Excellent [] Grade B: Very good [Y] Grade C: Good [] Grade D: Fair [] Grade E: Do not publish
Language quality	[Y] Grade A: Priority publishing [] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	[] Accept (High priority) [Y] Accept (General priority) [] Minor revision [] Major revision [] Rejection
Re-review	[] Yes [Y] No
Peer-reviewer statements	Peer-Review: [Y] Anonymous [] Onymous Conflicts-of-Interest: [] Yes [Y] No



SPECIFIC COMMENTS TO AUTHORS

The article is interesting. However, in the opinion of the reviewer, autobiographical digressions are unnecessary (THE COOLFIX CEMENT section, paragraph 2).