

1 / 32

7

**Name of Journal:** *World Journal of Gastroenterology***Manuscript NO:** 55264**Manuscript Type:** ORIGINAL ARTICLE*Randomized Controlled Trial*

Epigastric pain syndrome: What can traditional Chinese medicine do? A randomized controlled trial of Biling Weitong Granules

复制

Yan-Dong Wen, Fang Lu, Ying-Pan Zhao, Ping Wang, Qian Yang, Jun-Xiang Li, Hui-Zhen Li, Li-Li Chi, Zheng-Hua Zhou, Yan-Ping Tang, Jin-Kang Xu, Yang Zhao, Xu-Dong Tang

**Abstract****BACKGROUND**

Recent research has suggests that although prokinetic agents, acid suppressors, and radical treatment for *Helicobacter pylori* infection may be effective in patients

**Match Overview**

1	<b>Internet</b> 18 words crawled on 21-Feb-2020 <a href="http://f1000research.com">f1000research.com</a>	<1%
2	<b>Internet</b> 16 words crawled on 18-Dec-2016 <a href="http://link.springer.com">link.springer.com</a>	<1%
3	<b>Crossref</b> 15 words Yinglian Xiao, Yuwen Li, Jianchang Shu, Yan Li et al. "The efficacy of oral Zhizhu Kuanzhong, a Traditional Chinese Me...	<1%
4	<b>Internet</b> 14 words crawled on 23-Apr-2010 <a href="http://lib.bioinfo.pl">lib.bioinfo.pl</a>	<1%
5	<b>Crossref</b> 14 words Robert F. Yacavone. "Quality of life measurement in gastr... nterology: what is available?", The American Journal of Gas	<1%
6	<b>Crossref</b> 13 words Jun Song, Ling Yang, Shuai Su, Mei Yu Piao et al. "Agreeme nt of gastroenterologists in traditional Chinese medical diffe	<1%
7	<b>Internet</b> 13 words crawled on 06-Jan-2020 <a href="http://f6publishing.blob.core.windows.net">f6publishing.blob.core.windows.net</a>	<1%
8	<b>Crossref</b> 12 words Ümit Seçkin, Birkan Sonel Tur, Özlem Yılmaz, İlker Yağcı, H atice Bodur, Tansu Arasil. "The prevalence of joint hyperm	<1%





ALL

IMAGES

VIDEOS

6,200 Results

Any time ▼

## Efficacy of Weikang Pian in Patients with Functional ...

<https://www.hindawi.com> › [journals](#) › [ecam](#) › [2019](#) › [4827046](#)

Background . FD (functional dyspepsia) is a common functional gastrointestinal disorder, which lacks effective and safe treatment. Chinese herbal medicine (CHM) has been applied in FD treatment for thousands of years with satisfactory clinical outcomes. Zhishi is a classical traditional Chinese medicine used to **treat FD**.

**Author:** Lijing Yan, Lijin Yu, Linlin Zhao, Dong... **Publish Year:** 2019

## (PDF) Efficacy of Jianpi Liqi therapy for functional ...

<https://www.researchgate.net> › [publication](#) › [335198482\\_Efficacy\\_of\\_Jianpi\\_Liqi\\_therapy\\_for...](#)

Background: We performed this meta-analysis to assess the efficacy and safety of **Jianpi Liqi therapy** (JLT), a traditional Chinese medicine therapy, in treating functional dyspepsia (FD).

## Effect of Chinese patent medicine Si-Mo-Tang oral liquid ...

<https://journals.plos.org> › [plosone](#) › [article?id=10.1371](#) › [journal.pone.0171878](#)

These terms were combined with the operator AND with the free text term "Si-Mo-Tang." For example, in the Wanfang database, the combined search terms were "**functional dyspepsia** or epigastric pain syndrome or postprandial discomfort syndrome or Pi-Man or Ji-Zhi or Wei-Tong" and "Si-Mo-Tang."

**Cited by:** 2 **Author:** Yunxia Hu, Yu Bai, Zhiyun Hua, Jie Yang...  
**Publish Year:** 2017

## downloads.hindawi.com

[downloads.hindawi.com](https://downloads.hindawi.com) › [journals](#) › [ecam](#) › [2019](#) › [4827046.xml](#)

**Zhishi** is a classical traditional Chinese medicine used to **treat FD**. Weikang pian (WKP) is made of flavonoids extracted from zhishi which could effectively alleviate the symptoms of FD. This research aimed to assess the efficacy and safety of WKP in FD treatment. Methods. This was a randomized, double-blind, placebo-controlled clinical trial.



国内版

国际版

Epigastric pain syndrome: What can traditional Chinese medicine



ALL

IMAGES

VIDEOS

6,470 Results

Any time ▾

## [Efficacy of Weikang Pian in Patients with Functional ...](https://www.hindawi.com/journals/ecam/2019/4827046)

<https://www.hindawi.com/journals/ecam/2019/4827046> ▾

Chinese herbal medicine (CHM) has been applied in FD treatment for thousands of years with satisfactory clinical outcomes. Zhishi is a classical traditional Chinese medicine used to **treat FD**. Weikang pian (WKP) is made of flavonoids extracted from zhishi which could effectively alleviate the symptoms of FD.

**Author:** Lijing Yan, Lijin Yu, Linlin Zhao, Dong... **Publish Year:** 2019

## [\(PDF\) Efficacy of Jianpi Liqi therapy for functional ...](https://www.researchgate.net/publication/335198482...)

<https://www.researchgate.net/publication/335198482...>

with **epigastric pain syndrome** treated by Jianpi Liqi decoction (**Chinese**). Chin J Basic Med Tradition Chin Med 2012;18:874 – 7. [31] Wang H, Wang Hong-bing, Deng Jin-mei, et al. Study on functional

## [Efficacy and safety of Xiangsha Liujunzi granules for ...](https://europepmc.org/article/PMC/PMC5558122)

<https://europepmc.org/article/PMC/PMC5558122> ▾

Aug 01, 2017 · In this randomized, **double-blinded, placebo-controlled trial**, Xiangsha Liujunzi granules was shown to be effective in the management of FD, especially in patients with **postprandial fullness and bloating, early satiety**, and epigastric pain.

**Cited by:** 8 **Author:** Lin Lv, Feng-Yun Wang, Xiang-Xue Ma, Z...

**Publish Year:** 2017

## [\(PDF\) Efficacy of Weikang Pian in Patients with Functional ...](https://www.researchgate.net/publication/337002020_Efficacy_of_Weikang_Pian_in...)

[https://www.researchgate.net/publication/337002020\\_Efficacy\\_of\\_Weikang\\_Pian\\_in...](https://www.researchgate.net/publication/337002020_Efficacy_of_Weikang_Pian_in...)

PDF | Background



Download the new Microsoft Edge to get the best of the web.

Search Too

Turn off Hover T





ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

6,420 Results

Any time ▾

### [Efficacy of Weikang Pian in Patients with Functional ...](#)

<https://www.hindawi.com/journals/ecam/2019/4827046>

Chinese herbal medicine (CHM) has been applied in FD treatment for thousands of years with satisfactory clinical outcomes. Zhishi is a classical traditional Chinese medicine used to **treat FD**. Weikang pian (WKP) is made of flavonoids extracted from zhishi which could effectively alleviate the symptoms of FD.

**Author:** Lijing Yan, Lijin Yu, Linlin Zhao, Dongs... **Publish Year:** 2019

### [\(PDF\) Efficacy of Jianpi Liqi therapy for functional ...](#)

<https://www.researchgate.net/publication/335198482...>

with **epigastric pain syndrome** treated by Jianpi Liqi decoction (**Chinese**). Chin J Basic Med Tradition Chin Med 2012;18:874 – 7. [31] Wang H, Wang Hong-bing, Deng Jin-mei, et al. Study on functional

### [Efficacy and safety of Xiangsha Liujunzi granules for ...](#)

<https://europepmc.org/article/PMC/PMC5558122>

Aug 01, 2017 · In this randomized, **double-blinded, placebo-controlled trial**, Xiangsha Liujunzi granules was shown to be effective in the management of FD, especially in patients with **postprandial fullness and bloating, early satiety**, and epigastric pain.

**Cited by:** 8 **Author:** Lin Lv, Feng-Yun Wang, Xiang-Xue Ma, Z...

**Publish Year:** 2017

### [Effect of Chinese patent medicine Si-Mo-Tang oral liquid ...](#)

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0171878>

Background Si-Mo-Tang oral liquid (SMT) has been widely used to treat functional dyspepsia (FD), but the effectiveness is still controversial. A systematic review and meta-analysis of **randomized controlled trials (RCTs)** were performed to assess the efficacy and adverse effects of SMT for FD. Methods Investigators searched for articles with publication dates to June 21, 2016, from 9 English and ...

**Cited by:** 3 **Author:** Yunxia Hu, Yu Bai, Zhiyun Hua, Jie Yang,...

**Publish Year:** 2017