

Name of journal: World Journal of Gastroenterology


ESPS Manuscript NO: 16239

Columns: META-ANALYSIS

Thrombocytopenia as an inexpensive, valuable predictor for the recurrence of hepatocellular carcinoma: A systematic review and meta-analysis

Qing Pang, Kai Qu, Jian-Bin Bi, Su-Shun Liu, Jing-Yao Zhang, Si-Dong Song, Ting Lin, Xin-Sen Xu, Yong Wan, Ming-Hui Tai, Hao-Chen Liu, Ya-Feng Dong, Chang Liu

Match Overview



There are no matching sources found.

[网页](#)[新闻](#)[图片](#)[视频](#)[更多](#)[搜索工具](#)

找到约 259,000 条结果 (用时 0.73 秒)

Google 学术: Thrombocytopenia as an inexpensive, valuable predictor for the recurrence of hepatocellular carcinoma: A systematic review and meta-analysis

... treatment for liver metastases from colorectal cancer - Liu - 被引用次数: 181

Radiofrequency ablation of unresectable hepatic ... - Bilchik - 被引用次数: 136

... B e antigen and the risk of hepatocellular carcinoma - Yang - 被引用次数: 1063

Hironobu Amano - Citations - ResearchGate

www.researchgate.net/profile/Hironobu_Amano/citations - 翻译此页

Article: Repeat hepatectomy for recurrent hepatocellular carcinoma. ...

Thrombocytopenia as an inexpensive, valuable predictor for survival in patients with ... versus clamp-crush liver resection: a systematic review and meta-analysis.

Risk Factors for Adverse Prognosis and Death in American ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: VS Belo - 2014 - 被引用次数: 3 - 相关文章

2014年7月24日 - The present systematic review with meta-analysis brings together ...

Potential predictors identified in the studies surveyed were grouped ... poverty, for which effective and affordable chemotherapies remain scarce [2], [3]. ... of prognostic factors associated with VL might be a valuable tool for clinical practice.

[DOC] WJG-21-2807.doc - World Journal of Gastroenterology

www.wjgnet.com/1007-9327/pdf/v21/i9/2807.doc - 翻译此页

作者: JJ Yang - 2015

2015年3月7日 - We performed a meta-analysis to evaluate the relationship between ...

... to be the most valuable for predicting the prognosis of various cancer It is necessary to explore inexpensive and routinely measured predictors of the

学术搜索

找到约 750 条结果 (用时0.14秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯您是不是要找: Thrombocytopenia as an inexpensive, **reliable** predictor for the recurrence of hepatocellular carcinoma: A systematic review and meta-analysis[\[PDF\] Current treatment for liver metastases from colorectal cancer](#)[researchgate.net 中的 \[PDF\]](#)

LX Liu, WH Zhang, HC Jiang - World Journal of ..., 2003 - researchgate.net

... Ultrasound may be most appropriately used because it is **cheapest** and readily available ... liver, bile collection, biliary fistula, right-sided pleural effusion, liver abscess, **thrombocytopenia**, myoglobinuria, arrhythmia ... therapy (SIRT) is a new modality that may be **valuable** in colorectal ...被引用次数: 181 [相关文章](#) [所有 5 个版本](#) [引用](#) [保存](#) [更多](#)[Radiofrequency ablation of unresectable hepatic malignancies: lessons learned](#)[alphamedpress.org 中的 \[HTML\]](#)

AJ Bilchik, TF Wood, DP Allegra - The Oncologist, 2001 - AlphaMed Press

... renal failure [5, 7, 8]. Moreover, its instrumentation is cumbersome and **expensive**. ... Unlike CSA, RFA uses relatively **inexpensive** instrumentation and can be performed in the ... complications of CSA are common and include coagulopathy, **thrombocytopenia**, hemorrhage, pleural ...被引用次数: 136 [相关文章](#) [所有 5 个版本](#) [引用](#) [保存](#)[Hepatitis B e antigen and the risk of hepatocellular carcinoma](#)[ams.ac.ir 中的 \[HTML\]](#)

HI Yang, SN Lu, YF Liaw, SL You, CA Sun... - ... England Journal of ..., 2002 - Mass Medical Soc

... Therefore, HBV DNA is the most important **predictor** of the development of **hepatocellular carcinoma** in ... However, the assay for HBV DNA is **expensive** and is performed only at specialized ... a surrogate marker of HBV DNA, and antibodies against HBeAg are **inexpensive** and are ...被引用次数: 1065 [相关文章](#) [所有 9 个版本](#) [引用](#) [保存](#)[Surgical treatment of hepatic colorectal metastasis: evolving role in the setting of improving systemic therapies and ablative treatments in the 21st century](#)

K Ito, A Govindarajan, H Ito, Y Fong - The Cancer Journal, 2010 - journals.lww.com

... One quarter of patients with primary colorectal **carcinoma** will be found to have synchronous ... The long-term outcomes and **recurrence** patterns for the patients treated with curative intent ... Hepatectomy Is a Safe and Effective Treatment for **Hepatic** Colorectal Metastases and May ...被引用次数: 39 [相关文章](#) [所有 5 个版本](#) [引用](#) [保存](#)[\[HTML\] Performance of the aspartate aminotransferase - to - platelet ratio index for the staging of hepatitis C - related fibrosis: An updated meta - analysis](#) [wiley.com 中的 \[HTML\]](#)

ZH Lin, YN Xin, QJ Dong, Q Wang, XJ Jiang... - ..., 2011 - Wiley Online Library

... Ideally, such a test should be simple, readily available, **inexpensive**, and reliable and accurate in **predicting** ... However, it did not assess the value of APRI in **predicting** severe fibrosis stage. ... was to identify published articles of studies examining the APRI for the **prediction** of HCV ...