

Areas of research and clinical approaches to the study of liver abscess

全部 图片 视频 新闻 地图 图书

找到约 2,790,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Areas of research and clinical approaches to the study of liver abscess](#)

[American Society of Clinical Oncology 2009 clinical ...](#) - Wong - 被引用次数: 326

[Diffusion-weighted MRI in the body: applications and ...](#) - Koh - 被引用次数: 1404

[Clinically oriented anatomy](#) - Moore - 被引用次数: 4297

[Pyogenic and amebic liver abscess - Surgical Treatment - NCBI ...](#)

<https://www.ncbi.nlm.nih.gov/books/NBK6955/>

Liver abscesses are classified into two main groups, pyogenic and amebic related ... ranges from 0.029 to 1.47%(5) and 0.3 to 1.4% in autopsy studies (9). abscess entails an individualized approach based on the underlying clinical ... highest incidence in subtropical and tropical climates and in areas with poor sanitation.

[Pyogenic liver abscess: Changing patterns in approach - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3014521/>

27 Dec 2010 ... AIM: To define optimum management of the pyogenic liver abscess and ... features, the time interval between diagnosis and therapy, imaging studies, ... medical treatment; (2) Liver abscess more than 6 cm in size; and (3) Clinical or of high incidence of ascaris lumbricoides infestation in this region[18].

[Pyogenic and Amebic Liver Abscess - ScienceDirect](#)

www.sciencedirect.com/science/article/pii/S0025712516306423

6 Apr 2016 ... It frequently occurs in endemic areas and, with the increased facility of 47 The clinical characteristics of patients with liver abscess ... Natural History Ochsner et al reported that the mortality from pyogenic liver abscess approached 60 ... Diagnostic Studies About 50 per cent of patients with pyogenic liver ...

[Pyogenic liver abscess - UpToDate](#)

www.uptodate.com/contents/pyogenic-liver-abscess

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 28993

Manuscript Type: SCIENTOMETRICS

Areas of research and clinical approaches to the study of liver abscess

González-Alcaide *et al.* Research activity on liver abscess

Gregorio González-Alcaide, Jorge Peris, José Manuel Ramos

Gregorio González-Alcaide, Departament of History of Science and Documentation, University of Valencia, 46010 Valencia, Spain

Jorge Peris, Deparment of Internal Medicine, Hospital Universitario Sant Joan d'Alacant, 03350 Sant Joan d'Alacant, Spain

Jorge Peris, José Manuel Ramos, Departament of Clinical Medicine, Universidad Miguel Hernández de Elche, 03350 Sant Joan d'Alacant, Spain

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|----------|--|------------|
| 1 | Internet | 111 words
crawled on 13-May-2016
www.wjgnet.com | 3% |
| 2 | Crossref | 31 words
Glänzel, Wolfgang, and András Schubert. "Foreword to th ...
"Case Studies in Scientometrics" special issues", Scientom | 1% |
| 3 | Crossref | 20 words
Camacho-Arroyo, I. "Short- and long-term treatment with es
tradiol or progesterone modifies the expression of GFAP, ... | <1% |

学术搜索

找到约 966 条结果 (用时0.03秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Hepatic energy metabolism in human diabetes mellitus, obesity and non-alcoholic fatty liver disease

C Koliaki, M Roden - Molecular and cellular endocrinology, 2013 - Elsevier

... High resolution three dimensional (3D) magnetic spectroscopy imaging is the most recent development providing ... data on the normal range of mitochondrial function in human liver, some information ... Studies in humans on hepatic energy metabolism under conditions of type 2 ...

被引用次数: 44 相关文章 所有 5 个版本 引用 保存

In vitro models for the study of non-alcoholic fatty liver disease

NC Chavez-Tapia, N Rosso... - Current medicinal ..., 2011 - ingentaconnect.com

... ex vivo Whole perfused liver Strictly controlled experimental conditions Global analysis of the phenomena ... Fry, JR; Powe, D.; Thomson, BJ; Shakesheff, KM The effect of three-dimensional co-culture ... Increased expression of IL-6 and IL-8 mRNA in human immortalized hepatocytes ...

被引用次数: 19 相关文章 所有 7 个版本 引用 保存

[HTML] Targeting liver fibrosis: strategies for development and validation of antifibrotic therapies

Y Popov, D Schuppan - Hepatology, 2009 - Wiley Online Library

... contain the hepatic (parenchymal and nonparenchymal) cells in their authentic three-dimensional (3D) fibrotic ... several models have been described that mimic important aspects of human NASH and ... has been the usually slow progression of liver fibrosis in humans, coupled with ...

被引用次数: 195 相关文章 所有 5 个版本 引用 保存

Use of three-dimensional spheroids of hepatocyte-derived reporter cells to study the effects of intracellular fat accumulation and subsequent cytokine exposure

AV Janorkar, LM Harris, BS Murphey... - Biotechnology and ..., 2011 - Wiley Online Library

... Previous article in issue: Optimizing the medium perfusion rate in bone tissue ... Use of three-dimensional spheroids of hepatocyte-derived reporter cells to study the effects ... the intracellular triglyceride accumulation in hepatocytes isolated from steatotic human livers ...

被引用次数: 19 相关文章 所有 5 个版本 引用 保存

Modern pathogenetic concepts of liver fibrosis suggest stellate cells and TGF-β as major players and therapeutic targets

[PDF] researchgate.net

[HTML] wiley.com

[PDF] wiley.com