

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Prospective randomized study of doxorubicin-eluting-bead embolization in the treatment of hepatocellular carcinoma: results of the PRECISION V study

J Lammer, K Malagari, T Vogl, F Pilleul... - Cardiovascular and ..., 2010 - Springer

... is a novel drug delivery embolization system, comprising biocompatible, nonresorbable hydrogel beads capable of ... study designed to evaluate the safety and efficacy of a drug-eluting bead (DC Bead ... In conclusion, TACE with DC Bead and doxorubicin is safe and effective in the ...

☆ 被引用次数: 981 相关文章 所有 24 个版本

[HTML] springer.com

Survival of patients with hepatocellular carcinoma treated by transarterial chemoembolisation (TACE) using Drug Eluting Beads. Implications for clinical practice and ...

M Burrel, M Reig, A Forner, M Barrufet, CR de Lope... - Journal of ..., 2012 - Elsevier

... Transarterial chemoembolisation (TACE) is an established treatment for patients diagnosed with hepatocellular carcinoma (HCC) [1]. Optimal candidates for it are asymptomatic ...

Chemoembolization of hepatocellular carcinoma with drug eluting beads: efficacy and ...

☆ 被引用次数: 277 相关文章 所有 16 个版本

[PDF] btg-im.com

Transarterial chemoembolization for hepatocellular carcinoma with drug-eluting microspheres: preliminary results from an Italian multicentre study

M Grosso, C Vignali, P Quaretti, A Nicolini... - Cardiovascular and ..., 2008 - Springer

... Lewis AL, Gonzalez MV, Lloyd AW et al (2006) DC Bead: in vitro characterization ... MV et al (2006)

Pharmacokinetic and safety study of doxorubicin-eluting beads in a ... MI, Burrel M et al (2007)

Chemoembolization of hepatocellular carcinoma with drug eluting beads: efficacy and ...

☆ 被引用次数: 128 相关文章 所有 12 个版本

[PDF] researchgate.net

Drug-loaded microspheres for the treatment of liver cancer: review of current

[PDF] researchgate.net

1

Name of journal: *World Journal of Gastroenterology*

Number ID: 36845

Manuscript Type: MINIREVIEW

Drug-eluting beads transarterial chemoembolization for hepatocellular carcinoma:
Current state of the art

Facciorusso A *et al.* DEB-TACE for HCC

Antonio Facciorusso

Abstract

Match Overview

1	Internet 164 words crawled on 30-Jun-2017 www.wjgnet.com	4%
2	Internet 106 words crawled on 30-Mar-2015 www.ncbi.nlm.nih.gov	3%
3	Crossref 43 words Hecq, J.-D., A. L. Lewis, D. Vanbeckbergen, A. Athanoso- poulos, L. Galanti, J. Jamart, P. Czuczman, and T. Chun	1%
4	Internet 41 words crawled on 28-Nov-2017 clincancerres.aacrjournals.org	1%
5	Internet 19 words crawled on 10-Mar-2017 findresearcher.sdu.dk	<1%
6	Crossref 18 words Spreafico, Carlo, Tommaso Cascella, Antonio Facciorus- so, Carlo Sposito, Lanocita Rodolfo, Carlo Morosi, Enric	<1%
7	Crossref 17 words Idée, Jean-Marc, and Boris Guiu. "Use of Lipiodol as a d	<1%

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Prospective randomized study of doxorubicin-eluting-bead embolization in the treatment of hepatocellular carcinoma: results of the PRECISION V study

J Lammer, K Malagari, T Vogl, F Pilleul... - Cardiovascular and ..., 2010 - Springer
... is a novel drug delivery embolization system, comprising biocompatible, nonresorbable hydrogel beads capable of ... study designed to evaluate the safety and efficacy of a drug-eluting bead (DC Bead ... In conclusion, TACE with DC Bead and doxorubicin is safe and effective in the ...

☆ 99 被引用次数: 1015 相关文章 所有 24 个版本

[HTML] springer.com

Survival of patients with hepatocellular carcinoma treated by transarterial chemoembolisation (TACE) using Drug Eluting Beads. Implications for clinical practice and ...

M Burrel, M Reig, A Forner, M Barrufet, CR de Lope... - Journal of ..., 2012 - Elsevier
... Transarterial chemoembolisation (TACE) is an established treatment for patients diagnosed with hepatocellular carcinoma (HCC) [1]. Optimal candidates for it are asymptomatic ...
Chemoembolization of hepatocellular carcinoma with drug eluting beads: efficacy and ...

☆ 99 被引用次数: 287 相关文章 所有 16 个版本

[PDF] btg-im.com

Transarterial chemoembolization for hepatocellular carcinoma with drug-eluting microspheres: preliminary results from an Italian multicentre study

M Grosso, C Vignali, P Quaretti, A Nicolini... - Cardiovascular and ..., 2008 - Springer
... Lewis AL, Gonzalez MV, Lloyd AW et al (2006) DC Bead: in vitro characterization ... MV et al (2006)
Pharmacokinetic and safety study of doxorubicin-eluting beads in a ... MI, Burrel M et al (2007)
Chemoembolization of hepatocellular carcinoma with drug eluting beads: efficacy and ...

☆ 99 被引用次数: 129 相关文章 所有 12 个版本

[PDF] researchgate.net

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 6,030 条结果 (用时 0.50 秒)

Google 学术 : Drug-eluting beads transarterial chemoembolization for hepatocellular carcinoma: Current state of the art

... -bead embolization in the treatment of hepatocellular ... - Lammer - 被引用次数 : 1015

... with hepatocellular carcinoma treated by transarterial ... - Burrel - 被引用次数 : 287

Transarterial chemoembolization for hepatocellular ... - Grosso - 被引用次数 : 129

Transarterial chemoembolization for hepatocellular carcinoma: an ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4918291/> ▼ 翻译此页

作者 : JH Jang - 2015 - 被引用次数 : 1 - 相关文章

2015年9月2日 - Transarterial chemoembolization (TACE) is the standard treatment for patients with Barcelona Clinic Liver Cancer-intermediate stage hepatocellular carcinoma (HCC). The concept of drug-eluting bead TACE builds on the rationale of intratumoral drug delivery, and drug-eluting bead TACE has been shown ...

Transarterial chemoembolization: Evidences from the literature and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4528274/> ▼ 翻译此页

作者 : A Facciorusso - 2015 - 被引用次数 : 30 - 相关文章

2015年8月8日 - Transarterial chemoembolization (TACE) is the current standard of care for patients with large or multinodular hepatocellular carcinoma (HCC), preserved liver function, Studies comparing conventional and drug-eluting beads transarterial chemoembolization in hepatocellular carcinoma patients.

Management of Hepatocellular Carcinoma: Current Status and Future ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4477987/> ▼ 翻译此页

作者 : JS Au - 2015 - 被引用次数 : 27 - 相关文章

2015年7月23日 - Keywords: Carcinoma, hepatocellular, Transarterial chemoembolization, Radiofrequency ablation, Staging systems, Sorafenib TACE with drug-eluting beads (DEB) were shown in preclinical studies to deliver a higher concentration of chemotherapy to the tumor with lower systemic concentrations than ...

[PDF] Art. 1.1475/ringraziamenti

www.europeanreview.org/wp/wp-content/uploads/750.pdf ▼ 翻译此页

作者 : M BIOLATO - 被引用次数 : 45 - 相关文章

care for treatment of intermediate hepatocellular carcinoma. To get the best performance it should be tailored according to the individual patient's condition. Key Words: Liver cancer, Hepatocellular