

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

Manuscript NO: 37392

Manuscript Type: Original Article

Prospective Study

Different options of endosonography-guided biliary drainage after endoscopic retrograde cholangio-pancreatography failure

Ardengh JC *et al.* EUS-guided biliary drainage after ERCP failure

José Celso Ardengh, César Vivian Lopes, Rafael Kemp, José Sebastião dos Santos

Abstract

AIM

To investigate the success rates of endosonography (EUS)-guided biliary drainage (EUS-BD) techniques after endoscopic retrograde cholangiopancreatography (ERCP) (acrescentar se necessário) failure for management of biliary obstruction.

符合内容总览

1	Crossref 53 个字 Khashab, Mouen A., Michael J. Levy, Takao Itoi, ... nd Everson I. A. Artifon "EUS-guided biliary drain	1%
2	Crossref 31 个字 Holt, Bronte A., Robert Hawes, Muhammad Hasa n, Ashley Canine, Benjamin Tharian, Udayakumar	1%
3	互联网 26 个字 于 2017 年 06 月 13 日 缓慢进行 www.wjgnet.com	1%
4	Crossref 17 个字 "UEG Week 2016 Poster Presentations", United E uropean Gastroenterology Journal 2016	<1%
5	互联网 15 个字 于 2017 年 11 月 23 日 缓慢进行 era.library.ualberta.ca	<1%
6	互联网 14 个字 于 2016 年 05 月 01 日 缓慢进行 thieme-connect.de	<1%
7	互联网 14 个字 于 2016 年 05 月 31 日 缓慢进行 f1000.com	<1%
8	Crossref 12 个字 Do Hyun Park, "Endoscopic Ultrasonography-Gu ided Hepaticogastrostomy", Gastrointestinal Endo	<1%
9	Crossref 12 个字 Sugiyama, M., "Endoscopic ultrasonography for di agnosing choledocholithiasis: a prospective com	<1%
10	Crossref 12 个字 ERCP and EUS, 2015.	<1%



文章

找到约 2,160 条结果 (用时0.03秒)

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利☐ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

EUS-guided biliary drainage after failed ERCP: a novel algorithm individualized based on patient anatomy

A Tyberg, AP Desai, NA Kumta, E Brown... - Gastrointestinal ..., 2016 - Elsevier

Methods All patients with biliary obstruction who underwent EUS-BD after failed ERCP from July 2011 through November 2015 underwent the drainage procedure according to the novel algorithm and were enrolled in a dedicated prospective registry. Patients with a dilated

☆ 99 被引用次数: 15 相关文章 所有 5 个版本

Transgastric endoscopic ultrasonography-guided biliary drainage: results of a pilot study

E Bories, C Pesenti, F Caillol, C Lopes... - ..., 2007 - thieme-connect.com

... Systematic stent exchange ... The first case has been described above; in the second, we placed an uncovered transpapillary metallic stent in a patient with a previously ... Hepaticogastrostomy by echo endoscopy as a palliative treatment in a patient with metastatic biliary obstruction ...

☆ 99 被引用次数: 244 相关文章 所有 9 个版本

Endoscopic ultrasound-guided biliary drainage after failed ERCP: cumulative experience of 101 procedures at a single center

..., D Pezet, M Dapoigny, G Bommelaer, A Abergel - ..., 2015 - thieme-connect.com

... 1 b)). The collected bile was systematically sent to the bacteriology laboratory ... four minor complications and one major complication (one death after rendezvous via an unsuccessful extrahepatic ... authors prefer the intrahepatic approach as it is considered to have a lower risk of ...

☆ 99 被引用次数: 66 相关文章 所有 3 个版本



文章

找到约 78 条结果 (用时0.08秒)

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☐ 包括专利☐ 包含引用

创建快讯

seek68文献馆--各种中外期刊数据库!

不限IP | 包月下载 | 可开发票 | 九年金牌服务

您是不是要找: Different options of endosonography-guided biliary drainage after endoscopic retrograde **cholangiopancreatography** failure

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Endoscopic ultrasonography guided **biliary drainage**: summary of consortium meeting, May 7th, 2011, Chicago

[HTML] nih.gov

M Kahaleh, [ELA Artifon](#), M Perez-Miranda... - World journal of ..., 2013 - ncbi.nlm.nih.gov

... Inconsistent modifiers such as "guided" or "assisted" (sometimes also "directed") introduce another source of ... Like any other evolving technology in its developing stages, currently there are no ... The different approaches and **drainage** routes used make this even more complex ...

☆ 99 被引用次数: 75 相关文章 所有 5 个版本

[HTML] A novel technique for **endoscopic** ultrasound-guided **biliary drainage**

[HTML] nih.gov

V Prachayakul, P Aswakul - World Journal of Gastroenterology ..., 2013 - ncbi.nlm.nih.gov

... We defined clinical outcomes using several different criteria ... and clinical (90.5%) success, while maintaining lower complication rates (9.5%) when compared to other studies (15 ... The goal of this study was to demonstrate another option for EUS-guided **biliary drainage** that used ...

☆ 99 被引用次数: 32 相关文章 所有 5 个版本

Endoscopic ultrasound-assisted **bile** duct access and **drainage**: multicenter, long-term analysis of approach, outcomes, and complications of a technique in evolution

[HTML] umn.edu

K Gupta, M Perez-Miranda, M Kahaleh... - Journal of clinical ..., 2014 - journals.lww.com

Background and Study Aims:When endoscopic retrograde cholangio-pancreatography fails, the bile duct.

☆ 99 被引用次数: 98 相关文章 所有 7 个版本



Different options of endosonography-guided biliary drainage after endosc



全部

图片

视频

新闻

购物

更多

设置

工具

找到约 17,500 条结果 (用时 0.52 秒)

[PDF] Current status of endosonography-guided biliary drainage

<https://pdfs.semanticscholar.org/.../c94e8791c6a4ec3430cda9768805786e24...> ▼ 翻译此页

作者: TL Ang - 2010 - 被引用次数: 5 - 相关文章

biliary drainage. Ang T L. ABSTRACT. An obstructed biliary system is usually drained by **endoscopic retrograde cholangio-pancreatography**, and when this is ... procedure **after failed ERCP**. **After** initial drainage is achieved, subsequent definitive treatment may involve: (1) long-term external **biliary drainage**; (2).

Endoscopic ultrasound-guided biliary drainage versus percutaneous ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5384693/> - 翻译此页

作者: R Baniya - 2017 - 被引用次数: 2 - 相关文章

2017年4月3日 - Mild adverse events were nonsignificantly **different** (OR: 0.36; CI 0.10–1.24; p=0.11) but not the moderate-to-severe adverse events (OR: 0.16; ... Keywords: **failed endoscopic retrograde cholangiopancreatography**, percutaneous transhepatic **biliary drainage**, **endoscopic ultrasound-guided biliary drainage**, ...

Comparison of endosonography-guided vs. percutaneous biliary ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4040793/> ▼ 翻译此页

作者: A Bapaye - 2013 - 被引用次数: 42 - 相关文章

Endoscopic retrograde cholangiopancreatography (ERCP) and biliary stenting **fails** in 5–10% patients of malignant biliary obstruction because papilla is inaccessible. Percutaneous transhepatic **biliary drainage** (PTBD) is an accepted alternative. **Endosonography-guided biliary drainage** (EUS-BD) has been described ...

Endoscopic ultrasound-guided biliary drainage: a review - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3992219/> ▼ 翻译此页

作者: T Iwashita - 2014 - 被引用次数: 93 - 相关文章