

[网页](#)[图片](#)[新闻](#)[视频](#)[更多](#)[搜索工具](#)

找到约 236,000 条结果 (用时 0.45 秒)

Google 学术: Clinical features of second primary cancers arising in early gastric cancer patients after endoscopic resection

Limited resection for early adenocarcinoma in Barrett's ... - Stein - 被引用次数: 324

... factors for long-term survival after surgical resection - Stein - 被引用次数: 296

... of second cancers after treatment for Hodgkin's disease - Tucker - 被引用次数:

714

Full Text (HTML) - Japanese Journal of Clinical Oncology

jjco.oxfordjournals.org/content/32/10/425.long - 翻译此页

作者: K Shigemitsu - 2002 - 被引用次数: 27 - 相关文章

We report seven early gastric cancers in five patients, which arose in the reconstructed ... All of them were treated surgically with partial resection of the gastric tube ... After 4 years and 3 months, endoscopic surveillance with biopsy revealed ... advanced treatment for esophageal cancer and secondary cancer arising in the ...

Five Cases of Early Gastric Cancer in the Reconstructed ...

jjco.oxfordjournals.org/content/32/10/425.full.pdf - 翻译此页

作者: K Shigemitsu - 2002 - 被引用次数: 27 - 相关文章

after Radical Resection for Esophageal Cancer ... We report seven early gastric cancers in five patients, which arose in the reconstructed gastric ... patients. Total or partial gastrectomy is proposed for surgical treatment of ... Key words: gastric tube cancer - secondary cancer - early gastric cancer - field carcinogenesis.

Metachronous gastric carcinoma from a gastric tube after ...

www.ncbi.nlm.nih.gov/pubmed/15063232 - 翻译此页

作者: N Okamoto - 2004 - 被引用次数: 32 - 相关文章

8
Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 17218

Columns: ORIGINAL ARTICLE

Case Control Study

Clinical features of second primary cancers arising in early gastric cancer patients
after endoscopic resection

Jung-Wook Kim, Jae-Young Jang, Young Woon Chang, Yong Ho Kim

Abstract

Match Overview

1	CrossCheck 63 words Kim, Chan, Hong Chon, Beodeul Kang, Kiyeol Kim, Hei-Cheul Jeung, Hyun Chung, Sung Noh, and Sun Rha. "Pr	1%
2	Internet 42 words crawled on 04-Jun-2014 intl-ueg.sagepub.com	1%
3	CrossCheck 16 words "UEG Week 2013 Poster Presentations", United Europe an Gastroenterology Journal, 2013.	<1%
4	Internet 14 words crawled on 20-May-2014 www.ncbi.nlm.nih.gov	<1%
5	Internet 14 words crawled on 26-Mar-2010 kce.fgov.be	<1%
6	Internet 14 words crawled on 10-Nov-2010 omed.org	<1%

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用

创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

[\[HTML\] Limited resection for early adenocarcinoma in Barrett's esophagus](#)

HJ Stein, M Feith, J Mueller, M Werner... - Annals of surgery, 2000 - ncbi.nlm.nih.gov

... as a substitute for the lower esophageal sphincter was tested as an antireflux procedure and clinically introduced by ... Impact of endoscopic biopsy surveillance of Barrett's oesophagus on pathological stage and clinical outcome of Barrett's ... Surgical treatment of Barrett's carcinoma ...

被引用次数：324 相关文章 所有 5 个版本 引用 保存

nih.gov 中的 [HTML]

[\[HTML\] Early esophageal cancer: pattern of lymphatic spread and prognostic factors for long-term survival after surgical resection](#)

HJ Stein, M Feith, BLDM Bruecher, J Naehrig... - Annals of ..., 2005 - ncbi.nlm.nih.gov

... a surrogate parameter for a combination of more favorable patient and tumor characteristics. ... argue against a wide spread and uncritical application of endoscopic treatment modalities in ... biopsy surveillance of Barrett's oesophagus on pathological stage and clinical outcome of ...

被引用次数：300 相关文章 所有 9 个版本 引用 保存

nih.gov 中的 [HTML]

[Risk of second cancers after treatment for Hodgkin's disease](#)

MA Tucker, CN Coleman, RS Cox... - ... England Journal of ..., 1988 - Mass Medical Soc

... The characteristics of the patients in the five treatment groups are presented in Table 1Table 1 Characteristics of the Patient Population... (2008) Mammographic Screening in Women at Increased Risk of Breast Cancer after Treatment of Hodgkin's ... In: Abeloff's Clinical Oncology. ...

被引用次数：722 相关文章 所有 4 个版本 引用 保存

[Endoscopic submucosal dissection is superior to conventional endoscopic resection as a curative treatment for early squamous cell carcinoma of the esophagus \(with ...](#)

H Takahashi, Y Arimura, H Masao, S Okahara... - ... endoscopy, 2010 - Elsevier

... The clinically incomplete resection signifies that there is an iodine unstained area in the margin ...

Comparison of clinical outcomes between the EMR and ESD group. ... Patient, Invasion depth,

Resection, ER-tum, Curability, ... Duration(months), Additional treatment, Death of recurrence,

giejournal.org 中的 [HTML]

Web

Images

Videos

News

Shopping

Maps

Books

About 760,000 results

Any time

Past hour

Past 24 hours

Past week

Past month

Past year

Five Cases of Early Gastric Cancer in the Reconstructed Gastric ...jjco.oxfordjournals.org/content/32/10/425.long ▼

We report seven **early gastric cancers** in five **patients**, which arose in the ... Total or partial gastrectomy is proposed for surgical **treatment** of **gastric tube cancer**, but the ... The **patient** died for reasons unrelated to **cancer** 13 months **after** the **second** Especially surgical **resection** of **cancer arising** in the **gastric tube** performed ...

All results

Verbatim

Metachronous gastric carcinoma from a gastric tube after radical ...www.ncbi.nlm.nih.gov/pubmed/15063232

BACKGROUND: Cases of metachronous **gastric carcinoma arising** from a gastric tube used for ... The **clinical** and pathologic **characteristics** of the gastric tube carcinomas were ... **Endoscopic mucosal resection** was performed in two **patients** , partial ... examinations are important **after** radical esophagectomy to ensure **early** ...

Gastric cancer arising from the remnant stomach after distal ...www.ncbi.nlm.nih.gov/pmc/articles/PMC4194557/ ▼

Oct 14, 2014 ... **Endoscopic treatment** for gastric stump **carcinoma** has been recently reported, ... The five-year survival of **patients** with **gastric cancer** is estimated to be ... stomach **after** distal gastrectomy involve a **second primary gastric cancer**, as the ... of remnant **gastric cancer** to be 3% **after resection** of ulcerous lesions.

[PDF] Full-Text PDF - Scientific Research Publishingwww.scirp.org/journal/PaperDownload.aspx?paperID=52608 ▼

Early gastric cancer (EGC) is defined as **gastric carcinoma** confined to the ... **patients after** curative surgery (with the recurrence or **second primary** cancer rate ... **treatment** of metachronous **gastric cancer**, periodic **endoscopic** examinations of ... tric stump cancer should be considered a recurrence or a new **carcinoma arising** ...

HTML - Scientific Research Publishingfile.scirp.org/Html/17-8902043_52608.htm ▼