

**Name of Journal:** *World Journal of Hepatology*

**ESPS Manuscript NO:** 29204

**Manuscript Type:** Editorial

**Drug-induced liver injury: Towards early prediction and risk stratification**

**Emanuel Raschi, Fabrizio De Ponti**

## Match Overview

|   |  |    |
|---|--|----|
| 1 | Internet 167 words<br>crawled on 26-Feb-2016<br><a href="http://www.mdpi.com">www.mdpi.com</a>   | 5% |
| 2 | Internet 66 words<br>crawled on 15-Jul-2016<br><a href="http://www.wjgnet.com">www.wjgnet.com</a>  | 2% |
| 3 | Crossref 46 words<br>Chen, Minjun, Jürgen Borlak, and Weida Tong. "A model to predict severity of drug-induced liver injury in humans", <i>Hep</i> | 1% |
| 4 | Crossref 42 words<br>Kalgutkar, Amit S., and Deepak Dalvie. "Predicting Toxicities of Reactive Metabolite-Positive Drug Candidates", <i>The A</i>  | 1% |
| 5 | Internet 25 words<br>crawled on 30-Apr-2016<br><a href="http://f1000.com">f1000.com</a>  | 1% |

学术搜索

找到约 8,090 条结果 (用时0.16秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Left ventricular dysfunction predicted by early troponin I release after high-dose chemotherapy

D Cardinale, MT Sandri, A Martinoni... - Journal of the ..., 2000 - Am Coll Cardio Found  
1.

被引用次数: 306 相关文章 所有 17 个版本 引用 保存 更多

[HTML] Mechanistic biomarkers provide early and sensitive detection of acetaminophen - induced acute liver injury at first presentation to hospital

DJ Antoine, JW Dear, PS Lewis, V Platt, J Coyle... - ..., 2013 - Wiley Online Library

... that exhibit higher sensitivity and specificity for other forms of drug-induced liver injury (DILI ... are more sensitive (with respect to time) indicators of changes in hepatic histology than ... and necrosis K18 strongly predicted which patients subsequently developed liver injury and those ...

被引用次数: 141 相关文章 所有 11 个版本 引用 保存

Biochemical markers for prediction of chemotherapy-induced cardiotoxicity

A Dolci, R Dominici, D Cardinale... - American Journal of ..., 2008 - ajcp.oxfordjournals.org

... are pres- ent at lower levels than in other tissues, such as the liver and kidney ... effective diagnostic tools for the early identification of patients prone to developing drug-induced cardiotoxicity.26 Use ... sug- gests the occurrence of a release pattern different from ischemic injury.45,52 ...

被引用次数: 131 相关文章 所有 7 个版本 引用 保存

[HTML] Pharmacogenetics of drug - induced liver injury

S Russmann, A Jetter, GA Kullak - Ublick - Hepatology, 2010 - Wiley Online Library

... CGAS, candidate gene association studies, CYP450, cytochrome P450, DILI, drug-induced liver injury, FXR, farnesoid X ... more likely to cause DILI than those with lesser hepatic metabolism.50 ... function results in intracellular accumulation of bile acids and consequent liver injury. ...

被引用次数: 102 相关文章 所有 1 个版本 引用 保存



学术搜索

找到约 6,880 条结果 (用时0.18秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Mechanistic biomarkers provide early and sensitive detection of acetaminophen - induced acute liver injury at first presentation to hospital

DJ Antoine, JW Dear, PS Lewis, V Platt, J Coyle... - ..., 2013 - Wiley Online Library

... that exhibit higher sensitivity and specificity for other forms of drug-induced liver injury (DILI ... are more sensitive (with respect to time) indicators of changes in hepatic histology than ... and necrosis K18 strongly predicted which patients subsequently developed liver injury and those ...

被引用次数: 155 相关文章 所有 11 个版本 引用 保存

Biochemical markers for prediction of chemotherapy-induced cardiotoxicity

A Dolci, R Dominici, D Cardinale... - American Journal of ..., 2008 - ajcp.oxfordjournals.org

... are pres- ent at lower levels than in other tissues, such as the liver and kidney ... effective diagnostic tools for the early identification of patients prone to developing drug-induced cardiotoxicity. 26 Use ... sug- gests the occurrence of a release pattern different from ischemic injury. 45, 52 ...

被引用次数: 136 相关文章 所有 7 个版本 引用 保存

Risk factors for idiosyncratic drug-induced liver injury

N Chalasani, E Björnsson - Gastroenterology, 2010 - Elsevier

... The liver metabolizes xenobiotics, so it is not surprising that drug-induced liver injury (DILI) is a potential ... risk factors for DILI, but the genetic basis of causes of liver injury are poorly ... and other factors such as age, sex, nutritional factors, and underlying disease states might ...

被引用次数: 184 相关文章 所有 12 个版本 引用 保存

[HTML] Pharmacogenetics of drug - induced liver injury

S Russmann, A Jetter, GA Kullak - Ulick - Hepatology, 2010 - Wiley Online Library

... CGAS, candidate gene association studies; CYP450, cytochrome P450; DILI, drug-induced liver injury; FXR, farnesoid X ... more likely to cause DILI than those with lesser hepatic metabolism. 50

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 484,000 条结果 (用时 0.67 秒)

## Google 学术: Drug-induced liver injury: Towards early prediction and risk stratification

... detection of acetaminophen-induced acute liver injury ... - Antoine - 被引用次数: 157

Biochemical markers for prediction of chemotherapy- ... - Dolci - 被引用次数: 136

Risk factors for idiosyncratic drug-induced liver injury - Chalasani - 被引用次数: 185

## Pathogenesis of Idiosyncratic Drug-Induced Liver Injury and Clinical ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: RJ Fontana - 2014 - 被引用次数: 54 - 相关文章

2013年12月31日 - Idiosyncratic drug-induced liver injury (DILI) is a rare disease that develops .... DILI patients with a greater likelihood of early death/ transplant (i.e. Hy's law ... are inadequate features to reliably predict DILI risk from individual drugs. .... stratification of cases according to clinical phenotypes such as injury ...

## Drug-induced liver injury: the dawn of biomarkers?

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: S Weiler - 2015 - 被引用次数: 13 - 相关文章

2015年3月3日 - Drug-induced liver injury (DILI) is a potentially fatal adverse event with significant ... Therefore, new diagnostic and prognostic biomarkers for early liver injury are currently being ... Predicting DILI by genetic risk factors and identifying potential ... CK18 together with HMGB-1 point towards the mechanism of ...

## Diagnosis and Management of Idiosyncratic Drug-Induced Liver Injury ...

[gi.org](http://gi.org) > Guideline ▾ 翻译此页

2014 - 被引用次数: 124 - 相关文章

Idiosyncratic drug-induced liver injury (DILI) is a rare adverse drug reaction ... High, Further research is