

Competing risk analysis on outcome after hepatic resection of hepatocellular carcinoma



全部 图片 视频 新闻 地图 图书

找到约 89,800 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Google 学术: Competing risk analysis on outcome after hepatic resection of hepatocellular carcinoma in cirrhotic patients](#)

[... hepatocellular carcinoma recurrence following liver ...](#) - Wu - 被引用次数: 356

[... for hepatocellular carcinoma in cirrhotic patients: ...](#) - Figueras - 被引用次数: 286

[... : an update to evaluate the actual risk of liver resection](#) - Belghiti - 被引用次数: 959

[Resection of Hepatocellular Carcinoma in Patients Otherwise ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1422705/>

However, the seemingly better results with transplantation versus partial ... The primary end point of the analysis was length of survival after partial hepatectomy. ... Hepatic Resections in 36 Patients With Early Hepatocellular Carcinoma approach for patients with cirrhosis and early-stage HCC because of the risk of ...

[Current concepts in hepatic resection for hepatocellular carcinoma ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3508634/>

28 Nov 2012 ... Keywords: Hepatocellular carcinoma, Hepatic resection, Surgical ... In addition, the long-term survival after liver resection has been ... for HCC toward hepatic resection in cirrhotic patients, and its results in both the Western and Eastern world. Go to: Risk assessment of posthepatectomy liver failure ...

[Prophylactic liver transplantation for high-risk recurrent ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5099583/>

8 Nov 2016 ... For patients without cirrhosis, LR can result in an overall survival similar ... liver transplant after liver resection for patients with a high risk of recurrence. Prognostic risk factors and scoring systems for recurrence are also analyzed. ... Hepatocellular carcinoma (HCC) is the most common primary liver cancer.

[Hepatic Resection Is Safe and Effective for Patients with ... - Plos](#)

journals.plos.org/plosone/article?id=10.1371/journal.pone

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 30452

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Competing risk analysis on outcome after hepatic resection of hepatocellular carcinoma in cirrhotic patients

Cucchetti A *et al.* Competing risk after hepatectomy for HCC

Alessandro Cucchetti, Carlo Sposito, Antonio Daniele Pinna, Davide Citterio, Matteo Cescon, Marco Bongini, Giorgio Ercolani, Christian Cotsoglou, Lorenzo Maroni and Vincenzo Mazzaferro

Match Overview

1	Internet 70 words crawled on 28-Apr-2016 www.nature.com	2%
2	Crossref 15 words Cucchetti, Alessandro, Benjamin Djulbegovic, Athanasios Tsalatsanis, Alessandro Vitale, Iztok Hozo, Fabio Pisc	<1%
3	Internet 14 words crawled on 04-Dec-2016 bmcgastroenterol.biomedcentral.com	<1%
4	Crossref 13 words Roayaie, Sasan, Ghalib Jibara, Parissa Tabrizian, Joong-Won Park, Jijin Yang, Lunan Yan, Myron Schwartz, Guoh	<1%
5	Internet 13 words crawled on 17-Nov-2016 mdanderson.influent.utsystem.edu	<1%
6	Internet 12 words crawled on 31-Oct-2003 www.qualityforum.org	<1%
7	Crossref 12 words He, Wei, Qingli Zeng, Yun Zheng, Meixian Chen, Jingxian	<1%

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 59,500 条结果 (用时 0.31 秒)

Google 学术: Competing risk analysis on outcome after hepatic resection of hepatocellular carcinoma in cirrhotic patients

... hepatocellular carcinoma recurrence following liver ... - Wu - 被引用次数: 333

... for hepatocellular carcinoma in cirrhotic patients: ... - Figueras - 被引用次数: 288

... : an update to evaluate the actual risk of liver resection - Belghiti - 被引用次数: 956

Resection of Hepatocellular Carcinoma in Patients Otherwise Eligible ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

Results: Median tumor size was 3.5 (range, 1.8-5) cm and the median number ... The primary end point of the **analysis** was length of survival **after** partial hepatectomy. ... **Hepatic Resections** in 36 **Patients** With Early **Hepatocellular Carcinoma** approach for **patients** with **cirrhosis** and early-stage HCC because of the **risk** of ...

Current concepts in hepatic resection for hepatocellular carcinoma in ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: A Cucchetti - 2012 - 被引用次数: 43 - [相关文章](#)

2012年11月28日 - Keywords: **Hepatocellular carcinoma**, **Hepatic resection**, Surgical ... In addition, the long-term survival **after liver resection** has been ... for HCC toward **hepatic resection** in **cirrhotic patients**, and its **results** in both the Western and Eastern world. Go to: **Risk assessment** of posthepatectomy liver failure using ...

Surgical management of hepatocellular carcinoma

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 21,800 条结果 (用时 0.68 秒)

Google 学术: Competing risk analysis on outcome after hepatic resection of hepatocellular carcinoma in cirrhotic patients

... hepatocellular carcinoma recurrence following liver ... - Wu - 被引用次数: 356

... for hepatocellular carcinoma in cirrhotic patients: ... - Figueras - 被引用次数: 286

... : an update to evaluate the actual risk of liver resection - Belghiti - 被引用次数: 959

Resection of Hepatocellular Carcinoma in Patients Otherwise Eligible ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: CH Cha - 2003 - 被引用次数: 221 - 相关文章

The incidence of hepatocellular carcinoma (HCC) in the United States has ... Patients had pathologically confirmed cirrhosis of the liver in 78% (28/36) of cases, and ... The primary end point of the analysis was length of survival after partial We have previously found tumor size to be a predictor of outcome after resection.

Current concepts in hepatic resection for hepatocellular carcinoma in ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Cucchetti - 2012 - 被引用次数: 46 - 相关文章

2012年11月28日 - Keywords: Hepatocellular carcinoma, Hepatic resection, Surgical therapy, ... choice for HCC toward hepatic resection in cirrhotic patients, and its results in The use of MELD for predicting surgical risk in the non-transplant setting ... and, consequently, a poorer long-term outcome after hepatic resection.

Prophylactic liver transplantation for high-risk recurrent hepatocellular ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5099583/> - 翻译此页