

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 44,900 条结果

**时间不限**

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

**所有结果**

精确匹配

[Google 学术: Phase I study of personalized peptide vaccination combined with radiotherapy for advanced hepatocellular carcinoma patients](#)[... vaccine and interleukin-2 in patients with advanced ...](#) - Schwartzentruber - 被引用次数: 578[Sorafenib in advanced hepatocellular carcinoma](#) - Llovet - 被引用次数: 6648[... combination therapy in patients with advanced ...](#) - Kaida - 被引用次数: 47[Phase II Study of Personalized Peptide Vaccination with Both a ...](#)<https://www.hindawi.com/journals/jir/2015/473909/>

24 Dec 2014 ... Phase II Study of Personalized Peptide Vaccination with Both a ... of HCV-Positive Advanced Hepatocellular Carcinoma Patients ... surgery other than hepatectomy ( ), radiation ( ), transcatheter arterial ... In addition, combination therapy with sorafenib had no effect on the MST (Figure 1(c), by log-rank test).

[A phase I study of personalized peptide vaccination for advanced ...](#)[onlinelibrary.wiley.com/doi/10.1111/j.1464-410X.2010.09933.x/full](https://onlinelibrary.wiley.com/doi/10.1111/j.1464-410X.2010.09933.x/full)

16 Dec 2010 ... A phase I study of personalized peptide vaccination for advanced ... for advanced urothelial carcinoma patients who failed cisplatin-based chemotherapy. ... Previous chemotherapy with radiation therapy for local treatment of the ... CA, USA) in combination with monoclonal antibodies were used for the ...

[Phase II study of personalized peptide vaccination for refractory ...](#)[onlinelibrary.wiley.com/doi/10.1111/cas.12226/full](https://onlinelibrary.wiley.com/doi/10.1111/cas.12226/full)

6 Aug 2013 ... We investigated whether personalized peptide vaccination (PPV) would be feasible ... randomized clinical trial of PPV in advanced prostate cancer patients showed a ... or radiotherapy were eligible only after the failure of these therapies. ... we enrolled the patients treated both with and without combination ...

[Phase II Clinical Trial of Multiple Peptide Vaccination for Advanced ...](#)[clincancerres.aacrjournals.org/content/21/2/312](https://clincancerres.aacrjournals.org/content/21/2/312)

15 Jan 2015 ... In this phase II clinical trial of 37 patients with head and neck squamous ... Although various drugs are used in chemotherapy and intensity modulated radiation therapy

**Name of Journal:** World Journal of Gastroenterology

**ESPS Manuscript NO:** 32585

**Manuscript Type:** ORIGINAL ARTICLE

### *Clinical Trials Study*

**Phase I study of personalized peptide vaccination combined with radiotherapy for advanced hepatocellular carcinoma patients**

Jie Shen, Li-Feng Wang, Zheng-Yun Zou, Wei-Wei Kong, Jing Yan, Fan-Yan Meng, Fang-Jun Chen, Juan Du, Jie Shao, Qiu-Ping Xu, Hao-Zhen Ren, Ru-Tian Li, Jia Wei, Xiao-Ping Qian, Bao-Rui Liu

### **Abstract**

#### **AIM**

To conduct a new treatment modality, meaning a cellular immune therapy based on personalized peptide vaccination (PPV-DC-CTL) combined with radiotherapy, to treat advanced hepatocellular carcinoma.

### Match Overview

1	<b>Crossref</b> 18 words Huang, Zhi-Mei, Wang Li, Sheng Li, Fei Gao, Qi-Ming Zhou, Fang-Ming Wu, Ni He, Chang-Chuan Pan, Jian-Chuan Xia,	1%
2	<b>Internet</b> 16 words crawled on 20-Apr-2016 <a href="http://content.karger.com">content.karger.com</a>	1%

Phase I study of personalized peptide vaccination combined with radiotherapy

全部 图片 视频 新闻 地图 图书

找到约 64,800 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Google 学术: Phase I study of personalized peptide vaccination combined with radiotherapy for advanced hepatocellular carcinoma patients](#)

[... vaccine and interleukin-2 in patients with advanced ...](#) - Schwartzentruber - 被引用次数: 590

[Sorafenib in advanced hepatocellular carcinoma](#) - Llovet - 被引用次数: 6609

[... combination therapy in patients with advanced ...](#) - Kaida - 被引用次数: 47

[Phase II Study of Personalized Peptide Vaccination with Both a ...](#)

<https://www.hindawi.com/journals/jir/2015/473909/>

24 Dec 2014 ... Phase II Study of Personalized Peptide Vaccination with Both a Hepatitis C ... of HCV-Positive Advanced Hepatocellular Carcinoma Patients ... Patients diagnosed with HCV-positive advanced HCC were eligible for this study. .... In addition, combination therapy with sorafenib had no effect on the MST ...

[A phase I study of personalized peptide vaccination for advanced ...](#)

<onlinelibrary.wiley.com/doi/10.1111/j.1464-410X.2010.09933.x/full>

16 Dec 2010 ... A phase I study of personalized peptide vaccination for advanced ... for advanced urothelial carcinoma patients who failed cisplatin-based chemotherapy. ... Previous chemotherapy with radiation therapy for local treatment of the .... CA, USA) in combination with monoclonal antibodies were used for the ...

[Phase I clinical trial of peptide vaccination with URLC10 and ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3928476/>

31 Dec 2013 ... Keywords: gastric cancer, vaccination therapy, phase I clinical trial, URLC10, VEGFR1 ... for gastric cancer include surgery, chemotherapy and radiotherapy; ... In the present study, we employed a combination of 2 peptides: URLC10 peptide, ... This study was a phase I clinical trial in patients with advanced ...

[Journal of Clinical Oncology: Vol 28, No 15\\_suppl - ASCOPubs.org](#)

[ascopubs.org/toc/jco/28/15\\_suppl](ascopubs.org/toc/jco/28/15_suppl)

A phase II study of personalized selection of peptide vaccines combined with ... A phase I study of cediranib plus whole-brain radiation therapy in patients with brain ... and sorafenib for

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 58,200 条结果 (用时 0.81 秒)

## Google 学术 : Phase I study of personalized peptide vaccination combined with radiotherapy for advanced hepatocellular carcinoma patients

... vaccine and interleukin-2 in patients with advanced ... - Schwartzentruber - 被引用次数 : 590

Sorafenib in advanced hepatocellular carcinoma - Llovet - 被引用次数 : 6609

... combination therapy in patients with advanced ... - Kaida - 被引用次数 : 47

## Phase II Study of Personalized Peptide Vaccination with Both a ...

<https://www.hindawi.com/journals/jir/2015/473909/> - 翻译此页

作者 : S Yutani - 2015 - 被引用次数 : 3 - 相关文章

2014年12月24日 - Phase II Study of Personalized Peptide Vaccination with Both a Hepatitis C ... of HCV-Positive Advanced Hepatocellular Carcinoma Patients ... Patients diagnosed with HCV-positive advanced HCC were eligible for this study. .... In addition, combination therapy with sorafenib had no effect on the MST ...

## A phase I study of personalized peptide vaccination for advanced ...

[onlinelibrary.wiley.com/doi/10.1111/j.1464-410X.2010.09933.x/full](https://onlinelibrary.wiley.com/doi/10.1111/j.1464-410X.2010.09933.x/full) - 翻译此页

作者 : K Matsumoto - 2011 - 被引用次数 : 20 - 相关文章

2010年12月16日 - A phase I study of personalized peptide vaccination for advanced ... for advanced urothelial carcinoma patients who failed cisplatin-based chemotherapy. ... Previous chemotherapy with radiation therapy for local treatment of the .... CA, USA) in combination with monoclonal antibodies were used for the ...

## Phase I clinical trial of peptide vaccination with URLC10 and VEGFR1 ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : Y HIGASHIHARA - 2014 - 被引用次数 : 6 - 相关文章

2013年12月31日 - The safety of peptide vaccination with HLA-A\*2402-restricted ... Standard