

Name of journal: World Journal of Otorhinolaryngology

ESPS Manuscript NO: 16976

Manuscript Type: Review

Management of post-operative fistula in head and neck surgery: Sweeping it under the carpet?

Nguyen Thien Khanh, N Gopalakrishna Iyer

Abstract

The most dreaded complication in head and neck surgery is the development of fistula. Fistulas are common and devastating. The prevalence and the risk factors that contribute to fistula formation after head and neck procedures were discussed briefly. The main goal of this manuscript is to discuss current management of head and neck fistula. We believed that the best management

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|---|----------|------------|
| 1 | CrossCheck | 35 words | 1% |
| | Tan, Ngian Chye, Pao-Yuan Lin, Pao-Jen Kuo, Yun-Ta Tsai, Yen-Chou Chen, Khanh Thien Nguyen, and Yur-Ren Kuo. "A | | |
| 2 | CrossCheck | 29 words | 1% |
| | "Abstracts for the 5th European Conference on Head and Neck Cancer and Head and Neck Oncology 18-21 April 2012 in Poznan, Poland", European | | |
| 3 | CrossCheck | 6 words | <1% |
| | Hartley, Andrew, and Nellie Cheah. "Postoperative radiotherapy in head and neck cancer", Stell and Maran's Textbook of | | |



Management of post-operative fistulae in head and neck surgery - sweep



网页 图片 新闻 视频 更多 ▾ 搜索工具

找到约 34,800 条结果 (用时 0.71 秒)

Google 学术: Management of post-operative fistulae in head and neck surgery - sweeping it under the carpet?

... flaps in reconstructive pelvic surgery. - DAVID W BECKER - 被引用次数: 40

... or Negligently Designed Medical and Surgical ... - Swartz - 被引用次数: 24

gms | GMS Current Topics in Otorhinolaryngology - Head ...

www.egms.de/static/en/journals/cto/2013.../cto000097.shtml ▾ 翻译此页

作者: B Schick - 被引用次数: 1 - 相关文章

2013年12月13日 - GMS Curr Top Otorhinolaryngol **Head Neck Surg** 2013;12:Doc05 ... In addition to the positive impact on the individual patient's **treatment**, ... Consequently, VS **surgery** was expected to result in **postoperative** vertigo. which is the most common site for a labyrinthine **fistula under** these circumstances [66].

Surgery of the ear and the lateral skull base: pitfalls and ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: B Schick - 2013 - 被引用次数: 1 - 相关文章

2013年12月13日 - GMS Curr Top Otorhinolaryngol **Head Neck Surg**. Consequently, VS **surgery** was expected to result in **postoperative** vertigo. SCC, which is the most common site for a labyrinthine **fistula under** these circumstances [66]. Acoustic neuroma **surgery**: how much morbidity is **swept under the carpet**.



perative fistula in head and neck surgery: Sweeping it under the carpet?



网页 图片 新闻 视频 更多 ▾ 搜索工具

找到约 29,400 条结果 (用时 0.51 秒)

gms | GMS Current Topics in Otorhinolaryngology - Head ...

www.egms.de/static/en/journals/cto/2013.../cto000097.shtml ▾ 翻译此页

作者: B Schick - 被引用次数: 1 - 相关文章

2013年12月13日 - GMS Curr Top Otorhinolaryngol **Head Neck Surg** 2013;12:Doc05 ... on the individual patient's **treatment**, further patients and **surgeons** will Consequently, **VS surgery** was expected to result in **postoperative** vertigo. which is the most common site for a labyrinthine **fistula under** these circumstances [66].

Perilymph Fistula - Chicago Dizziness and Hearing

www.dizziness-and-balance.com/disorders/unilat/fistula.html ▾ 翻译此页

2015年7月28日 - A perilymph **fistula**, or PLF, is an abnormal opening in fluid filled inner ear. ... Stapedectomy **surgery** (for otosclerosis); **Head** trauma or barotrauma ... **Fistulae** are also created by a **surgical** procedure usually done for The algorithm sheet **below** illustrates how we (Chicago Dizziness and Hearing) **manage** ...

缺少字词: carpet

Surgery of the ear and the lateral skull base: pitfalls and ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: B Schick - 2013 - 被引用次数: 1 - 相关文章

2013年12月13日 - GMS Curr Top Otorhinolaryngol **Head Neck Surg**. ... In addition to the positive impact on the individual patient's **treatment**, further Consequently, **VS surgery** was expected to result in **postoperative** vertigo. **SCC**, which is the most common site for a labyrinthine **fistula under** these circumstances [66].

Perilymphatic Fistula: an approach to diagnosis and ...

www.tinnitusjournal.com/detalhe_artigo.asp?id=502 ▾ 翻译此页