

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 14,600 条结果 (用时 0.74 秒)

显示的是以下查询字词的结果: **Association between *endotoxemia* and histological features of NAFLD**

仍然搜索: Association between endotoxemia and histological features of NAFLD

INCREASED FRUCTOSE CONSUMPTION IS ASSOCIATED WITH ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: MF Abdelmalek - 2010 - [被引用次数: 309](#) - [相关文章](#)

The **associations between** fructose consumption and **histologic features of** **fatty liver** disease in humans is associated with increased plasma **endotoxin** and ...

Non alcoholic fatty liver disease and metabolic syndrome - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: P Paschos - 2009 - [被引用次数: 226](#) - [相关文章](#)

NAFLD occurs as a **histological** spectrum of disease and includes the subtypes ... In 2005 the American Heart **Association** (AHA) and the National Heart Lung and Blood ... The prevalence of elevated triglyceride levels **among** subjects with MS was 62% ... **Features** of steatohepatitis include hepatocellular injury (ballooning, ...

Genome-Wide Association Study Identifies Variants Associated with ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: N Chalasani - 2010 - [被引用次数: 166](#) - [相关文章](#)

2010年8月11日 - ... Variants Associated with **Histologic Features** of Nonalcoholic **Fatty Liver** Disease ... as hepatic free fatty acid load, oxidative stress, response to **endotoxin**, ... For example, the **association**



30135-Review-check.docx

Quotes Excluded
Bibliography Excluded4%
SIMILARName of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 30135

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Association between endotoxemia and histological features of nonalcoholic fatty liver disease

Kitabatake H *et al.* Endotoxemia and NAFLD/NASH

Hiroyuki Kitabatake, Naoki Tanaka, Naoyuki Fujimori, Michiharu Komatsu, Ayaka Okubo, Kyogo Kakegawa, Takefumi Kimura, Ayumi Sugiura, Tomoo Yamazaki, Soichiro Shibata, Yuki Ichikawa, Satoru Joshita, Takeji Umemura, Akihiro Matsumoto, Masayoshi Koinuma, Kenji Sano, Toshifumi Aoyama, Eiji Tanaka

Abstract

Match Overview

1	Crossref 78 words Fujimori, Naoyuki, Naoki Tanaka, Soichiro Shibata, Kenji Sano, Tomoo Yamazaki, Tomohiro Sekiguchi, Hiroyuki Kitabatake	2%
2	Internet 25 words crawled on 06-Mar-2015 onlinelibrary.wiley.com	1%
3	Crossref 16 words Yuan, Jianye, Susan S. Baker, Wensheng Liu, Razan Alkhouri, Robert D. Baker, Jianqun Xie, Guang Ji, and Lixin Zhu.	<1%
4	Internet 13 words crawled on 30-Sep-2015 www.science.gov	<1%
5	Crossref 13 words Wong, V. W.-S., G. L.-H. Wong, H.-Y. Chan, D. K.-W. Yeung, R. S.-M. Chan, A. M.-L. Chim, C. K.-M. Chan, Y.-K. Tse, J. W.	<1%
6	Internet 12 words crawled on 27-Mar-2016 www.omicsonline.org	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 27,000 条结果 (用时 0.80 秒)

Google 学术: Association between endotoxemia and histological features of nonalcoholic fatty liver disease

... severity in patients with nonalcoholic fatty liver disease - Abdelmalek - 被引用次数: 324

... and cytokines in non - alcoholic fatty liver disease - Jarrar - 被引用次数: 357

Nonalcoholic fatty liver disease: a spectrum of clinical... - Matteoni - 被引用次数: 2919

Nonalcoholic fatty liver disease as a multi-systemic disease - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: H Fotbolcu - 2016 - 被引用次数: 9 - [相关文章](#)

2016年4月28日 - Nonalcoholic fatty liver disease (NAFLD) is the most common cause of ... The hallmark histologic feature of NAFLD is the accumulation of fat in the IR may represent a link between NAFLD and LV dysfunction, endotoxemia-induced inflammation in high-fat diet-induced obesity and diabetes in mice.

Association Between Appendectomy and Fibrosis Progression in ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: M Nakano - 2013 - [相关文章](#)

2013年3月9日 - Keywords: Nonalcoholic fatty liver disease, Appendectomy, Fibrosis. Go to:

Comparison of clinical and histological features between groups was leading to higher levels of gut-derived endotoxin and portal endotoxemia.

rome and liver histology among ...

[全部](#)
[图片](#)
[新闻](#)
[视频](#)
[更多](#)
[设置](#)
[工具](#)

找到约 28,400 条结果 (用时 0.95 秒)

Google 学术 : Association between endotoxemia and histological features of nonalcoholic fatty liver disease

... severity in patients with nonalcoholic fatty liver disease - Abdelmalek - 被引用次数 : 326

... and cytokines in non-alcoholic fatty liver disease - Jarrar - 被引用次数 : 358

Nonalcoholic fatty liver disease: a spectrum of clinical ... - Matteoni - 被引用次数 : 2917

Nonalcoholic fatty liver disease as a multi-systemic disease - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : H Fotbolcu - 2016 - 被引用次数 : 9 - 相关文章

2016年4月28日 - Nonalcoholic fatty liver disease (NAFLD) is the most common cause of ... The hallmark histologic feature of NAFLD is the accumulation of fat in the IR may represent a link between NAFLD and LV dysfunction. endotoxemia-induced inflammation in high-fat diet-induced obesity and diabetes in mice.

Association Between Appendectomy and Fibrosis Progression in ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : M Nakano - 2013 - 相关文章

2013年3月9日 - Keywords: Nonalcoholic fatty liver disease, Appendectomy, Fibrosis. Go to: Comparison of clinical and histological features between groups was leading to higher levels of gut-derived endotoxin and portal endotoxemia.

Association Between Metabolic Syndrome and Liver Histology Among ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : HM Patton - 2010 - 被引用次数 : 112 - 相关文章

2010年4月6日 - Nonalcoholic fatty liver disease (NAFLD) is the most common cause of ... the association between features of MetS and liver histology among ...