

Match Overview

1	CrossCheck 224 words "Poster : Poster", Journal of Gastroenterology and Hepatology, 2014.	5%
2	CrossCheck 147 words Lim, Hyun, Jong Hyeok Kim, Gwang Ho Baik, Ji Won Park, Ho Suk Kang, Sung Hoon Moon, and Choong Kee Park	3%
3	Internet 115 words crawled on 08-Jan-2015 www.wjgnet.com	3%
4	Internet 46 words crawled on 07-Jun-2013 www.cmaj.ca	1%
5	Internet 41 words crawled on 15-Dec-2013 www.ncbi.nlm.nih.gov	1%
6	CrossCheck 41 words Cheung, J.. "Peptic ulcer bleeding outcomes adversely affected by end-stage renal disease", Gastrointestinal End	1%
7	CrossCheck 40 words Kim, Jwa-Kyung, Sung Gyun Kim, Hyung Jik Kim, and Young Rim Song. "Serum S100B protein is associated wi ...	1%
8	CrossCheck 37 words Choi, Myung Jin, Jwa-Kyung Kim, Sung Gyun Kim, Sung Eun Kim, Soo Jin Kim, Hyung Jik Kim, and Young Rim S	1%
9	Internet 30 words crawled on 25-Mar-2010	1%

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 14719

Columns: ORIGINAL ARTICLE

Retrospective Cohort Study

Proton-pump inhibitors for prevention of upper gastrointestinal bleeding in patients undergoing dialysis

Song YR *et al.* Low-dose PPIs in patients undergoing dialysis

Young Rim Song, Hyung Jik Kim, Jwa-Kyung Kim, Sung Gyun Kim, Sung Eun Kim

Young Rim Song, Hyung Jik Kim, Jwa-Kyung Kim, Sung Gyun Kim, Division of Nephrology, Department of Internal Medicine, Hallym University Sacred Heart Hospital, Kidney Research Institute, Hallym University College of Medicine, Anyang-si 431-070, South Korea

[Web](#)[Images](#)[News](#)[Videos](#)[More ▾](#)[Search tools](#)

About 104,000 results (0.53 seconds)

Scholarly articles for Proton-pump inhibitors for prevention of upper gastrointestinal bleeding in patients undergoing dialysis

... for the **prevention** of **upper gastrointestinal bleeding** in ... - Cook - Cited by 858

... for **gastrointestinal bleeding** in critically ill **patients** - Cook - Cited by 946

... and esomeprazole to prevent recurrent ulcer **bleeding** - Chan - Cited by 631

A Real World Report on Intravenous High-Dose and Non ...

www.hindawi.com/journals/grp/2012/858612/ ▾

by LS Lu - 2012 - Cited by 5 - Related articles

May 21, 2012 - Theoretically, inhibiting **gastric** acid and raising the intragastric pH to 6 or ... **PPI for preventing** rebleeding after endoscopic **treatment** of high-risk PU. ...

Patients under non-high-dose **PPI treatment** were defined as those "GI **bleeding** risk in **patients undergoing dialysis**," *Gastrointestinal Endoscopy*, vol.

Gastrointestinal bleeding in the elderly - Nature

www.nature.com > Home > Archive > Vol 5 No 2 > Review

by PS Yachimski - 2008 - Cited by 36 - Related articles

Describe the etiology and management of **upper gastrointestinal bleeding** in elderly

.... suppression.²² Treatment with a **PPI** is now the standard of care for **patients** ...

mortality in elderly people who **undergo** surgery for peptic ulcer hemorrhage.

including hypertension⁶⁴ and **dialysis**-dependent chronic kidney disease.⁶⁵

Famotidine versus pantoprazole for preventing bleeding in ...

www.researchgate.net/.../5540998_Famotidine_versus_pantoprazole_for_p...

by K Ojiako - 2008 - Cited by 30 - Related articles

Proton pump inhibitors, although they are more potent and longer acting ... **Bleeding**

in the **upper** part of the **gastrointestinal** tract was more frequent among **dialysis**

patients receiving ... for **preventing bleeding** in the **upper** part of the **gastrointestinal**

网页 新闻 图片 视频 购物 更多 搜索工具

找到约 105,000 条结果 (用时 0.46 秒)

Google 学术 : Proton-pump inhibitors for prevention of upper gastrointestinal bleeding in patients undergoing dialysis

... for the prevention of upper gastrointestinal bleeding in ... - Cook - 被引用次数 : 859

... for gastrointestinal bleeding in critically ill patients - Cook - 被引用次数 : 946

... and esomeprazole to prevent recurrent ulcer bleeding - Chan - 被引用次数 : 631

A Real World Report on Intravenous High-Dose and Non ...

www.hindawi.com/journals/grp/2012/858612/ ▾ 翻译此页

作者 : LS Lu - 2012 - 被引用次数 : 5 - 相关文章

2012年5月21日 - Theoretically, inhibiting gastric acid and raising the intragastric pH to 6 or ... PPI for preventing rebleeding after endoscopic treatment of high-risk PU. ...

Patients under non-high-dose PPI treatment were defined as those "GI bleeding risk in patients undergoing dialysis," Gastrointestinal Endoscopy, vol.

A Real World Report on Intravenous High-Dose and Non ...

www.oalib.com/paper/48928 ▾ 翻译此页

The optimal dose of intravenous proton-pump inhibitor (PPI) therapy for the prevention of ... Patients were randomly selected for non-high-dose and high-dose PPI ... upper gastrointestinal bleeding are at increased risk of recurrent bleeding [1]. patients undergoing haemodialysis: a 10-year nationwide cohort study," Gut, ...

Full Article - Wiley Online Library

onlinelibrary.wiley.com > ... > Vol 35 Issue 8 > Abstract ▾ 翻译此页

作者 : CC Chen - 2012 - 被引用次数 : 13 - 相关文章

2012年2月28日 - The optimal dosage of intravenous proton pump inhibitors (PPIs) for the ... A total of 201 patients with bleeding ulcers undergoing endoscopic treatment ... Peptic ulcer bleeding is a common cause of upper gastrointestinal bleeding and is ... PPI administration in the prevention of recurrent bleeding, need of ...