

Name of journal: World Journal of Dermatology

ESPS Manuscript NO: 16679

Columns: EDITORIAL

76

Mycosis fungoides and Sézary syndrome: Role of chemokines and chemokine receptors

Stephen Chu-Sung Hu

Abstract

Mycosis fungoides is the most common form of cutaneous T-cell lymphoma (CTCL), and is characterized by a clonal expansion of malignant CD4+ T lymphocytes with skin-homing properties. Clinically and pathologically, mycosis fungoides can be categorized into patch, plaque and tumor stages. The clinical course of mycosis fungoides is usually chronic and indolent, but a proportion of patients may develop

Match Overview

1	Internet 75 words crawled on 29-Oct-2010 www.ncbi.nlm.nih.gov	1%
2	Internet 53 words crawled on 22-Jun-2009 bloodjournal.hematologylibrary.org	1%
3	Internet 40 words crawled on 27-Feb-2014 www.cifoundation.org	<1%
4	CrossCheck 40 words John, Goodlad, and Calonje Eduardo. "Cutaneous lymph... roliferative diseases and related disorders", McKee's Patho	<1%
5	CrossCheck 39 words DeSimone, Jennifer A., Pooja Sodha, Desislava Ignatova, Reinhard Dummer, Antonio Cozzio, and Emmanuela Gu...	<1%
6	Internet 38 words crawled on 27-May-2014 www.science.gov	<1%
7	CrossCheck 35 words John A. Zic. "Photopheresis in the treatment of cutaneous... T-cell lymphoma : current status", Current Opinion in Oncol	<1%
8	CrossCheck 33 words Kubica, Agnieszka W., Mark D.P. Davis, Amy L. Weaver, Ji Il M. Killian, and Mark R. Pittelkow. "Sézary syndrome: A ...	<1%
9	CrossCheck 31 words Julia Scarisbrick. "Treatment of mycosis fungoides and S... zary syndrome: recent advances and novel therapies", Exp	<1%



ides and Sézary syndrome: Role of chemokines and chemokine receptors



网页 图片 视频 新闻 更多 搜索工具

找到约 33,900 条结果 (用时 0.70 秒)

Google 学术 : Mycosis fungoides and Sézary syndrome: Role of chemokines and chemokine receptors

Mycosis fungoides and Sézary syndrome - Hwang - 被引用次数 : 150

... mycosis fungoides and Sezary syndrome: a proposal of ... - Olsen - 被引用次数 : 563

The pathogenesis of mycosis fungoides - Girardi - 被引用次数 : 253

小提示 : 仅限搜索简体中文结果。您可以在设置中指定搜索语言

Cutaneous T Cell Lymphoma: Roles for Chemokines and ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) - 翻译此页

作者 : X Wu - 2009 - 被引用次数 : 38 - 相关文章

2009年2月26日 - Chemokine receptors play roles in the migration and localization of normal T ... (CTCL), including mycosis fungoides and Sézary syndrome.

Cutaneous T-cell lymphoma: roles for chemokines and ...

www.ncbi.nlm.nih.gov/pubmed/19242508 - 翻译此页

作者 : XS Wu - 2009 - 被引用次数 : 38 - 相关文章

2009年2月26日 - Chemokine receptors play roles in the migration and localization of normal T ... lymphoma, including mycosis fungoides and Sézary syndrome.

IPDF] Mycosis fungoides and Sézary syndrome - Cutaneous

[网页](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 29,100 条结果 (用时 0.59 秒)

Google 学术: Mycosis fungoides and Sézary syndrome: Role of chemokines and chemokine receptors

Mycosis fungoides and Sézary syndrome - Hwang - 被引用次数: 150

... mycosis fungoides and Sezary syndrome: a proposal of ... - Olsen - 被引用次数: 564

The pathogenesis of mycosis fungoides - Girardi - 被引用次数: 255

小提示: 仅限搜索简体中文结果。您可以在设置中指定搜索语言

Cutaneous T Cell Lymphoma: Roles for Chemokines and ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: X Wu - 2009 - 被引用次数: 38 - [相关文章](#)

2009年2月26日 - Chemokine receptors play roles in the migration and localization of normal T ... (CTCL), including mycosis fungoides and Sézary syndrome.

Cutaneous T-cell lymphoma: roles for chemokines and ...

www.ncbi.nlm.nih.gov/pubmed/19242508 - [翻译此页](#)

作者: XS Wu - 2009 - 被引用次数: 38 - [相关文章](#)

2009年2月26日 - Chemokine receptors play roles in the migration and localization of normal T ... lymphoma, including mycosis fungoides and Sézary syndrome.