

国内版 国际版

Animal models of cathartic colon



ALL IMAGES VIDEOS

20,800,000 Results Any time ▾

A rat model of a cathartic colon was established by feeding the animals with phenolphthalein, while normal rats were used as a control. The **mRNA** and **protein** expression levels of the opioid receptors, RGS-4 and β -arrestin-2 were detected in the rat colon using semi-quantitative reverse transcription poly-


[Opioid receptors and associated regulator of G protein ...](#)

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.806.4448&rep=rep1&type...

Was this helpful?

Images of Animal Models of Cathartic Colon

bing.com/images



[See all images >](#)

Mechanism of aqueous fructus aurantii immaturus extracts ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4541387>

Aug 21, 2015 · Animal model of cathartic colon. Eighty-two specific pathogen-free male Sprague-

Microsoft Bing

国内版 国际版

Animal models of cathartic colon

123

↓

Q

Chat with Bing


Sign in



ALLIMAGESVIDEOS

19,200,000 ResultsAny time ▾

A rat model of a cathartic colon was established by feeding the animals with phenolphthalein, while normal rats were used as a control. The mRNA and protein expression levels of the opioid receptors, RGS-4 and β-arrestin-2 were detected in the rat colon using semi-quantitative reverse transcription poly-

Opioid receptors and associated regulator of G protein ...

 www.spandidos-publications.com/10.3892/etm.2015.2233/download

Was this helpful?  

Mechanism of aqueous fructus aurantii immaturus extracts ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4541387>

Aug 21, 2015 · Animal model of cathartic colon. Eighty-two specific pathogen-free male Sprague-Dawley rats (200 ± 10 g) were purchased from Shanghai Xipuer-bikai Experimental Animal Co., Ltd. (Shanghai, China) and housed for 1 wk under a 12 h light/dark cycle at ...

Cited by: 4Author: Shi-Yi Wang, Yan-Ping Liu, Yi-Hong Fan, Lu ...

Publish Year: 2015

Effects of nociceptin/orphanin FQ on rats with cathartic colon

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4065871>

Jan 07, 2007 · Thus, the model of rats with cathartic colon was established by feeding the rats with

Related searches

cathartic colon definition

cathartic colon treatment

cathartic colon symptoms

list of cathartics drugs


Search Tools

Turn off Hover Translation (关闭取词)

07-Dec-2020 10:47PM

2859 words • 1 match • 1 source

FAQ

iThenticate®

60221-Review-Check.doc

Quotes Excluded
Bibliography Excluded
1%
5000-435

Match Overview

1

Crossref 20 words

S. Mullen-Lissner: "What has happened to the cathartic colo
n?"; Gut, 9/1/1995

1%

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO:

Manuscript Type: MINIREVIEWS

Animal models of cathartic colon

Meng Y *et al.* Cathartic colon models

Yang-Yang Meng, Qiao-Dong Li, Ya Feng, Jie Liu, En-Kang Wang, Linda
Zhong, Qiao-Li Sun, Jian-Ye Yuan

Abstract

The incidence of cathartic colon has been increasing, but satisfactory

PAGE: 1 OF 11

Text-Only Report

国内版 国际版

Animal models of cathartic colon



ALL

IMAGES

VIDEOS

19,400,000 Results

Any time ▾

A rat model of a cathartic colon was established by feeding the animals with phenolphthalein, while normal rats were used as a control. The **mRNA** and **protein** expression levels of the opioid receptors, RGS-4 and β -arrestin-2 were detected in the rat colon using semi-quantitative reverse transcription poly-

[Opioid receptors and associated regulator of G protein ...](#)

 www.spandidos-publications.com/10.3892/etm.2015.2233/download

Was this helpful?  

[Mechanism of aqueous fructus aurantii immaturus extracts ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4541387>

Aug 21, 2015 · Animal model of cathartic colon. Eighty-two specific pathogen-free male **Sprague-Dawley rats** (200 \pm 10 g) were purchased from Shanghai Xipuer-bikai Experimental Animal Co., Ltd. (Shanghai, China) and housed for 1 wk under a 12 h light/dark cycle at 22-24 °C with 50%-60% humidity and a noise level < 50 db.

Cited by: 4

Author: Shi-Yi Wang, Yan-Ping Liu, Yi-Hong Fan...

Publish Year: 2015

[Effects of nociceptin/orphanin FQ on rats with cathartic colon](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4065871>

Jan 07, 2007 · Thus, the model of **rats** with **cathartic colon** was established by feeding the **rats** with rhubarb for 3 months so as to illustrate the etiology of STC. Our in vitro studies showed that OFQ induced contractions of colonic longitudinal muscle strips.

Cited by: 7

Author: Hai-Yan Li, Xiang Yan, Quan-Lai Xue, Yo...

Publish Year: 2007

[Colon preneoplastic lesions in animal models](#)

<https://pubmed.ncbi.nlm.nih.gov/24526805>