

Match Overview

- | Rank | Source | Words | Similarity |
|------|---|-----------|------------|
| 1 | Crossref | 189 words | 3% |
| | SM Jeyakumar, A Vajreswari. "Dietary Management of Non-alcoholic Fatty Liver Disease (NAFLD) by n-3 Polyunsaturated F | | |
| 2 | Internet | 43 words | 1% |
| | crawled on 18-Feb-2020
hal.archives-ouvertes.fr | | |

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 64903

Manuscript Type: REVIEW

A pharmaconutrition strategy to resolve SARS-CoV-2-induced inflammatory cytokine storm in non-alcoholic fatty liver disease: Omega-3 Long-chain polyunsaturated fatty acids

Shanmugam M Jeyakumar, Ayyalasomayajula Vajreswari

Abstract

Inflammation is one of the primary factors associated with the causation and/or

Pharmaconutrition strategy to resolve SARS-CoV-2-induced inflam



Sign in

ALL

IMAGES

VIDEOS



Add the Give with Bing extension >

10,100 Results

Any time ▼

[Frontiers | Encapsulated Food Products as a Strategy to ...](#)

<https://www.frontiersin.org/articles/10.3389/fnut.2021.673174> ▼

May 21, 2021 · **Omega (ω)-3 fatty acids**, however, are a class of **long-chain acids** that have demonstrated various beneficial health effects (157, 158). **Omega (ω)-3 fatty acids** have recently been encapsulated in soybean phospholipids by liposome technique in order to mask the flavor of fish and used in the making of bread to provide ω-3 **fatty acids** to the ...

Author: Soubhagya Tripathy, Deepak Kumar ... **Publish Year:** 2021

[Parenteral fish oil, an adjuvant pharmacotherapy for COVID ...](#)

<https://www.researchgate.net/publication/341408684...>

The **long-chain omega-3 polyunsaturated fatty acids** (**omega-3** LCPUFAs) docosahexaenoic acid (DHA) and eicosapentaenoic acid (EPA) are known to reduce inflammation and promote its resolution ...



See more



ALL

IMAGES

VIDEOS

154 Results

Any time ▾

Parenteral fish oil, an adjuvant pharmacotherapy for COVID ...

<https://www.researchgate.net/publication/341408684...>

Inflammation resolution is strongly dependent on lipid mediators, the specialized pro-resolution mediators (SPMs). Omega-3 polyunsaturated fatty acids (n-3 PUFAs) are precursors of very potent ...

Polyunsaturated fatty acids, inflammation, and immunity ...

https://www.researchgate.net/publication/11632207_Polyunsaturated_fatty_acids...

Oct 01, 2001 - Although the inflammatory resolution improved by EPA and DHA could contribute to the recovery of patients infected with SARS-CoV-2, Omega-3 fatty acids supplementation cannot be recommended before ...

Author: Philip C Calder

Inflammation and Cardiovascular Disease: Are Marine ...

<https://www.researchgate.net/publication/340405189...>

Omega-3 polyunsaturated fatty acid (PUFA) supplementation is recommended for prevention of chronic disease, and is thought to reduce raised liver fat, yet there have been few randomized controlled ...

16596 PDFs | Review articles in OMEGA-3 FATTY ACIDS

<https://www.researchgate.net/topic/Omega-3-Fatty-Acids/publications>

Incorporation of long-chain omega-3 polyunsaturated fatty acids (LC n-3 PUFA), eicosapentaenoic acid, and docosahexaenoic acid into membrane phospholipids provides anti-inflammatory...

Resolvins and Protectins in Inflammation Resolution ...

https://www.researchgate.net/publication/51499940_Resolvins_and_Protectins_in...

The fatty acids in the omega-6 series mainly have functions in the pro-inflammatory response, whereas the fatty acids in the omega-3 series have functions important in inflammation resolution [23

Obesity-induced insulin resistance and hepatic steatosis ...

<https://www.researchgate.net/publication/24003009...>

Non-alcoholic fatty liver disease (NAFLD) has been described as a hepatic manifestation of the metabolic syndrome. ... and reducing the formation of omega-6-derived pro-inflammatory lipid ...

All Images Videos

9,990 Results

Any time ▾

Frontiers | Encapsulated Food Products as a Strategy to ...

<https://www.frontiersin.org/articles/10.3389/fnut.2021.673174> ▾

May 21, 2021 · **Omega (ω)-3 fatty acids**, however, are a class of **long-chain acids** that have demonstrated various beneficial health effects (157, 158). **Omega (ω)-3 fatty acids** have recently been encapsulated in soybean phospholipids by liposome technique in order to mask the flavor of fish and used in the making of bread to provide **ω-3 fatty acids** to the ...

Author: Soubhagya Tripathy, Deepak Kumar Ver... **Publish Year:** 2021

Encapsulated Food Products as a Strategy to Strengthen ...

<https://europepmc.org/article/MED/34095193> ▾

May 21, 2021 · **Omega (ω)-3 fatty acids**, however, are a class of **long-chain acids** that have demonstrated various beneficial health effects (Figure 5) (157, 158). **Omega (ω)-3 fatty acids** have recently been encapsulated in soybean phospholipids by liposome technique in order to mask the flavor of fish and used in the making of bread to provide **ω-3 fatty acids** ...

Author: Soubhagya Tripathy, Deepak Kumar Ver... **Publish Year:** 2021

Parenteral fish oil, an adjuvant pharmacotherapy for COVID ...

<https://www.researchgate.net/publication/341408684...>

The **long-chain omega-3 polyunsaturated fatty acids (omega-3 LCPUFAs)** docosahexaenoic acid (DHA) and eicosapentaenoic acid (EPA) are known to reduce inflammation and promote its resolution ...

Estimated Reading Time: 10 mins

Nutrition, immunity and COVID-19 | BMJ Nutrition ...

<https://nutrition.bmj.com/content/3/1/74> ▾

Jun 01, 2020 · The **immune system** protects the host from pathogenic organisms (bacteria, viruses, fungi, parasites). To deal with this array of threats, the **immune system** has evolved to include a myriad of specialised cell types, communicating molecules and functional responses. The **immune system** is always active, carrying out surveillance, but its activity is enhanced if an individual becomes infected. ...

Cited by: 129 **Author:** Philip C Calder

Publish Year: 2020 **Estimated Reading Time:** 9 mins

May omega-3 fatty acid dietary supplementation help reduce ...

<https://www.researchgate.net/publication/344245684...>

Because they are well-known metabolic precursors of specialized pro-resolving lipid mediators (SPMs), **omega-3 long-chain polyunsaturated fatty acids (omega-3 LC-PUFAs)** could help improve the ...

Pro-resolving lipid mediators: regulators of inflammation

Search Tools

Turn off Hover Translation (关闭取词)