


Match Overview



1	Internet 27 words crawled on 31-Aug-2016 www.labdeurgencias.com.ar	1%
2	Internet 15 words crawled on 14-Dec-2018 www.wjgnet.com	<1%

Name of Journal: *World Journal of Gastroenterology*
Manuscript NO: 46824
Manuscript Type: MINIREVIEWS

Considerations of elderly factors to manage the complication of liver cirrhosis in elderly patients

Kamimura K *et al.* Liver cirrhosis in elderly patients

Kenya Kamimura, Akira Sakamaki, Hiroteru Kamimura, Toru Setsu, Takeshi Yokoo, Masaaki Takamura, Shuji Terai

Abstract

The aging of the organ function causes sensitivity to the disease progression and need careful consideration for the medical treatment. With the increase of aging population, the opportunity to provide medical treatment for people in very old age is rapidly increasing therefore, the understanding of the various physiological changes of cellular function, size and function of organs are essential for the decision of therapeutic options. Among the various chronic conditions seen in elderly people, we have focused on liver cirrhosis, since despite specific therapeutic options for many of liver diseases including direct acting antivirals for hepatitis C virus, nucleoside analogs for hepatitis B, and corticosteroids for autoimmune hepatitis, there is currently no standard therapy to treat liver cirrhosis, which is the final stage of these liver diseases. Therefore, management of the various symptoms of liver cirrhosis is essential, and aging-related parameters must be considered in the decision making for therapeutic strategies and dosage of the available medicine. In this mini-review, we have summarized the therapeutic options to

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 51,100,000 条结果 (用时 0.53 秒)

[PDF] Liver Disease in the Geriatric Patient - Oregon Geriatrics Society

www.oregongeriatricsociety.org/.../GERIMTG-Presentation2016--09-JOUJa... [▼ 翻译此页](#)

2016年10月8日 - Drug induced **liver** injury in **elderly** ... Only 20% of HCV-infected **persons** in U.S. have been diagnosed ... Source: Centers for **Disease Control and** Prevention ... transplant before July 1992, 1-3 clotting **factor** concentrate before. 1987 **complications** of **cirrhosis** ... Main **considerations** are EtOH vs. **cirrhosis**.

Aging and liver disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4736713/> [▼ 翻译此页](#)

作者: H Kim - 2015 - 被引用次数: 62 - 相关文章

Treatment of **older patients with liver disease** may require different or longer ... the **risks** for various **liver** diseases **and** plays as an adverse prognostic **factor**, **and** an increased p21 expression, compared **with** the **control** group, **and** that ... However, in the **elderly patients**, careful attention should be paid in **consideration** of ...

Managing Hypertension in the Elderly: A Common Chronic Disease ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4046467/> [▼ 翻译此页](#)

作者: QT Nguyen - 2012 - 被引用次数: 15 - 相关文章

Special **Considerations** in the **Elderly** Population ... ISH occurs in the majority **of elderly patients with** hypertension: more than 65% of ... Other CV **disease** (CVD) risk **factors** or comorbid conditions should be For very **elderly patients** (**aged** > 80 years), the **risks and** benefits of tight **control** need to be frequently reevaluated.

[PDF] Liver Diseases in the Elderly: An Update - Semantic Scholar

<https://pdfs.semanticscholar.org/.../3c4d6b0e68f9ab32f17bdc41033d14151...> [▼ 翻译此页](#)

作者: A Floreani - 2007 - 被引用次数: 54 - 相关文章

liver disease in the very **elderly** (1 80 years old), **cirrhosis** is the main risk **factor** affecting prognosis [1] . In dealing **with elderly people**, however, it is important to ...

Special Considerations in Older Adults With Diabetes: Meeting the ...

spectrum.diabetesjournals.org/content/19/4/229 [▼ 翻译此页](#)

作者: AJ Sinclair - 2006 - 被引用次数: 28 - 相关文章

Clinicians who **manage older people with** diabetes require special skills if they Many, if not all, of these **factors** are directly relevant in **elderly patients with** type 2 ... **and** its **complications**; early

全部

新闻

图片

视频

购物

更多

设置

工具

找到约 62,000,000 条结果 (用时 0.58 秒)

Aging and liver disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4736713/> ▼ 翻译此页

作者: H Kim - 2015 - 被引用次数: 65 - 相关文章

Treatment of **older patients with liver disease** may require different or longer ... increase the **risks** for various **liver** diseases **and** plays as an adverse prognostic **factor**, **and** an increased p21 expression, compared **with** the **control** group, **and** that ... **elderly patients**, careful attention should be paid in **consideration** of common ...

Liver physiology and liver diseases in the elderly - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3870491/> ▼ 翻译此页

作者: K Tajiri - 2013 - 被引用次数: 50 - 相关文章

2013年12月14日 - Osteoporosis should also be considered, especially in **elderly patients**. Alcoholic **liver disease**: Alcohol consumption is common in the **elderly**. ... **Older patients** have significantly more risk **factors** for NAFLD, including hypertension, obesity, diabetes, **and** hyperlipidemia[64].

Special Considerations in Older Adults With Diabetes: Meeting the ...

spectrum.diabetesjournals.org/content/19/4/229 ▼ 翻译此页

作者: AJ Sinclair - 2006 - 被引用次数: 28 - 相关文章

Clinicians who **manage older people with** diabetes require special skills if they Many, if not all, of these **factors** are directly relevant in **elderly patients with** type 2 ... **and** its **complications**; early intervention for vascular **disease**; assessment of ...

Diabetes and Aging: Unique Considerations and Goals of Care ...

care.diabetesjournals.org/content/40/4/440 ▼ 翻译此页

作者: RR Kalyani - 2017 - 被引用次数: 14 - 相关文章

We also recognize that **management** of **older adults with** diabetes is clearly more ... While rates of diabetes-related **complications** have declined overall in the general ... **elderly** onset **disease** (diagnosed at age 65 years or older) or long- standing ... changes in body composition **and** physical inactivity among other **factors** (9), ...

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 64,100,000 条结果 (用时 0.63 秒)

Aging and liver disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4736713/> ▼ [翻译此页](#)

作者: H Kim - 2015 - 被引用次数: 65 - 相关文章

Treatment of **older patients with liver disease** may require different or longer ... increase the **risks** for various **liver diseases** and plays as an adverse prognostic **factor**, and an increased p21 expression, compared **with** the **control** group, and that ... **elderly patients**, careful attention should be paid in **consideration** of common ...

Liver physiology and liver diseases in the elderly - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3870491/> ▼ [翻译此页](#)

作者: K Tajiri - 2013 - 被引用次数: 50 - 相关文章

2013年12月14日 - Osteoporosis should also be considered, especially in **elderly patients**. Alcoholic **liver disease**: Alcohol consumption is common in the **elderly**. ... **Older patients** have significantly more risk **factors** for NAFLD, including hypertension, obesity, diabetes, and hyperlipidemia[64].

Age and Ethnicity in Cirrhosis - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4172494/> ▼ [翻译此页](#)

作者: KC Sajja - 2014 - 被引用次数: 13 - 相关文章

Finally, younger **patients** admitted **with cirrhosis** had a higher in-hospital ... results in a number of systemic **complications**, including ascites and portal hypertension, ... is complex and is dependent on a variety of **control** pathways, growth **factors**, African American **patients with alcoholic cirrhosis** had an **older** average age ...

Special Considerations in Older Adults With Diabetes: Meeting the ...

spectrum.diabetesjournals.org/content/19/4/229 ▼ [翻译此页](#)

作者: AJ Sinclair - 2006 - 被引用次数: 28 - 相关文章

Clinicians who **manage older people with** diabetes require special skills if they Many, if not all, of these **factors** are directly relevant in **elderly patients with** type 2 ... and its **complications**; early intervention for vascular **disease**; assessment of ...