



Differentiation of hepatocellular carcinoma from its various mimickers in liver

[网页](#)[图片](#)[新闻](#)[视频](#)[更多](#)[搜索工具](#)

找到约 5,160 条结果 (用时 0.71 秒)

Gadoxetate Acid-Enhanced MR Imaging for HCC: A Review ...

www.hindawi.com/journals/ijh/2011/489342/ - 翻译此页

作者: J Chanyaputhipong - 2011 - 被引用次数: 20 - 相关文章

2011年3月31日 - Hepatocellular carcinoma (HCC) is increasingly being detected at an earlier stage, ... of gadoxetate acid in the characterization of HCC, differentiating it from other mimickers of HCC. ... Liver-Specific Contrast Agents for MRI an issue with gadoxetate acid-enhanced MRI, despite its superior detection rate.

Magnetic resonance imaging of the cirrhotic liver: An update

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: A Watanabe - 2015 - 被引用次数: 2 - 相关文章

2015年3月27日 - Keywords: Magnetic resonance imaging, Hepatocellular carcinoma, Hepatic ... T2*, and hepatocyte-specific magnetic resonance imaging contrast agents, are being of lesions in cirrhotic liver and their imaging appearances on MRI. In younger patients with numerous macro-nodules, almost all of these ...

[PDF] Tips of differentiation of focal hepatic nodules on ... - netk...

pdf.posterng.netkey.at/download/index.php?module... - 翻译此页

hepatobiliary phase of Gd-EOB-DTPA-enhanced MRI ... To provide tips of differentiation of various focal hepatic nodules in ... hepatocyte-selective properties. Hepatocellular carcinoma (HCC), the most common primary malignant tumor of the ... In HCC with

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 19018

Manuscript Type: TOPIC HIGHLIGHTS

2015 Advances in Hepatocellular Carcinoma

Differentiation of hepatocellular carcinoma from its various mimickers in liver
magnetic resonance imaging: What is the tip using hepatocyte-specific agents?

Yang Shin Park, Chang Hee Lee, Jeong Woo Kim, Sora Shin, Cheol Min Park

Abstract

Match Overview

1	Internet 47 words crawled on 01-Dec-2014 europepmc.org	1%
2	Internet 45 words crawled on 12-Mar-2007 radiographics.rsna.org	1%
3	Internet 28 words crawled on 23-Jul-2014 www.science.gov	<1%
4	Internet 25 words crawled on 13-Sep-2013 radiographics.rsna.org	<1%
5	CrossCheck 19 words Parente, D. B., R. M. Perez, A. Eiras-Araujo, J. A. Oliveira Neto, E. Marchiori, C. P. Constantino, V. B. Amorim, and	<1%
6	CrossCheck 13 words Marc Bazot. "Value of Magnetic Resonance Imaging for ... he Diagnosis of Ovarian Tumors", Journal of Computer	<1%



Differentiation of hepatocellular carcinoma from its various mimickers in liver

[网页](#)[图片](#)[新闻](#)[视频](#)[更多](#)[搜索工具](#)

找到约 5,160 条结果 (用时 0.71 秒)

Gadoxetate Acid-Enhanced MR Imaging for HCC: A Review ...

www.hindawi.com/journals/ijh/2011/489342/ - 翻译此页

作者: J Chanyaputhipong - 2011 - 被引用次数: 20 - 相关文章

2011年3月31日 - Hepatocellular carcinoma (HCC) is increasingly being detected at an earlier stage, ... of gadoxetate acid in the characterization of HCC, differentiating it from other mimickers of HCC. ... Liver-Specific Contrast Agents for MRI an issue with gadoxetate acid-enhanced MRI, despite its superior detection rate.

Magnetic resonance imaging of the cirrhotic liver: An update

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: A Watanabe - 2015 - 被引用次数: 2 - 相关文章

2015年3月27日 - Keywords: Magnetic resonance imaging, Hepatocellular carcinoma, Hepatic ... T2*, and hepatocyte-specific magnetic resonance imaging contrast agents, are being of lesions in cirrhotic liver and their imaging appearances on MRI. In younger patients with numerous macro-nodules, almost all of these ...

[PDF] Tips of differentiation of focal hepatic nodules on ... - netk...

pdf.posterng.netkey.at/download/index.php?module... - 翻译此页

hepatobiliary phase of Gd-EOB-DTPA-enhanced MRI ... To provide tips of differentiation of various focal hepatic nodules in ... hepatocyte-selective properties. Hepatocellular carcinoma (HCC), the most common primary malignant tumor of the ... In HCC with

[网页](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 4,960 条结果 (用时 0.63 秒)

Magnetic resonance imaging of the cirrhotic liver: An update

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)作者 : A Watanabe - 2015 - 被引用次数 : 2 - [相关文章](#)

2015年3月27日 - Keywords: **Magnetic resonance imaging**, **Hepatocellular carcinoma**, **Hepatic ... T2***, and **hepatocyte-specific magnetic resonance imaging contrast agents**, are being of lesions in cirrhotic **liver** and **their** imaging appearances on **MRI**. In younger patients **with** numerous macro-nodules, almost **all** of these ...

Gadoxetate Acid-Enhanced MR Imaging for HCC: A Review ...

www.hindawi.com/journals/ijh/2011/489342/ ▾ [翻译此页](#)作者 : J Chanyaputhipong - 2011 - 被引用次数 : 20 - [相关文章](#)

2011年3月31日 - **Hepatocellular carcinoma** (HCC) is increasingly being detected at an earlier stage, ... of gadoxetate acid in the characterization of HCC, **differentiating** it from other **mimickers** of HCC. ... **Liver-Specific Contrast Agents** for **MRI** an issue **with** gadoxetate acid-enhanced **MRI**, despite **its** superior detection rate.

[PDF] Tips of differentiation of focal hepatic nodules on ... - netk...

pdf.posterng.netkey.at/download/index.php?module... ▾ [翻译此页](#)

hepatobiliary phase of Gd-EOB-DTPA-enhanced **MRI** ... To provide **tips** of **differentiation** of **various** focal **hepatic** nodules in ... **hepatocyte**-selective properties. ... **Hepatocellular carcinoma** (HCC), the most common primary malignant tumor of the ... In HCC **with** paradoxical uptake on HBP, images of other phase rather than ...

Distinguishing Hypervascular Pseudolesions of the Liver ...

pubs.rsna.org/doi/pdf/10.1148/radiol.10091885 - [翻译此页](#)作者 : U Motosugi - 2010 - 被引用次数 : 118 - [相关文章](#)

2010年7月1日 - enhanced **magnetic resonance** (MR) **imaging** in hypervas- ...
mography (CT) during **hepatic** arteriography, **with** special focus on distinguishing ...