

## Match Overview

1	Internet 177 words crawled on 03-Aug-2020 <a href="http://ro-journal.biomedcentral.com">ro-journal.biomedcentral.com</a>	4%
2	Internet 96 words crawled on 04-Nov-2020 <a href="http://worldwidescience.org">worldwidescience.org</a>	2%
3	Internet 69 words crawled on 24-Sep-2020 <a href="http://journals.sagepub.com">journals.sagepub.com</a>	2%
4	Internet 64 words crawled on 24-Sep-2020 <a href="http://www.hindawi.com">www.hindawi.com</a>	2%
5	Crossref 39 words &NA, "ASCRS Annual Meeting Abstracts", Diseases of the Colon & Rectum, 05/2011	1%
6	Internet 37 words crawled on 10-Nov-2020 <a href="http://cancercommun.biomedcentral.com">cancercommun.biomedcentral.com</a>	1%
7	Crossref 33 words Chun-Ming Huang, Ming-Yii Huang, Cheng-Jen Ma, Yung-Sung Yeh et al. "Neoadjuvant FOLFOX chemotherapy c	1%
8	Crossref 31 words Cai-Neng Cao, Jing-Wei Luo, Guo-Zhen Xu, Li Gao, Zhen-Gang Xu, Ping-Zhang Tang. "Management of Nasopha ...	1%

28

**Name of Journal:** *World Journal of Gastrointestinal Oncology*

**Manuscript NO:** 58403

**Manuscript Type:** ORIGINAL ARTICLE

*Observational Study*

**Outcomes of neoadjuvant chemoradiotherapy followed by radical resection for T4 colorectal cancer**

Huang CM *et al.* CCRT for T4 CRC

4

Chun-Ming Huang, Ching-Wen Huang, Cheng-Jen Ma, Hsiang-Lin Tsai, Wei-Chih Su, Tsung-Kun Chang, Ming-Yii Huang, Jaw Yuan Wang

## Abstract

11

### BACKGROUND

Patients with clinical T4 colorectal cancer (CRC) have a poor prognosis because of compromised surgical margins. Neoadjuvant therapy may be effective in downstaging



Outcomes of neoadjuvant chemoradiotherapy followed by radical



ALL

IMAGES

VIDEOS

73,700 Results

Any time ▾

## Outcomes of preoperative chemoradiotherapy followed by ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4936166>

Jul 07, 2016 · Background. **Colorectal cancer** is the third most common malignancy and the fourth leading cause of **cancer**-related death worldwide [].In China, it is the fifth most common **cancer** and the fifth leading cause of **cancer** death [2, 3].At initial presentation, approximately 10% of patients with colon **cancer** have a primary tumor involving adjacent structures, also known as ...

**Cited by:** 13

**Author:** Bo Qiu, Pei Rong Ding, Ling Cai, Wei We...

**Publish Year:** 2016

## Tolerability, Safety, and Outcomes of Neoadjuvant ...

<https://www.sciencedirect.com/science/article/pii/S1533002817304140>

Sep 01, 2018 · In studies of **colorectal cancer**, the elderly have been frequently underrepresented because comorbid conditions and functional status often lead to study exclusion. For elderly patients with an indication for **neoadjuvant chemoradiotherapy** (nCRT), physicians usually decide using clinical factors whether nCRT should be offered.

**Cited by:** 1

**Author:** Lotte Jacobs, Ellen van der Vlies, Daan ...

**Publish Year:** 2018

## Outcomes of preoperative chemoradiotherapy followed by ...

<https://pubmed.ncbi.nlm.nih.gov/27389519>

**Outcomes** of preoperative **chemoradiotherapy followed** by surgery in patients with unresectable locally advanced sigmoid colon **cancer** Chin J **Cancer** . 2016 ...

## Outcomes of preoperative chemoradiotherapy followed by ...

<https://cancercommun.biomedcentral.com/articles/10.1186/s40880-016-0126-y> ▾

Jul 07, 2016 · Complete **resection** of locally advanced sigmoid colon **cancer** (LASCC) is sometimes difficult. Patients with LASCC have a dismal prognosis and poor quality of life, which has encouraged the evaluation of alternative multimodality treatments. This prospective study aimed to assess the feasibility and efficacy **of neoadjuvant chemoradiotherapy** (neoCRT) **followed by ...**



ALLIMAGESVIDEOS

79,200 ResultsAny time

Outcomes of preoperative chemoradiotherapy followed by ...

https://cancercommun.biomedcentral.com/articles/10.1186/s40880-016-0126-y

Jul 07, 2016 · Complete resection of locally advanced sigmoid colon cancer (LASCC) is sometimes difficult. Patients with LASCC have a dismal prognosis and poor quality of life, which has encouraged the evaluation of alternative multimodality treatments. This prospective study aimed to assess the feasibility and efficacy of neoadjuvant chemoradiotherapy (neoCRT) followed by surgery as treatment of ...

Cited by: 13Author: Bo Qiu, Pei Rong Ding, Ling Cai, Wei Wei Xi...

Publish Year: 2016

Outcomes of preoperative chemoradiotherapy followed by ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4936166

Jul 07, 2016 · Background. Colorectal cancer is the third most common malignancy and the fourth leading cause of cancer-related death worldwide [].In China, it is the fifth most common cancer and the fifth leading cause of cancer death [2, 3].At initial presentation, approximately 10% of patients with colon cancer have a primary tumor involving adjacent structures, also known as locally advanced disease [4, 5].

Cited by: 13Author: Bo Qiu, Pei Rong Ding, Ling Cai, Wei Wei Xi...

Publish Year: 2016

Oncologic Outcomes After Neoadjuvant Chemoradiation ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1856621

Neoadjuvant chemoradiation therapy has resulted in significant tumor downstaging, which enhances curative resection and subsequently improves local disease control for rectal cancer. However, oncologic outcomes, according to clinical factors, have not yet been fully understood in locally advanced and fixed rectal cancer.

Cited by: 185Author: Nam Kyu Kim, Seung Hyuk Baik, Jin Sil Seo...

Publish Year: 2006

- PEOPLE ALSO ASK
- What is the role of neoadjuvant chemoradiotherapy?
- Is neoadjuvant therapy available for rectal cancer?
- How often do you see a patient after chemotherapy?
- What is total neoadjuvant therapy?

Feedback

Frontiers | Predictors and Risk Factors of Pathologic ...

https://www.frontiersin.org/articles/10.3389/fonc.2019.00497/full

Neoadjuvant chemoradiotherapy (nCRT), followed by radical surgical resection, is the most recommended routine management for locally advanced rectal cancer (4–6). nCRT has been proven to downstage tumors and improve surgical outcomes, which would eventually turn out to be a long-term oncologic outcome (5, 6). Some rectal cancer patients who received nCRT achieve a pathologic ...

Cited by: 1Author: Yinuo Tan, Dongliang Fu, Dan Li, Xiangxing ...

Publish Year: 2019

Outcomes of preoperative chemoradiotherapy followed by ...

https://pubmed.ncbi.nlm.nih.gov/27389519

Outcomes of preoperative chemoradiotherapy followed by surgery in patients with unresectable locally advanced sigmoid colon cancer Chin J Cancer . 2016 Jul 7;35(1):65. doi: 10.1186/s40880-016-0126-y.

Cited by: 13Author: Bo Qiu, Pei Rong Ding, Ling Cai, Wei Wei Xi...

Publish Year: 2016

Neoadjuvant FOLFOX chemotherapy combined with radiotherapy ...

https://ro-journal.biomedcentral.com/articles/10.1186/s13014-017-0790-3

Mar 07, 2017 · The prognosis of a T4 colon cancer remains the worst, and T4 tumors have been closely associated with an involved resection margin [35, 36]. Therefore, we aimed to maximally treat LACC with a combination of radiotherapy and chemotherapy and obtained a R0 resection rate of 91.2%.

Predictors and Risk Factors of Pathologic Complete ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6585388

Neoadjuvant chemoradiotherapy (nCRT), followed by radical surgical resection, is the most recommended routine management for locally advanced rectal cancer (4–6). nCRT has been proven to downstage tumors and improve surgical outcomes, which would eventually turn out to be a long-term oncologic outcome (5, 6). Some rectal cancer patients who received nCRT achieve a pathologic ...

Short-course radiotherapy followed by neo-adjuvant ...

https://pubmed.ncbi.nlm.nih.gov/23742033

Short-course preoperative radiation with delayed surgery has been shown to induce tumour down-staging in both randomized and observational studies. The concept of neo-adjuvant chemotherapy has been proven successful in gastric cancer, hepatic metastases from colorectal cancer and is currently tested in primary colon cancer.

ASCO20 Data Show Clear Benefit for Total Neoadjuvant ...

https://dailynews.ascopubs.org/do/10.1200/ADN.20.200214/full

Jun 17, 2020 · Sauer R, Rödel C, Martus P, Hess CF, Schmidberger H. Preoperative versus Postoperative Chemoradiotherapy for Rectal Cancer. N Engl J Med. 2004;351(17):1731-1740. Allegra CJ, Yothers G, O’Connell MJ, et al. Neoadjuvant 5-FU or Capecitabine Plus Radiation With or Without Oxaliplatin in Rectal Cancer Patients: A Phase III Randomized Clinical Trial.

Preoperative Chemoradiotherapy for Esophageal or ...

https://www.nejm.org/doi/full/10.1056/NEJMoa1112088

BackgroundThe role of neoadjuvant chemoradiotherapy in the treatment of patients with esophageal or esophagogastric-junction cancer is not well established. We compared chemoradiotherapy followed b...



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

78,300 Results

Any time ▾

## Outcomes of neoadjuvant chemoradiotherapy followed by ...

<https://www.ncbi.nlm.nih.gov/pubmed/29167909>

1. Singapore Med J. 2018 Jun;59(6):305-310. doi: 10.11622/smedj.2017105. Epub 2017 Nov 13.

**Outcomes of neoadjuvant chemoradiotherapy followed** by total mesorectal excision surgery for locally advanced rectal **cancer**: a single-institution experience.

Cited by: 2

Author: Michelle Shu Fen Tseng, Huili Zheng, Ivy W...

Publish Year: 2018

## Outcomes of preoperative chemoradiotherapy followed by ...

<https://pubmed.ncbi.nlm.nih.gov/27389519>

**Outcomes** of preoperative **chemoradiotherapy followed** by surgery in patients with unresectable locally advanced sigmoid colon **cancer** Chin J Cancer . 2016 Jul 7;35(1):65. doi: 10.1186/s40880-016-0126-y.

Cited by: 13

Author: Bo Qiu, Pei Rong Ding, Ling Cai, Wei Wei Xi...

Publish Year: 2016

## Oncologic Outcomes After Neoadjuvant Chemoradiation ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1856621>

Neoadjuvant chemoradiation therapy has resulted in significant tumor downstaging, which enhances curative resection and subsequently **improves local disease control** for rectal cancer. However, **oncologic outcomes, according to clinical factors**, have not **yet been fully understood in locally advanced and fixed rectal cancer**.

Cited by: 184

Author: Nam Kyu Kim, Seung Hyuk Baik, Jin Sil Seo...

Publish Year: 2006

### PEOPLE ALSO ASK

What is the dose of neoadjuvant for rectal cancer?



What is the role of neoadjuvant chemoradiotherapy?



What is neoadjuvant therapy?

