

[学术搜索](#)[文章](#)[我的图书馆](#)[时间不限](#)[2016以来](#)[2015以来](#)[2012以来](#)[自定义范围...](#)[按相关性排序](#)[按日期排序](#)[搜索所有网页](#)[中文网页](#)[简体中文网页](#) 包括专利 包含引用 创建快讯

您的搜索 - **Suppression of Colorectal Tumorigenesis by Recombinant Bacteroides fragilis Enterotoxin-2 in Vivo** - 与所有文章均不相符。

建议：

请检查输入字词有无错误。

请尝试其他的查询词

请改用较常见的字词。

请减少查询字词的数量。

[请向所有网络查询](#)



30110-Review

BY YOU LV

Quotes Excluded
Bibliography Excluded7%
SIMILAR**Name of journal:** *World Journal of Gastroenterology***ESPS Manuscript NO:** 30110**Manuscript Type:** ORIGINAL ARTICLE**Basic Study****Suppression of colorectal tumorigenesis by recombinant *Bacteroides fragilis* enterotoxin-2 *in vivo***Lv Y et al. *Bacteroides fragilis* enterotoxin-2 suppress colorectal tumorigenesis

You Lv, Tao Ye, Hui-Peng Wang, Jia-Ying Zhao, Wen-Jie Chen, Xin Wang, Chen-Xia Shen, Yi-Bin Wu, Yuan-Kun Cai

You Lv, Tao Ye, Hui-Peng Wang, Jia-Ying Zhao, Wen-Jie Chen, Xin Wang, Chen-Xia Shen, Yi-Bin Wu, Yuan-Kun Cai, Department of General Surgery, The 5th People's Hospital of Shanghai, Fudan University, Shanghai 200240, China**Match Overview**1 Internet 223 words
crawled on 17-Nov-2016
www.wjgnet.com2 Internet 116 words
crawled on 27-Mar-2016
www.cancer-genetics.org



学术搜索

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用 创建快讯

您的搜索 - **Suppression of colorectal tumorigenesis by recombinant *Bacteroides fragilis* enterotoxin-2 in vivo** - 与所有文章均不相符。

建议：

- 请检查输入字词有无错误。
- 请尝试其他的查询词。
- 请改用较常见的字词。
- 请减少查询字词的数量。
- [请向所有网络查询](#)

[全部](#)[图片](#)[购物](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 5,880 条结果 (用时 0.94 秒)

The myeloid immune signature of enterotoxigenic *Bacteroides fragilis* ...

www.nature.com › ... › Advance online publication › 15 June 2016 - 翻译此页

2016年6月15日 - ETBF-triggered colon tumorigenesis is associated with an IL-17-driven myeloid ...

Combined action of the *B. fragilis* enterotoxin BFT and IL-17 on colonic ... Arg1 and Nos2, produced NO, and suppressed T-cell proliferation. (b) Ex vivo gene expression in CD45.2⁺IL-17R⁻ MO-MDSCs (white bars) and ...

Laboratory Investigation - *Bacteroides fragilis* enterotoxin upregulates ...

www.nature.com › Journal home › Archive › Research Articles - 翻译此页

作者 : SH Ko - 2013 - 被引用次数 : 10 - 相关文章

2013年2月4日 - *Bacteroides fragilis* enterotoxin upregulates lipocalin-2 expression in intestinal epithelial cells T84 human colon epithelial cells (ATCC CCL-248) were cultured in ... for Lcn-2 and hBD-2 were generated by in vitro transcription using T7 To suppress the activated AP-1 signal induced by BFT stimulation, ...

Enterotoxigenic *Bacteroides fragilis*: a Rogue among Symbionts - NCBI

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者 : CL Sears - 2009 - 被引用次数 : 152 - 相关文章

Summary: Enterotoxigenic *Bacteroides fragilis* (ETBF) strains are strains of *B.* ETBF for 2 weeks induces inflammation and hyperplasia throughout the colon. other recombinant ETBF strains, the in vitro HT29/C1 cell biologic activity of BFT chronic colonic inflammation induced by bacteria and colonic tumorigenesis.

Bacterial oncogenesis in the colon - NCBI - National Institutes of Health

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者 : C Dejea - 2013 - 被引用次数 : 30 - 相关文章

The association between inflammation and tumorigenesis has been ... as well as suppress the host immune response to favor long-term colonization, ... *B. fragilis* consists of two molecular subtypes, termed nontoxigenic *B. fragilis* (NTRF) and FTRF Bacterial enterotoxins are associated with