

全部

图片

购物

新闻

视频

更多 ▼

搜索工具

找到约 5,690 条结果 (用时 0.76 秒)

Google 学术: Effects of *Saccharomyces cerevisiae* or *boulardii* yeasts on acute stress induced intestinal dysmotility... article: yeast as probiotics—*Saccharomyces boulardii* - Czerucka - 被引用次数: 217*Saccharomyces boulardii* stimulates sIgA production ... - Rodrigues - 被引用次数: 119*Saccharomyces boulardii* ameliorates clarithromycin- ... - Duman - 被引用次数: 14**Use of probiotics in gastrointestinal disorders: what to recommend?**www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▼ 翻译此页

作者: EC Verna - 2010 - 被引用次数: 75 - 相关文章

Many questions related to efficacy, viability, most optimal dose, and method of ... Combination probiotics may interact and have an impact on host intestinal flora ... In addition, several cases of *Saccharomyces boulardii* fungemia have been ... *Saccharomyces cerevisiae* after treatment with *Saccharomyces boulardii* Am J ...

Review article: yeast as probiotics—*Saccharomyces boulardii*onlinelibrary.wiley.com > ... > Vol 26 Issue 6 > Abstract ▼ 翻译此页

作者: D CZERUCKA - 2007 - 被引用次数: 216 - 相关文章

2007年7月19日 - Recent research has linked intestinal microbiota disequilibrium to such GI disorders ... *Saccharomyces boulardii* is the only yeast whose effect has been ... However, genetically *S. boulardii* differs from other *S. cerevisiae*. ... Authors suggest that overexpression of gene related to protein synthesis and stress ...

***Saccharomyces cerevisiae* var. *boulardii* – Probiotic Yeast | InTechOpen**www.intechopen.com/.../saccharomyces-cerevisiae-var-boulardii-probiotic-y... ▼ 翻译此页

2012年10月3日 - *Saccharomyces cerevisiae* var. *boulardii* – Probiotic Yeast ... Effect of Sb on the virulence factors of *Candida albicans* ... In developing countries, mortality due to acute diarrhea, especially in children, is alarmingly high. ... enterica serovar Typhimurium is closely related to the flagellum-associated motility.

***Saccharomyces cerevisiae* var. *boulardii* – Probiotic Yeast (PDF ...**http://www.researchgate.net/publication/322851874_Saccharomyces_cerevisiae_var_boulardii

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 28894

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Effects of *Saccharomyces cerevisiae* or *boulardii* yeasts on acute stress induced intestinal dysmotility

West C *et al.* *Saccharomyces* relieve stressed gut dysmotility

Christine West, Andrew M Stanisz, Annette Wong, Wolfgang A Kunze

Christine West, Andrew M Stanisz, Annette Wong, Wolfgang A Kunze, McMaster
Brain-Body Institute, St. Joseph's Healthcare, Hamilton, ON L8N 4A6, Canada

Wolfgang A Kunze, Department of Biology, McMaster University, Hamilton, ON L8S
4L8, Canada

Wolfgang A Kunze, Department of Psychiatry and Behavioural Neurosciences

Match Overview

1	Internet 124 words crawled on 10-Apr-2016 www.wjgnet.com	3%
2	Crossref 33 words Farooqi, Salwa, and Jeffrey G Dickhout. "Major comorbid ... sease processes associated with increased incidence of ac	1%
3	Crossref 20 words Wu, R. Y., M. Pasyk, B. Wang, P. Forsythe, J. Bienenstock, Y.-K. Mao, P. Sharma, A. M. Stanisz, and W. A. Kunze. "Spa	<1%

学术搜索

找到约 216 条结果 (用时0.08秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Review article: yeast as probiotics—*Saccharomyces boulardii*

D Czerucka, T Piche, P Rampal - *Alimentary pharmacology & ...*, 2007 - Wiley Online Library

... A recent study investigated, the impact on AAD of *S. boulardii* in children with ... or their pathogenic effects; trophic effects; antisecretory activity and immunostimulatory effects on the ... Effect of broad-spectrum parenteral antibiotics on composition of intestinal microflora of humans. ...

被引用次数: 220 相关文章 所有 5 个版本 引用 保存

[HTML] wiley.com

[HTML] *Saccharomyces boulardii* stimulates sIgA production and the phagocytic system of gnotobiotic mice

ACP Rodrigues, DC Cara, S Fretez... - *Journal of applied ...*, 2000 - Wiley Online Library

... In fact, as shown in this paper, local and systemic effects were due to monoassociation with *S. boulardii*. ... Taken together, the results suggest that, in this experimental model, liver macrophages are the cells responsible for clearing E ... Abrams, GD & Bishop, JE (1967) Effect of the ...

被引用次数: 119 相关文章 所有 13 个版本 引用 保存

[HTML] wiley.com

Saccharomyces boulardii ameliorates clarithromycin-and methotrexate-induced intestinal and hepatic injury in rats

DG Duman, ZNÖ Kumral, F Ercan... - *British Journal of ...*, 2013 - Cambridge Univ Press

... (2005) Pre-ventative effects of a probiotic, *Lactobacillus salivarius* ssp. ... (2004) Perspectives on cancer therapy-induced mucosal injury: pathogenesis, measurement, epidemiology, and consequences for patients. ... Akyol S, Mas MR, Comert B, et al. (2003) The effect of antibiotic ...

被引用次数: 15 相关文章 所有 11 个版本 引用 保存

[PDF] researchgate.net

Small intestinal bacterial overgrowth: roles of antibiotics, prebiotics, and probiotics

EMM Quigley, R Quera - *Gastroenterology*, 2006 - Elsevier

... the alimentary tract soon after birth and the composition of the intestinal microflora remains ... Because of peristalsis and the antimicrobial effects of gastric acid, the stomach and proximal ... On crossing into the colon, the concentration and variety of enteric flora changes dramatically ...

被引用次数: 258 相关文章 所有 21 个版本 引用 保存

[PDF] researchgate.net

The effect of *Saccharomyces boulardii* on reducing irinotecan-induced intestinal mucositis and diarrhea

A Sezer, U Usta, I Cicin - *Medical Oncology*, 2009 - Springer

... Results of a placebo controlled double-blind study. ... The effect of *Saccharomyces boulardii* on human colon cells and inflammation in rats with trinitrobenzene ... Immunological and trophical effects of *Saccharomyces boulardii* on the small intestine in healthy human volunteers ...

全部 图片 新闻 购物 视频 更多 ▼ 搜索工具

找到约 6,810 条结果 (用时 0.79 秒)

Google 学术 : Effects of *Saccharomyces cerevisiae* or *boulardii* yeasts on acute stress induced intestinal dysmotility

... article: yeast as probiotics—*Saccharomyces boulardii* - Czerucka - 被引用次数 : 222

Saccharomyces boulardii stimulates slgA production ... - Rodrigues - 被引用次数 : 120

Saccharomyces boulardii ameliorates clarithromycin- ... - Duman - 被引用次数 : 15

[PDF] *Saccharomyces cerevisiae* var. *boulardii* – Probiotic Yeast - InTech

www.intechopen.com/download/pdf/39643 ▼ 翻译此页

strictly related to the concept of health promoting microorganisms from food. ... intestinal microbial balance", in 1989 Fuller [5] defined it as "a live microbial feed ... To distinguish between the beneficial effect of living microorganism ... *Sb* is a close relative to baker's yeast *Saccharomyces cerevisiae*, the most widely used ...

Effects of the probiotic yeast *Saccharomyces boulardii* on the ...

onlinelibrary.wiley.com/doi/10.1046/j.1365-2982.2003.00458.../abstract - 翻译此页

作者 : K Kamm - 2004 - 被引用次数 : 57 - 相关文章

2004年2月3日 - Neurogastroenterology & Motility ... Effects of the probiotic yeast *Saccharomyces boulardii* on the ... with *Saccharomyces boulardii* (*S. boulardii*; synonym *S. cerevisiae* HANSEN CBS 5926; ... our study identified a possible new effector level of probiotics in the gut. ... Articles related to the one you are viewing.

Effects of the probiotic yeast *Saccharomyces* ... - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1046/j.1365-2982.2003.00458.x/full ▼ 翻译此页

作者 : K Kamm - 2004 - 被引用次数 : 57 - 相关文章

2004年2月3日 - Neurogastroenterology & Motility ... The intestinal microflora and its composition has a big impact on ... *Saccharomyces boulardii* (*S. boulardii*, synonym *S. cerevisiae* ... *Saccharomyces boulardii* is able to inhibit secretion induced by A is necessary and sufficient for acute activation of intestinal sensory ...