

学术搜索

找到约 25,900 条结果 (用时0.15秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

 包括专利 包含引用 创建快讯**Ganciclovir. An update of its use in the prevention of cytomegalovirus infection and disease in transplant recipients.**S Noble, D Faulds - *Drugs*, 1998 - europepmc.org... **Two strategies** had emerged: prophylaxis for all patients or early treatment started **after** detection of asymptomatic **CMV infection**. ... However, mortality for the **2 strategies** was similar. ... In the meantime, ganciclovir has an important role in the **prevention** of **CMV infection** and disease ...

被引用次数: 141 相关文章 所有 3 个版本 引用 保存 更多

Acyclovir for prevention of cytomegalovirus infection and disease after allogeneic marrow transplantationJD Meyers, EC Reed, DH Shepp... - *England Journal of ...*, 1988 - Mass Medical Soc... 21. Mantel N. Evaluation of survival data and **two** new rank order statistics arising in its consideration. ... (1999) Current antiviral **strategies** for controlling ... 1998) Synthesis and evaluation of 2-amino-6-fluoro-9-(2-hydroxyethoxymethyl)purine esters as potential prodrugs of acyclovir, ...

被引用次数: 418 相关文章 所有 4 个版本 引用 保存

Meta-analysis: the efficacy of strategies to prevent organ disease by cytomegalovirus in solid organ transplant recipientsAC Kalil, J Levitsky, E Lyden, J Stoner... - *Annals of internal ...*, 2005 - Am Coll Physicians

1.

被引用次数: 323 相关文章 所有 6 个版本 引用 保存

[HTML] A survey of CMV prevention strategies after liver transplantationJ Levitsky, N Singh, MM Wagener... - *... of Transplantation*, 2008 - Wiley Online Library... To investigate the variability and recent changes in **CMV prevention strategies**, we performed a prospective survey of US and Canadian LT centers. ... **Two** of four Canadian centers completed the survey. ... LTs for ≥15 years, 28% for 10–15 years, 10% for 5–10 years and 2% for ≤5 ...

被引用次数: 71 相关文章 所有 6 个版本 引用 保存

wiley.com 中的 [HTML]

[HTML] Cytomegalovirus infection after liver transplantation: current concepts and challengesRR Razonable - *World journal of gastroenterology; WJG*, 2008 - ncbi.nlm.nih.gov... In the majority of **transplant** centers, antiviral prophylaxis is the preferred **strategy** over preemptive ... Therefore, optimized **strategies** for **prevention** and novel drugs with unique modes of action are ... virus to modulate the immune system have been reported (Table 1)[1 , 2]. **CMV** is ...

被引用次数: 123 相关文章 所有 10 个版本 引用 保存

nih.gov 中的 [HTML]

Randomised comparison of ganciclovir and high-dose acyclovir for long-term cytomegalovirus

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 19702

Manuscript Type: Retrospective Study

Two strategies for prevention of cytomegalovirus infections after liver transplantation

Simon P *et al.* Prevention of cytomegalovirus after liver transplantation

Philipp Simon, Max Sasse, Sven Laudi, David Petroff, Michael Bartels, Udo X Kaisers, Sven Bercker

1

Match Overview

1	Internet 97 words crawled on 01-Jul-2015 www.wjgnet.com	2%
2	Internet 22 words crawled on 01-Jun-2015 ccforum.com	<1%
3	CrossCheck 22 words Wallenborn, J. "The impact of isoflurane, desflurane, or sevoflurane on the frequency and severity of postoperative n. ..."	<1%
4	Internet 20 words crawled on 25-Jun-2015 www.qucosa.de	<1%
5	CrossCheck 20 words Bettencourt, Conceição, and Manuela Lima. "Mimicking" ... capacity of spinocerebellar ataxia type 3: The details matter".	<1%



学术搜索

找到约 26,400 条结果 (用时0.10秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Ganciclovir. An update of its use in the prevention of cytomegalovirus infection and disease in transplant recipients.

S Noble, D Faulds - Drugs, 1998 - europepmc.org

... Two strategies had emerged: prophylaxis for all patients or early treatment started after detection of asymptomatic CMV infection, ... However, mortality for the 2 strategies was similar. ... In the meantime, ganciclovir has an important role in the prevention of CMV infection and disease ...

被引用次数: 141 相关文章 所有 3 个版本 引用 保存 更多

Acyclovir for prevention of cytomegalovirus infection and disease after allogeneic marrow transplantation

JD Meyers, EC Reed, DH Shepp... - ... England Journal of ..., 1988 - Mass Medical Soc

... 21. Mantel N. . Evaluation of survival data and two new rank order statistics arising in its consideration ... (1999) Current antiviral strategies for controlling ... 1998) Synthesis and evaluation of 2-amino-6-fluoro-9-(2-hydroxyethoxymethyl)purine esters as potential prodrugs of acyclovir. ...

被引用次数: 409 相关文章 所有 4 个版本 引用 保存

Meta-analysis: the efficacy of strategies to prevent organ disease by cytomegalovirus in solid organ transplant recipients

AC Kalil, J Levitsky, E Lyden, J Stoner... - Annals of internal ..., 2005 - Am Coll Physicians

1.

被引用次数: 330 相关文章 所有 7 个版本 引用 保存

[HTML] A survey of CMV prevention strategies after liver transplantation

J Levitsky, N Singh, MM Wagener... - ... of Transplantation, 2008 - Wiley Online Library

... To investigate the variability and recent changes in CMV prevention strategies, we performed a prospective survey of US and Canadian LT centers. ... Two of four Canadian centers completed the survey. ... LTs for ≥15 years, 28% for 10–15 years, 10% for 5–10 years and 2% for ≤5 ...

被引用次数: 77 相关文章 所有 6 个版本 引用 保存

wiley.com 中的 [HTML]

Valacyclovir for the prevention of cytomegalovirus disease after renal transplantation

D Lowance, HH Neumayer, CM Legendre... - ... England Journal of ..., 1999 - Mass Medical Soc

... adverse events in the first six months after transplantation were similar in the two groups. ... Valacyclovir has several advantages over conventional strategies, including ease of administration and less use of inpatient ... Transplant Proc 1991;23:Suppl 1:2-7 Web of Science | Medline. ...

被引用次数: 599 相关文章 所有 5 个版本 引用 保存

[HTML] Cytomegalovirus infection after liver transplantation: current concepts and challenges

RR Razonable - World journal of gastroenterology: WJG, 2008 - ncbi.nlm.nih.gov

In the majority of transplant centers, antiviral prophylaxis is the preferred strategy over preemptive

nih.gov 中的 [HTML]

[网页](#) [新闻](#) [图片](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 92,900 条结果 (用时 0.39 秒)

Google 学术 : Two strategies for prevention of cytomegalovirus infections after liver transplantation

... of its use in the prevention of cytomegalovirus infection ... - Noble - 被引用次数 : 141

Acyclovir for prevention of cytomegalovirus infection ... - Meyers - 被引用次数 : 408

... disease by cytomegalovirus in solid organ transplant ... - Kalil - 被引用次数 : 331

Cytomegalovirus infection after liver transplantation: Current ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : RR Razonable - 2008 - 被引用次数 : 129 - [相关文章](#)

2008年8月21日 - There are two major strategies for CMV disease prevention after liver transplantation: (1) preemptive therapy (wherein CMV reactivation is ...

Cytomegalovirus infection in liver transplant recipients ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : JR Marcelin - 2014 - 被引用次数 : 9 - [相关文章](#)

2014年8月21日 - Universal antiviral prophylaxis and a pre-emptive treatment strategy are options for prevention. ... the two prevention strategies in the highest risk D+R-liver recipients. ... This article reviews the current state of CMV management after liver ... Treatment of CMV infection in liver transplant patients is discussed ...

CMV infection, diagnosis and antiviral strategies after liver ...

onlinelibrary.wiley.com/doi/10.1111/j.1432-2277.2009.../pdf ▾ [翻译此页](#)

作者 : I Lautenschlager - 2009 - 被引用次数 : 38 - [相关文章](#)

of CMV infection are not equal in all transplant patients, and there are significant ... There are two main strategies to prevent CMV disease after liver transplanta-