



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: editorialoffice@wjgnet.com

http://www.wjgnet.com

## ESPS Peer-review Report

**Name of Journal:** World Journal of Ophthalmology

**ESPS Manuscript NO:** 10835

**Title:** Binocular Disturbance after Glaucoma Drainage Device Implantation

**Reviewer code:** 00505087

**Science editor:** Xiu-Xia Song

**Date sent for review:** 2014-04-23 11:09

**Date reviewed:** 2014-05-01 15:49

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input checked="" type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)	<input type="checkbox"/> Grade D: rejected	BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)		<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

## COMMENTS TO AUTHORS

This manuscript is a fair attempt to summarize results from heterogenous studies on diplopia and motility disorders after glaucoma drainage device implantation. Although no metanalysis and safe conclusions can be drawn from the above mentioned studies due to their various nature and design, the particular manuscript succeeds in giving the reader the core message and some statistical details on the subject that it deals with. It is well structured and very comprehensive. I would suggest it for publication in the WJO.



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: editorialoffice@wjgnet.com

http://www.wjgnet.com

## ESPS Peer-review Report

**Name of Journal:** World Journal of Ophthalmology

**ESPS Manuscript NO:** 10835

**Title:** Binocular Disturbance after Glaucoma Drainage Device Implantation

**Reviewer code:** 00505209

**Science editor:** Xiu-Xia Song

**Date sent for review:** 2014-04-23 11:09

**Date reviewed:** 2014-05-04 23:42

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)	<input type="checkbox"/> Grade D: rejected	BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)		<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

## COMMENTS TO AUTHORS

I consider this manuscript to have valuable data that would be of interest if published. Information of the possible complications of glaucoma surgery is always a very useful contribution into this field. So I recommend it to EiC for publication in World Journal of Ophthalmology without changes.



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: editorialoffice@wjgnet.com

http://www.wjgnet.com

## ESPS Peer-review Report

**Name of Journal:** World Journal of Ophthalmology

**ESPS Manuscript NO:** 10835

**Title:** Binocular Disturbance after Glaucoma Drainage Device Implantation

**Reviewer code:** 00505265

**Science editor:** Xiu-Xia Song

**Date sent for review:** 2014-04-23 11:09

**Date reviewed:** 2014-05-06 04:46

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input checked="" type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input checked="" type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)		BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

## COMMENTS TO AUTHORS

Interesting treatise on the subject matter.



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: editorialoffice@wjgnet.com

http://www.wjgnet.com

## ESPS Peer-review Report

**Name of Journal:** World Journal of Ophthalmology

**ESPS Manuscript NO:** 10835

**Title:** Binocular Disturbance after Glaucoma Drainage Device Implantation

**Reviewer code:** 00505222

**Science editor:** Xiu-Xia Song

**Date sent for review:** 2014-04-23 11:09

**Date reviewed:** 2014-05-08 12:07

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)	<input type="checkbox"/> Grade D: rejected	BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)		<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

## COMMENTS TO AUTHORS

This manuscript is very interesting and valuable in that it deals with the data about motility defect after glaucoma drainage device surgery. I would recommend it for publication in WJO with priority.