

学术搜索

找到约 2,200 条结果 (用时0.08秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示： 只搜索 中文(简体) 结果，可在 学术搜索设置 指定搜索语言

[PDF] Updated guidelines 2008 for the diagnosis, surveillance and therapy of Barrett's esophagus

alabmed.com 中的 [PDF]

SOFBS ESOPHAGUS - Am J Gastroenterol, 2008 - alabmed.com

... The rate of rise is alarming and is widespread in Western countries. ... Predictors included age >40 (21), heartburn (21-23), long duration GERD symptoms (more than 13 years) (23 ... Success rates of ablating the entire Barrett's mucosa usually are in the 80-90% range with multiple ...

被引用次数: 1017 相关文章 所有 21 个版本 引用 保存 更多

Gastrointestinal stromal tumors: current diagnosis, biologic behavior, and management | Pidhorecky, RT Cheney, WG Kraybill, ... - Annals of Surgical ..., 2000 - Springer

... PREDICTORS OF MALIGNANT POTENTIAL ... Although a variety of prognostic factors have been investigated, mitotic rate remains the most reliable. ... approach is the most effective treatment, as current adjuvant therapies do not improve local and distant recurrence rates or survival ...

被引用次数: 627 相关文章 所有 9 个版本 引用 保存

Quality indicators for colonoscopy and the risk of interval cancer

upenn.edu 中的 [PDF]

MF Kaminski, J Regula, E Kraszewska... - ... England Journal of ..., 2010 - Mass Medical Soc

... model reduction was performed to allow for adjustment of the effect of quality measurements for the effect of possible clinical predictors. ... (2015) The proximal serrated polyp detection rate is an easy-to-measure proxy for the detection rate of clinically ... (2015) Rates of Suboptimal ...

被引用次数: 752 相关文章 所有 11 个版本 引用 保存

Effect of a prior endoscopy on outcomes of esophageal adenocarcinoma among United States veterans

nih.gov 中的 [HTML]

JH Rubenstein, A Sonnenberg, J Davis... - Gastrointestinal ..., 2008 - Elsevier

... guidelines trended toward improved survival, but long-term survival reverted toward the rate found without any ... Cox proportional HRs for the association between predictors and mortality. ... associated with a trend toward improved short-term survival, despite similar rates of surgical ...

被引用次数: 69 相关文章 所有 10 个版本 引用 保存

The incidence of adenocarcinoma in columnar-lined (Barrett's) esophagus

A J Camargo, B J Ott, WG Rayns, ... New England Journal of ..., 1995 - Mass Medical Soc

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 25292

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

**Adjuvant sorafenib after heptectomy for Barcelona Clinic Liver Cancer-stage C
hepatocellular carcinoma patients**

Xia F *et al.* Adjuvant sorafenib for BCLC-C HCC patients

Feng Xia, Li-Li Wu, Wan-Yee Lau, Hong-Bo Huan, Xu-Dong Wen, Kuan-Sheng Ma,
Xiao-Wu Li, Ping Bie

**Feng Xia, Li-Li Wu, Hong-Bo Huan, Xu-Dong Wen, Kuan-Sheng Ma, Xiao-Wu Li,
Ping Bie**, Institute of Hepatobiliary Surgery, Southwest Hospital, Southwest Cancer
Center, Third Military Medical University, Chongqing 400038, China

Wan-Yee Lau, Faculty of Medicine, The Chinese University of Hong Kong, Hong Kong,

Match Overview

1	Internet 252 words crawled on 12-Oct-2015 ilca2015.org	6%
2	Internet 205 words crawled on 03-Mar-2016 www.wjgnet.com	5%
3	CrossCheck 195 words Feng Xia. "Continuous Occlusion of Hepatic Artery Proper f or Prevention of Blood Loss in Partial Hepatectomy for RL ...	5%
4	CrossCheck 90 words Wang, Shen-Nien, Shih-Cheng Chuang, and King-Teh Lee "Efficacy of sorafenib as adjuvant therapy to prevent early	2%
5	CrossCheck 62 words Torzilli, Guido, Jacques Belghiti, Norihiro Kokudo, Tadatos hi Takayama, Lorenzo Capussotti, Gennaro Nuzzo, Jean-N	2%
6	CrossCheck 44 words Xia, Feng, Lin Wu, Wan-Yee Lau, Guo Li, Hongbo Huan, C heng Qian, Kuansheng Ma, and Ping Bie. "Positive Lymph	1%
7	Internet 23 words crawled on 02-Mar-2015 www.science.gov	1%
8	Internet 21 words crawled on 13-May-2011 www.nutrition.ac.cn	1%
9	Internet 20 words crawled on 17-Nov-2012 theoncologist.alphamedpress.org	1%

学术搜索

找到约 73 条结果 (用时0.08秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

您是不是要找: Adjuvant sorafenib after **hepatectomy** for Barcelona Clinic Liver Cancer-stage C hepatocellular carcinoma patients

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Sorafenib in advanced hepatocellular carcinoma

..., JL Raoul, A Forner, M Schwartz, C Porta... - New England journal ..., 2008 - Mass Medical Soc

... Sorafenib (Nexavar, Bayer HealthCare Pharmaceuticals-Onyx Pharmaceuticals) is a small molecule that inhibits tumor ... Future studies are warranted to evaluate sorafenib as an adjuvant therapy after ... Phase II study of sorafenib in patients with advanced hepatocellular carcinoma ...

被引用次数: 5768 相关文章 所有 10 个版本 引用 保存

researchgate.net 中的 [PDF]

Hepatocellular carcinoma: a global view

JD Yang, LR Roberts - Nature Reviews Gastroenterology and ..., 2010 - nature.com

... After surveillance ultrasonography reveals suspicious liver lesions in a patient with cirrhosis ... The following sections describe the currently recommended treatment options for HCC in ... multinodular HCC (intermediate, or stage B), whereas chemotherapy with sorafenib is the only ...

被引用次数: 570 相关文章 所有 7 个版本 引用 保存

nature.com 中的 [HTML]

Consensus on the current use of sorafenib for the treatment of hepatocellular carcinoma

M Peck-Radosavljevic, TF Greten... - European journal of ..., 2010 - journals.lww.com

... The effectiveness of the adjuvant use of sorafenib in preventing recurrence after resection or local ablation, or in combination with transarterial chemoembolization, are being evaluated in ... Sorafenib: first systemic therapy to extend survival in hepatocellular carcinoma. ...

被引用次数: 52 相关文章 所有 6 个版本 引用 保存

[HTML] Liver transplantation in patients with hepatocellular carcinoma across Milan criteria

..., M Inarrairaegui, F Rotellar, C Montiel... - Liver ..., 2008 - Wiley Online Library

... In conclusion, following CUN criteria could increase the number of HCC patients who could ... The impact of pre-operative loco-regional therapy on outcome after liver transplantation for ... Long-term results with multimodal adjuvant therapy and liver transplantation for the treatment ...

被引用次数: 93 相关文章 所有 7 个版本 引用 保存

wiley.com 中的 [HTML]

A comparison of lipiodol chemoembolization and conservative treatment for unresectable hepatocellular carcinoma

G d'Etude... - The New England journal ..., 1995 - Mass Medical Soc

... Vetter, Clinique de l'Orangerie, Strasbourg, France — JJ Wenger, and Centre Hospitalier Universitaire ... carcinoma: assessment of efficacy in cases of resection following embolization. ... JZ, Tang ZY, Mack P. Experience with liver resection after hepatic arterial chemoembolization ...

被引用次数: 296 相关文章 所有 4 个版本 引用 保存

hepatoweb.com 中的 [PDF]

[PDF] Updates in the management of hepatocellular carcinoma

researchgate.net 中的 [PDF]

[全部](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 6,760 条结果 (用时 0.61 秒)

显示的是以下查询字词的结果：**Adjuvant sorafenib after hepatectomy for Barcelona Clinic Liver Cancer-stage C hepatocellular carcinoma patients**

仍然搜索：Adjuvant sorafenib after hepatectomy for Barcelona Clinic Liver Cancer-stage C hepatocellular carcinoma patients

Treatment of hepatocellular carcinoma: beyond international ...

onlinelibrary.wiley.com/doi/10.1111/liv.12713/pdf ▾ [翻译此页](#)

local ablation – sorafenib ... Barcelona clinical liver cancer (BCLC) score, divides patients into five prog- ... burden, such as those with intermediate stage BCLC B, survival in the subset ... advanced HCC (BCLC C) following oral therapy with the multikinase inhibi- rence of hepatocellular carcinoma after hepatectomy.

Current management of hepatocellular carcinoma - NCBI

www.ncbi.nlm.nih.gov ▸ ... ▸ PubMed Central (PMC) ▾ [翻译此页](#)

作者：P Tabrizian - 2014 - 被引用次数：27 - 相关文章

2014年8月14日 - Hepatocellular carcinoma (HCC) is the sixth most common cancer worldwide ... The majority of trials now choose the Barcelona Clinic Liver Cancer (BCLC) ... stage with patients presenting with symptomatic disease and liver impairment[6,9]. A large RCT of sorafenib vs placebo as adjuvant therapy after ...

Sorafenib continuation or discontinuation in patients with ...

www.ncbi.nlm.nih.gov ▸ ... ▸ Literature ▸ PubMed Central (PMC) - [翻译此页](#)

作者：Y Zhang - 2015

2015年6月3日 - Hepatocellular carcinoma (HCC) is the fifth most common ... Unfortunately, only 30–40% of early stage patients (Barcelona Clinic Liver Cancer BCLC stage A) ... However, the STORM study [15] (Sorafenib as Adjuvant Treatment in ... The adverse events of sorafenib after discontinuation were also observed.

[PDF] Sorafenib after resection improves the outcome of BCLC ...