

Special AT-rich sequence-binding protein 2 plays as a negative regulator of stem

全部

图片

视频

新闻

购物

地图

图书

找到约 27,800 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[SATB1 and 2 in colorectal cancer - NCBI - National Institutes of Health](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4400443/)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4400443/

27 Dec 2014 ... The **special AT-rich sequence-binding proteins** 1 and 2 (SATB1/2) are nuclear ... factor that **plays** a crucial role in the regulation of bone development and ... Moreover, RunX2 is a **negative regulator** of miR-31 (13) and thus ...

[microRNA-182 targets special AT-rich sequence-binding protein 2 to ...](http://www.ncbi.nlm.nih.gov/pubmed/24884732)

www.ncbi.nlm.nih.gov/pubmed/24884732

1 May 2014 ... microRNA-182 targets **special AT-rich sequence-binding protein 2** to ... (miRNA) **played** a pivotal role in regulating cancer cell proliferation and metastasis. The deregulation of miR-182 has been identified in **colorectal cancer** (CRC). ... results illustrated that the up-regulation of miR-182 **played** a pivotal role ...

[Special AT-rich sequence-binding protein 1 promotes cell growth ...](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3631984/)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3631984/ ▼

21 Apr 2013 ... **Special AT-rich sequence-binding protein** 1 promotes cell growth ... to detect the **protein** expression of SATB1 in 30 **colorectal cancer** ... Meng et al[11] showed that SATB1 **plays** a pivotal role in epithelial to ... Briefly, the cells were seeded at a density of 2×10^3 cells per well in 96-well culture plates (Costar).

[miR-211 suppresses hepatocellular carcinoma by downregulating ...](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4496220/)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4496220/ ▼



27251-Review

BY YING LI

Quotes Excluded
Bibliography Excluded3%
SIMILAR

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 27251

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Special AT-rich sequence-binding protein 2 plays as a negative regulator of stemness in colorectal cancer

Ying Li, Yu-Hong Liu, Yu-Ying Hu, Lin Chen, Jian-Ming Li

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|---|----------|------------|
| 1 | CrossCheck | 31 words | 1% |
| | Shuang Wang. "Down-regulated expression of SATB2 is ... ssociated with metastasis and poor prognosis in colorecta | | |
| 2 | Internet | 18 words | 1% |
| | crawled on 19-Jan-2016
www.translational-medicine.com | | |
| 3 | Internet | 13 words | <1% |
| | crawled on 24-May-2016
macha.itc.griffith.edu.au | | |
| 4 | CrossCheck | 13 words | <1% |
| | Chao Cheng. "Quantification of circulating cell-free DNA i ... he plasma of cancer patients during radiation therapy", Ca | | |
| 5 | CrossCheck | 13 words | <1% |
| | Jill A. Rosenfeld. "Small Deletions of SATB2 Cause Som ... of the Clinical Features of the 2q33.1 Microdeletion Syndro | | |



Special AT-rich sequence-binding protein 2 plays as a negative regulator of s



Sign in

全部

图片

新闻

购物

视频

更多 ▾

搜索工具



找到约 27,400 条结果 (用时 0.89 秒)

SATB1 and 2 in colorectal cancer - NCBI - National Institutes of Health

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

2014年12月27日 - The special AT-rich sequence-binding proteins 1 and 2 (SATB1/2) are nuclear ... factor that plays a crucial role in the regulation of bone development and ... Moreover, RunX2 is a negative regulator of miR-31 (13) and thus ...

microRNA-182 targets special AT-rich sequence-binding protein 2 to ...

www.ncbi.nlm.nih.gov/pubmed/24884732 - 翻译此页

作者: MH Yang - 2014 - 被引用次数: 25 - 相关文章

2014年5月1日 - microRNA-182 targets special AT-rich sequence-binding protein 2 to ... (miRNA) played a pivotal role in regulating cancer cell proliferation and metastasis. The deregulation of miR-182 has been identified in colorectal cancer (CRC). ... results illustrated that the up-regulation of miR-182 played a pivotal role ...

MicroRNAs as growth regulators, their function and biomarker status in ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: L Cekaite - 2016 - 被引用次数: 6 - 相关文章

2015年11月25日 - An overview of miRNA studies in colorectal cancer (CRC) multiple transcripts and 2) several miRNAs may play together in controlling a single mRNA transcript. ... The elevated expression of miR-135a/b, negative regulator of APC, has special AT-rich sequence-binding protein 2 to promote colorectal ...

全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 27,900 条结果 (用时 0.53 秒)

SATB1 and 2 in colorectal cancer - NCBI - National Institutes of Health

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

2014年12月27日 - The **special AT-rich sequence-binding proteins** 1 and 2 (SATB1/2) are nuclear ... factor that **plays** a crucial role in the regulation of bone development and ... Moreover, RunX2 is a **negative regulator** of miR-31 (13) and thus ...

microRNA-182 targets special AT-rich sequence-binding protein 2 to ...

www.ncbi.nlm.nih.gov/pubmed/24884732 - 翻译此页

作者 : MH Yang - 2014 - 被引用次数 : 25 - 相关文章

2014年5月1日 - microRNA-182 targets **special AT-rich sequence-binding protein 2** to ... (miRNA) **played** a pivotal role in regulating cancer cell proliferation and metastasis. The deregulation of miR-182 has been identified in **colorectal cancer** (CRC). ... results illustrated that the up-regulation of miR-182 **played** a pivotal role ...

miR-211 suppresses hepatocellular carcinoma by downregulating ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者 : G Jiang - 2015 - 被引用次数 : 8 - 相关文章

2015年3月25日 - Here we found that miR-211 was decreased in HCC **cancer** tissues compared with ... RNAs that **negatively** regulate gene expression via **binding** to the ... of miRNAs **plays** large roles in the initiation and progression of many **cancers** Human **special AT-rich sequence-binding protein-2** (SATB2) is a novel ...

Special AT-rich sequence-binding protein 1 promotes cell growth and ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者 : XF Fang - 2013 - 被引用次数 : 18 - 相关文章

2013年4月21日 - **Special AT-rich sequence-binding protein** 1 promotes cell growth ... to detect the **protein** expression of SATB1 in 30 **colorectal cancer** ... Meng et al[11] showed that SATB1 **plays** a pivotal role in epithelial to ... Briefly, the cells were seeded at a density of 2×10^3 cells per well in 96-