



57900-Review check.docx

Quotes Excluded
Bibliography Excluded1%
SIMILAR

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|----------|----------|------------|
| 1 | Crossref | 13 words | <1% |
| 2 | Internet | 12 words | <1% |
| 3 | Crossref | 12 words | <1% |
| 4 | Internet | 12 words | <1% |

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 57900

Manuscript Type: CASE REPORT

Gastrointestinal tract injuries after thermal ablative therapies for hepatocellular carcinoma: Case report and review of the literature

Rogger TM *et al.* Gastric perforation after RFA for HCC

Teresa Marzia Rogger, Andrea Michielan, Sandro Sferrazza, Cecilia Pravadelli, Luisa Moser, Flora Agugiario, Giovanni Vettori, Sonia Seligmann, Elettra Merola, Marcello Maida, Francesco Antonio Ciarleglio, Alberto Brolese, Giovanni de Pretis

Teresa Marzia Rogger, Andrea Michielan, Sandro Sferrazza, Cecilia Pravadelli, Luisa Moser, Flora Agugiario, Giovanni Vettori, Sonia Seligmann, Elettra Merola, Giovanni de Pretis, Department of Surgery, Gastroenterology and Digestive Endoscopy Unit, Santa



ALL

IMAGES

VIDEOS

27,800 Results

Any time ▼

Local ablative treatments for hepatocellular carcinoma: An ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5095567>

Nov 06, 2016 · INDICATION TO **TREATMENT**. **Thermal ablative treatments** represent the standard of care for unresectable HCC in very early/early stage according to Barcelona Clinic Liver Cancer (BCLC) **system**[2,4].The term "unresectable" covers a broad spectrum of pathological conditions, from single nodule in a deep location (therefore not easy to treat by surgery) to ...

Cited by: 33

Author: Antonio Facciorusso, Gaetano Serviddi...

Publish Year: 2016

Perforation of the esophagus due to thermal injury after ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6185874>

Oct 10, 2018 · We herein **report** a first **case** of esophageal perforation due to **thermal injury** of laparoscopic radiofrequency **ablation** (RFA). **Case** presentation A 75-year-old woman was treated repeatedly with RFA (percutaneous and laparoscopic) and transcatheter arterial chemoembolization for **hepatocellular carcinoma**.

Author: Taishi Yamane, Katsunori Imai, Naoki... **Publish Year:** 2018

Liver-Directed Therapy for Hepatocellular Carcinoma: An ...

<https://www.ajronline.org/doi/full/10.2214/AJR.17.17799>

The Sorafenib as Adjuvant **Treatment** in the Prevention of Recurrence of **Hepatocellular Carcinoma** (STORM) study was a double-blind randomized placebo-controlled trial that included 214 patients who underwent **ablation** of HCC . The recurrence-free survival times were no different for resection or percutaneous **ablation** plus sorafenib (33.3 months ...

Cited by: 10

Author: Anne M. Covey, Shahid M. Hussain

Publish Year: 2017

Irreversible electroporation of hepatocellular carcinoma ...

<https://www.e-ultrasonography.org/m/journal/view.php?number=1104> ▼

Thermal ablation using either radiofrequency **ablation** (RFA) or microwave **ablation** (MWA) has



23,000 Results Any time ▾

[Local ablative treatments for hepatocellular carcinoma: An ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5095567>

Nov 06, 2016 · INDICATION TO **TREATMENT**. **Thermal ablative treatments** represent the standard of care for unresectable HCC in very early/early stage according to Barcelona Clinic Liver Cancer (BCLC) **system**[2,4]. The term "unresectable" covers a broad spectrum of pathological conditions, from single nodule in a deep location (therefore not easy to treat by surgery) to multinodular disease in patients ...

Cited by: 54 **Author:** Antonio Facciorusso, Gaetano Serviddio, ...

Publish Year: 2016

[Perforation of the esophagus due to thermal injury after ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6185874>

We herein **report** a first **case** of esophageal perforation due to **thermal injury** of laparoscopic radiofrequency **ablation** (RFA). **Case** presentation A 75-year-old woman was treated repeatedly with RFA (percutaneous and laparoscopic) and transcatheter arterial chemoembolization **for hepatocellular carcinoma**.

Author: Taishi Yamane, Katsunori Imai, Naoki ... **Publish Year:** 2018

[Perforation of the esophagus due to thermal injury after ...](#)

<https://surgicalcasereports.springeropen.com/...> ▾

Oct 10, 2018 · Several reported complications associated with radiofrequency **ablation** for liver tumors are due to **thermal** damage of neighboring organs. We herein **report** a first **case** of esophageal perforation due to **thermal injury** of laparoscopic radiofrequency **ablation** (RFA). A 75-year-old woman was treated repeatedly with RFA (percutaneous and laparoscopic) and transcatheter arterial ...

Author: Taishi Yamane, Katsunori Imai, Naoki ... **Publish Year:** 2018

[\(PDF\) A case of biliary gastric fistula following ...](#)

https://www.researchgate.net/publication/6526957_A...

The purpose of this study was to evaluate the therapeutic efficacy and safety of percutaneous radiofrequency **ablation** in the **treatment** of **hepatocellular** carcinomas abutting the **gastrointestinal tract**.

[A global view of hepatocellular carcinoma: trends, risk ...](#)

[https://doi.org/10.1155/2018/2123](#)