

6

Name of Journal: *World Journal of Radiology*

ESPS Manuscript NO: 19642

Manuscript Type: Original Article

*Observational Study***Pancreatic trauma: The role of computed tomography for guiding therapeutic approach**

Marco Moschetta, Michele Telegrafo, Valeria Malagnino, Laura Mappa, Amato A Stabile
Ianora, Dario Dabbicco, Antonio Margari, Giuseppe Angelelli

6

Abstract

AIM: To evaluate the role of computed tomography (CT) for diagnosing traumatic injuries of the pancreas and guiding the therapeutic approach.

METHODS: CT exams of 6740 patients admitted to our Emergency Department between May 2005 and January 2013 for abdominal trauma were retrospectively evaluated.

Match Overview

1	CrossCheck 119 words M. Moschetta. "Prognostic value of multidetector computed tomography in bowel infarction", <i>La radiologia medica</i> , 08/	3%
2	CrossCheck 113 words Venkatesh, S.K.. "CT of blunt pancreatic trauma-A pictorial essay", <i>European Journal of Radiology</i> , 200808	3%
3	CrossCheck 71 words Lahiri, R. and S Bhattacharya. "Pancreatic trauma", <i>Annals of The Royal College of Surgeons of England</i> , 2013.	2%
4	CrossCheck 55 words Yang, L.. "MR imaging for blunt pancreatic injury", <i>European Journal of Radiology</i> , 201008	1%
5	Internet 44 words crawled on 19-Sep-2012 www.joplink.net	1%
6	Internet 35 words crawled on 22-Jun-2015 www.wjgnet.com	1%

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 759,000 条结果 (用时 0.61 秒)

Google 学术: Pancreatic trauma: the role of computed tomography for guiding therapeutic approach

... and initial management of blunt pancreatic trauma: ... - Bradley 3rd - 被引用次数: 298

Blunt Trauma of the Pancreas and Biliary Tract: A ... - Gupta - 被引用次数: 157

Usefulness of multidetector computed tomography for ... - Fang - 被引用次数: 58

RadioGraphics: Blunt Trauma of the Pancreas and Biliary ...

pubs.rsna.org/doi/full/10.1148/rg.245045002 ▾ 翻译此页

作者: A Gupta - 2004 - 被引用次数: 157 - 相关文章

In addition, the location of injury influences the surgical approach. ... In a study of 22 patients with pancreatic injuries who underwent CT prior to laparotomy, ... outcome following pancreatic injury and is used to guide therapy, evaluation of the ... US is of limited use for initial diagnosis of bile duct injury but may have a role in ...

Pancreatic trauma: A concise review

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: U Debi - 2013 - 被引用次数: 11 - 相关文章

2013年12月21日 - Imaging plays an important role in diagnosis of pancreatic injuries because early ... Computed tomography (CT) is routinely used as the first-line ... The decision regarding therapeutic approach of the traumatic pancreatic injury, ... By using the pancreatic OIS grading system of the AAST to help to guide the ...

Diagnosis and initial management of blunt pancreatic trauma

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: EL Bradley 3rd - 1998 - 被引用次数: 296 - 相关文章

The therapy of BPT has been controversial, with some suggesting selective observation ... CT is unreliable in diagnosing MPD injury and should not be used to guide therapy. ... Bessette G, Bastien E. Pancreatic trauma: a new diagnostic approach. ... CT diagnosis of blunt pancreatic trauma: importance of detecting fluid ...



Pancreatic trauma: The role of computed tomography for guiding ther



网页

图片

新闻

购物

视频

更多 ▾

搜索工具

找到约 271,000 条结果 (用时 0.46 秒)

Google 学术: Pancreatic trauma: The role of computed tomography for guiding therapeutic approach

... and initial management of blunt pancreatic trauma: ... - Bradley 3rd - 被引用次数: 302

Blunt Trauma of the Pancreas and Biliary Tract: A ... - Gupta - 被引用次数: 159

Usefulness of multidetector computed tomography for ... - Fang - 被引用次数: 62

12 Pancreatic Trauma - Springer

link.springer.com/.../10.1007%2F978-3-642-97487-8_12.pdf - 翻译此页

Although computed tomography (CT) has transformed the ... Pancreatic injuries are present in 2% (DODDS et al. 1990 ... guiding the therapeutic approach, However, only (1988) Blunt pancreatic injuries in children: the role of percutaneous.

RadioGraphics: Blunt Trauma of the Pancreas and Biliary ...

pubs.rsna.org/doi/full/10.1148/rg.245045002 ▾ 翻译此页

作者: A Gupta - 2004 - 被引用次数: 159 - 相关文章

In addition, the location of injury influences the surgical approach. ... Although CT may not always directly demonstrate the pancreatic duct, injury to ... outcome following pancreatic injury and is used to guide therapy, evaluation of ... ERCP continues to have an important role in diagnosis and therapy of biliary tract injuries.

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 283,000 条结果 (用时 0.59 秒)

Google 学术: Pancreatic trauma: The role of computed tomography for guiding therapeutic approach

... and initial management of blunt pancreatic trauma: ... - Bradley 3rd - 被引用次数: 302

Blunt Trauma of the Pancreas and Biliary Tract: A ... - Gupta - 被引用次数: 159

Usefulness of multidetector computed tomography for ... - Fang - 被引用次数: 62

12 Pancreatic Trauma - Springer

link.springer.com/.../10.1007%2F978-3-642-97487-8_12.pdf - 翻译此页

Although computed tomography (CT) has transformed the ... Pancreatic injuries are present in 2% (DODDS et al. 1990 ... a function of the level of the lesion and of the associated injuries. ... guiding the therapeutic approach. However, only.

RadioGraphics: Blunt Trauma of the Pancreas and Biliary ...

pubs.rsna.org/doi/full/10.1148/rg.245045002 ▾ 翻译此页

作者: A Gupta - 2004 - 被引用次数: 159 - 相关文章

In addition, the location of injury influences the surgical approach. ... Although CT may not always directly demonstrate the pancreatic duct, injury to ... outcome following pancreatic injury and is used to guide therapy, evaluation of ... ERCP continues to have an important role in diagnosis and therapy of biliary tract injuries.

Diagnosis and initial management of blunt pancreatic trauma

www.researchgate.net/.../13646193_Diagnosis_and_initial_man... - 翻译此页

2014年9月17日 - Although detection of MPD injuries by computed tomography was no better ... CT is unreliable in diagnosing MPD injury and should not be used to guide therapy. fundamental change in approach to these lesions is needed. used for pancreas trauma and recognizes the importance of progressive