

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 936 条结果

**时间不限**

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

**所有结果**

精确匹配

[Google 学术: Pretreatment AKR1B10 expression predicts the risk of HCC development after HCV eradication](#)

[Insulin resistance and cancer: the role of insulin and ...](#) - Djioque - 被引用次数: 68

[... microarray analysis of transcriptome alterations in Mus ...](#) - Abril - 被引用次数: 4

[Nuclear factor- \$\kappa\$ B—a pivotal transcription factor in ...](#) - Epstein - 被引用次数: 4755

[Clinical-guide risk prediction of hepatocellular carcinoma ...](#) - NCBI

[www.ncbi.nlm.nih.gov/pubmed/24084770](http://www.ncbi.nlm.nih.gov/pubmed/24084770) ▾

1 Oct 2013 ... We aimed to **develop** a simple scoring system to **predict the risk of HCC development** among HCV patients **after** antiviral therapies. METHODS: ...

[Predictive Ability of Laboratory Indices for Liver Fibrosis in Patients ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4516317/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4516317/) ▾

27 Jul 2015 ... Since liver fibrosis remains even **after** the **eradication** of HCV, albeit with ..., lack of a **pretreatment** biopsy (n = 2), death from gastric cancer **after** SVR (n ... laboratory indices can **predict the risk of developing HCC after** SVR.

[Hepatocellular Carcinoma in Patients with a Sustained Response to ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4581320/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4581320/) ▾

19 Aug 2015 ... In the end, the **risk of developing** an HCC in SVR patients is attenuated by 75% ... variables, such as those that **predict** liver cancer in viremic patients. ... Clinical benefits **following HCV eradication** were first reported in a ... HCC rates among 142 SVR patients with a histological **pre-treatment** diagnosis of ...

[Poster Session 4: HCV: Virology, Pathogenesis, and Immunology ...](#)

[onlinelibrary.wiley.com/doi/10.1002/hep.27531/full](http://onlinelibrary.wiley.com/doi/10.1002/hep.27531/full) ▾

1 Oct 2014 ... Inhibition of HCV IRES **after** treatment with Type I (IFN- $\alpha$ ), Type III ...  
ABSTRACT Objectives: **Eradicating** of chronic hepatitis C virus ... Moreover, **pre-treatment**

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 27286

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Study*

Pretreatment AKR1B10 <sup>5</sup> expression predicts the risk of hepatocellular carcinoma development after hepatitis C virus eradication

<sup>5</sup> Ayato Murata, Takuya Genda, Takafumi Ichida, Nozomi Amano, Sho Sato, Hironori Tsuzura, Shunsuke Sato, Yutaka Narita, Yoshio Kanemitsu, Yuji Shimada, <sup>2</sup> Katsuharu Hirano, Katsuyori Iijima, Ryo Wada, Akihito Nagahara, Sumio Watanabe

### Abstract

AIM: To clarify the association between aldo-keto reductase family 1 member

### Match Overview

1	CrossCheck 156 words Narita, Yutaka, Takuya Genda, Hironori Tsuzura, Shunsuke Sato, Yoshio Kanemitsu, Sachiko Ishikawa, Tetsu Kik	5%
2	CrossCheck 110 words Sato, Shunsuke, Takuya Genda, Takafumi Ichida, Ayato Murata, Hironori Tsuzura, Yutaka Narita, Yoshio Kanemitsu	4%
3	CrossCheck 99 words Mori, Masashi, Takuya Genda, Takafumi Ichida, Ayato Murata, Masato Kamei, Hironori Tsuzura, Shunsuke Sato, Y	3%
4	CrossCheck 34 words "AASLD Abstracts", Hepatology, 2012.	1%
5	Internet 23 words crawled on 14-Oct-2015 onlinelibrary.wiley.com	1%
6	CrossCheck 20 words Sato, Shunsuke, Takuya Genda, Katsuharu Hirano, Hironori Tsuzura, Yutaka Narita, Yoshio Kanemitsu, Tetsu Kik	1%
7	CrossCheck 18 words Giovanna Fattovich. "Effect of hepatitis B and C virus infections on the natural history of compensated cirrhosis: ...	1%
8	Internet 10 words crawled on 05-May-2016 www.jcancer.org	<1%



全部 新闻 图片 视频 购物 更多 ▾ 搜索工具



找到约 886 条结果 (用时 0.87 秒)

### Google 学术: Pretreatment AKR1B10 expression predicts the risk of hepatocellular carcinoma development after hepatitis C virus eradication

Insulin resistance and cancer: the role of insulin and ... - Djioque - 被引用次数: 69

... role in proliferation capacity of drug-resistant cancers - Matsunaga - 被引用次数: 37

Selective inhibition of the tumor marker aldo-keto ... - Takemura - 被引用次数: 31

### Association Between Hepatitis C and Hepatocellular Carcinoma - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: LJ de Oliveira Andrade - 2009 - 被引用次数: 48 - 相关文章

Keywords: Hepatocellular carcinoma, Hepatitis C virus, Hepatitis C ... that persistent infection with hepatitis C virus is a major risk for the development of HCC. ... early diagnosis during the acute phase (first six months after infection) is unlikely. ... The overall effects achieved by the expression of the core protein would be the ...

缺少字词: pretreatment akr1b10

### Impact of hepatitis C virus eradication on hepatocellular carcinogenesis.

www.ncbi.nlm.nih.gov/pubmed/26079399 ▾ 翻译此页

作者: DK Li - 2015 - 被引用次数: 9 - 相关文章

2015年6月16日 - Hepatocellular carcinoma (HCC) is one of the leading causes of ... Infection with hepatitis C virus (HCV) represents one of the most common risk factors for ... by the development of direct-acting antivirals (DAAs) promises to usher in a ... fibrosis should continue to be screened regularly for HCC after SVR.

缺少字词: pretreatment akr1b10 expression

### Clinical-guide risk prediction of hepatocellular carcinoma ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/24084770 ▾ 翻译此页

全部 新闻 图片 视频 购物 更多 ▾ 搜索工具

找到约 851 条结果 (用时 0.61 秒)

### Google 学术 : Pretreatment AKR1B10 expression predicts the risk of hepatocellular carcinoma development after hepatitis C virus eradication

Insulin resistance and cancer: the role of insulin and ... - Djioque - 被引用次数 : 70

... role in proliferation capacity of drug-resistant cancers - Matsunaga - 被引用次数 : 37

Selective inhibition of the tumor marker aldo-keto ... - Takemura - 被引用次数 : 31

### Impact of hepatitis C virus eradication on hepatocellular carcinogenesis.

[www.ncbi.nlm.nih.gov/pubmed/26079399](http://www.ncbi.nlm.nih.gov/pubmed/26079399) ▾ 翻译此页

作者 : DK Li - 2015 - 被引用次数 : 10 - 相关文章

2015年6月16日 - Hepatocellular carcinoma (HCC) is one of the leading causes of ... Infection with hepatitis C virus (HCV) represents one of the most common risk factors for ... by the development of direct-acting antivirals (DAAs) promises to usher in a ... fibrosis should continue to be screened regularly for HCC after SVR.

缺少字词 : pretreatment akr1b10 expression

### Association Between Hepatitis C and Hepatocellular Carcinoma - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) » NCBI » Literature » PubMed Central (PMC) ▾ 翻译此页

作者 : LJ de Oliveira Andrade - 2009 - 被引用次数 : 48 - 相关文章

Keywords: Hepatocellular carcinoma, Hepatitis C virus, Hepatitis C ... that persistent infection with hepatitis C virus is a major risk for the development of HCC. ... early diagnosis during the acute phase (first six months after infection) is unlikely. ... The overall effects achieved by the expression of the core protein would be the ...

缺少字词 : pretreatment akr1b10

### Clinical-guide risk prediction of hepatocellular carcinoma ... - NCBI

[www.ncbi.nlm.nih.gov/pubmed/24084770](http://www.ncbi.nlm.nih.gov/pubmed/24084770) ▾ 翻译此页

作者 : KC Chang - 2013 - 被引用次数 : 25 - 相关文章

2013年10月1日 - We aimed to develop a simple scoring system to predict the risk of HCC