

Name of Journal: *World Journal of Orthopedics*

Manuscript NO: 56026

Manuscript Type: CASE REPORT

Supernumerary brachioradialis: Anatomical relationships and clinical relevance, a single case report study, revision 1

Milan Kravarski, Gerhard W Goerres, Alexander Antoniadis, Sebastian Guenkel

Abstract

BACKGROUND

In this single case report study, we describe an anatomical variance of a brachioradialis muscle with two muscle bellies and two tendons with their common insertion on the suprastyloid crest of a distal radius.

Match Overview

1	Internet 19 words crawled on 19-Feb-2020 archive.org	1%
2	Internet 14 words crawled on 20-Jul-2020 www.scribd.com	1%
3	Crossref 13 words Stefano Bianchi, Carlo Martinoli, "Ultrasound of the Musci ... oskeletal System", Springer Science and Business Media L	1%



ALL

IMAGES

VIDEOS

12,300 Results

Any time ▼

Hypoplastic superficial brachioradial artery coexisting ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6420909>

The use of the term "brachioradial artery" was introduced for the high origin of the radial artery. Although the prevalence of the brachioradial artery reported by different authors varies from 4.67 to 15.6%, the presence of the hypoplastic brachial segment of the brachioradial artery is rare with an occurrence rate of 0.83%.

Cited by: 1

Author: Robert Haładaj, Grzegorz Wysiadecki, ...

Publish Year: 2019

[PDF] Study on the supernumerary heads of biceps brachii muscle ...

<https://pdfs.semanticscholar.org/97c5/919dacd719c3dae43366551757a4c65838f3.pdf>

Study on the **supernumerary** heads of biceps brachii muscle in Nepalese PP Poudel and C Bhattarai ... Till the date there are not any **study** regarding the **supernumerary** heads of biceps brachii in Nepalese populations. So, the present **study** can be significant to ... **case report** demonstrating **clinical relevance**. Clin Orthop Rel Res ...

Bilateral muscular slips between superior and inferior ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5996005>

The aim of this **case report** was to present a complete **anatomical** description of accessory rectus muscles, including: medical history of the body donor, detailed **report** on observations performed during dissection of the orbital structures, as well as discussion on embryological background **and clinical significance** of the observed variation.

Cited by: 6

Author: Robert Haładaj, Grzegorz Wysiadecki, ...

Publish Year: 2018

Extensor digitorum brevis manus: Anatomical, radiological ...

[https://www.researchgate.net/publication/11266926_Extensor_digitorum_brevis_ma
nus](https://www.researchgate.net/publication/11266926_Extensor_digitorum_brevis_manus)



ALL

IMAGES

VIDEOS

12,300 Results

Any time ▾

Hypoplastic superficial brachioradial artery coexisting ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6420909>

Jan 17, 2019 · The use of the term "brachioradial artery" was introduced for the high origin of the radial artery. Although the prevalence of the brachioradial artery reported by different authors varies from 4.67 to 15.6%, the presence of the hypoplastic brachial segment of the brachioradial artery is rare with an occurrence rate of 0.83%.

Cited by: 1

Author: Robert Haładaj, Grzegorz Wysiadecki, Mich...

Publish Year: 2019

Carriage of Supernumerary Sex Chromosomes Decreases the ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6354783>

Carriage of **supernumerary** sex chromosomes changes proportional amygdala volume, but not proportional hippocampus volume. We found that **supernumerary** sex chromosomes decrease the proportional volume of the amygdala. This decrease was common across aneuploidy groups, and mostly consistent across techniques to account for total brain size.

Hypoplastic superficial brachioradial artery coexisting ...

<https://link.springer.com/article/10.1007/s00276-019-02183-1> ▾

Jan 17, 2019 · The use of the term "brachioradial artery" was introduced for the high origin of the radial artery. Although the prevalence of the brachioradial artery reported by different authors varies from 4.67 to 15.6%, the presence of the hypoplastic brachial segment of the brachioradial artery is rare with an occurrence rate of 0.83%. Moreover, in just 0.6% of cases the loop of the median nerve may ...

Cited by: 1

Author: Robert Haładaj, Grzegorz Wysiadecki, Mich...

Publish Year: 2019

[PDF] Study on the supernumerary heads of biceps brachii muscle ...

<https://pdfs.semanticscholar.org/97c5/919dacd719c3...>

supernumerary heads of the biceps brachii muscle have **clinical importance** as they may confuse a surgeon who performs procedures on the arm and may lead to iatrogenic injuries or they may cause



30,400 Results

Any time ▾

[Reminder of important clinical lesson: A supernumerary ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3028214>

The presence of an accessory tendon to the extensor indicis has been found in up to 8.5% of cases in one **report**. 6 A mass on the dorsum of the hand due to this **anatomical variation** has been mistaken for a ganglion or soft tissue tumour. 1, 2 There has been a **case report** of an accessory extensor tendon of the thumb as a cause of dorsal wrist ...

Cited by: 2**Author:** Rakhee Nayar, Paul Mcarthur**Publish Year:** 2009

[Anatomical Variations of Cystic Ducts in Magnetic ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4897729>

May 25, 2016 · 1. Introduction. **Anatomic variations** of cystic ducts are common and frequently encountered during **imaging**. Failure to recognize some of the clinically important variants may lead to complication during surgical, endoscopic, or percutaneous intervention procedures [].Familiarity with the **imaging** appearance of cystic duct anatomy, its variant, and associated disease process helps in ...

Cited by: 9**Author:** Radha Sarawagi, Shyam Sundar, Sanjee...**Publish Year:** 2016

[Magnetic Resonance Imaging of Tissues Compatible with ...](#)

<https://www.researchgate.net/publication/46035728...>

Magnetic Resonance Imaging of Tissues Compatible with **Supernumerary** Extraocular Muscles Article in American Journal of Ophthalmology 150(6):925-31 · ...

[\(PDF\) Supernumerary flexor carpi ulnaris - case report and ...](#)

<https://www.researchgate.net/publication/258042293...>

Case Report Multiple **anatomical variations** in the forearm were discovered on the left side of a 70-year-old male cadaver during routine dissection. No **variations** in the contralat-eral right upper ...

[Incidental extraspinal findings in the lumbar spine during ...](#)

<https://www.sciencedirect.com/science/article/pii/S2405844018318231>

Sep 01, 2018 · For instance, **magnetic resonance imaging** (MRI) of the lumbar spine employs, signal saturation bands that are used in standard **imaging** protocols to reduce the number and severity of artifacts; however, incidental **findings** may include a wide range of abdominal and pelvic organs and the