

### Association between Helicobacter pylori infection and food specific IgG in sex





Q Bce



Картинки







Покупки

: Ещё

Инструменты

Результатов: примерно 85 600 (0,54 сек.)

https://pubmed.ncbi.nlm.nih.gov > ... - Перевести эту страницу

### Association between Helicobacter pylori infection and kidney ...

автор: W Pan · 2019 · Цитируется: 6 — Association between Helicobacter pylori infection and kidney damage in patients ... Chinese Medicine Hospital of Southwest Medical University, Luzhou, China. ... A (CaqA) of H. pylori increases secretion of serum immunoglobulin A1 (IgA1) ...

Не найдено: food | Запрос должен включать: food

https://www.ncbi.nlm.nih.gov > ... · Перевести эту страницу

### Association between Helicobacter pylori infection and tumor ...

автор: MY Xu · 2018 · Цитируется: 2 — Significant positive correlation was found between H. pylori infection and CEA ... According to the Cancer Statistics in China, the morbidity of gastric cancer ... by ELISA specific for anti-H. pylori antibodies, particularly IgG and IgM. ... Contributed reagents/materials/analysis tools: Q-BL, **\$W**, YC, M-YX and LL.

https://www.researchsquare.com > ... ▼ Перевести эту страницу

The association between Helicobacter pylori infection and ...

24 nov. 2020 r. IntroductionHolicobacter pulori (H. pulori) has been found to be. The



69184-CrossCheck.docx

Quotes Excluded
Bibliography Excluded

34% SIMILAR

Text-Only Report

ame of Journal: World Journal of Clinical Cases

Manuscript NO: 69184

Manuscript Type: ORIGINAL ARTICLE


Retrospective Study

Association between Helicobacter pylori infection and food-specific IgG in

Southwest China

Liu Y et al. Helicobacter pylori and food-specific IgG

Ying Liu, Ping Shuai, Yu-Ping Liu, Dong-Yu Li











# Microsoft Bing

#### Association between Helicobacter pylori infection and food-specifi







ALL

**IMAGES** 

VIDEOS

12,100 Results

Any time ▼

# No association between single nucleotide polymorphisms in ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3976751

The most common risk factor is **infection** with **H. pylori**, ... the **association between** the four SNPs (rs11614913, rs3746444, rs2910164, ... and they were all Chinese Han population living in Sichuan province of **southwest China**. Exclusion criteria included severe systemic diseases, malignancies in other organs, current or previous genetic diseases

Cited by: 22 Author: Jia-Yuan Pu, Wei Dong, Lin Zhang, Wei-Bo L...

Publish Year: 2014

# Esophageal cancer genetics in South Africa

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6485038

Apr 23, 2019 · However, case studies in South Africa found no association between EC and an increase in H. pylori infection.59 However, in Chinese populations, the relationship between H. pylori infection and ESCC was significant.60 This shows an important difference between environmental factors that may lead to ESCC in Chinese and western populations. In ...

Cited by: 4 Author: Mohammed Alaouna, Rodney Hull, Clemen...

Publish Year: 2019

# Helicobacter pylori prevalence in the Southwest of China ...

https://europepmc.org/article/MED/32176059 -

Mar 01, 2020 · Abbreviations: Hp = **Helicobacter pylori**, NOS = Newcastle-Ottawa Scale. How to cite this article: Wang R, Bai D, Xiang W, Zhang YF, Ba KY, Chen XZ. **Helicobacter pylori** prevalence in the

## Search Tools

Turn off Hover Translation (关闭取词)