

Dear Reviewer,

Thanks for sharing your suggestions to deal with reviewers' comments.

For suggestion 2 “In which basis the end points for outcomes and follow up in this case were selected?”, we reply as follows: After 5 months of BCD treatment, the patient met the criteria of partial remission (Reduction in proteinuria by at least 50% and to 2 g/d with stable renal function (no more than a 20% increase in serum creatinine)), so we selected it as the end points for outcomes, and we will continue to follow up with this patient and record. Reference: **Nasr SH**, Satoskar A, Markowitz GS, Valeri AM, Appel GB, Stokes MB, Nadasdy T, D'Agati VD. Proliferative glomerulonephritis with monoclonal IgG deposits. *J Am Soc Nephrol* 2009; **20**(9): 2055-2064 [PMID: 19470674 PMCID: PMC2736767 DOI: 10.1681/ASN.2009010110].

For the suggestion 1, suggestion 4, suggestion 5, suggestion 6, suggestion 7, suggestion 8, we have reviewed related literatures and discuss in the DISCUSSION section.

For suggestion 3, we have added a figure about urine free light chain ratio in Page 8.

For suggestion 9, we have added a diagrammatic figure in Page 10.

We deeply appreciate your consideration of our manuscript.

Thank you and best regards.

Yours sincerely,

Dr. Shao-Dong Luan

E-mail: szkidney3@163.com; 1365866245@qq.com