

**3**  
**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 60321

**Manuscript Type:** CASE REPORT

**Hyperglycemic hemianopia: A case report and literature review**

Xiang XH *et al.* Hyperglycemic hemianopia.

Xiao-Hui Xiang, Jia-Jia Fang, Mi Yang, Guo-Hua Zhao

### Match Overview

Match Number	Source	Words	Similarity
1	<b>Crossref</b> 37 words Max B. Duncan. "Gaze-Evoked Visual Seizures in Nonketotic Hyperglycemia", <i>Epilepsia</i> , 4/1991	37	1%
2	<b>Crossref</b> 31 words S. Raghavendra, R. Ashalatha, Sanjeev V. Thomas, C. Kesavadas. "Focal neuronal loss, reversible subcortical focal ..."	31	1%
3	<b>Internet</b> 27 words crawled on 15-Jun-2020 <a href="http://f6publishing.blob.core.windows.net">f6publishing.blob.core.windows.net</a>	27	1%
4	<b>Internet</b> 18 words crawled on 22-Sep-2020 <a href="http://pericles.pericles-prod.literatumonline.com">pericles.pericles-prod.literatumonline.com</a>	18	1%
5	<b>Crossref</b> 17 words Fuyuko Sasaki, Sumihiro Kawajiri, Sho Nakajima, Ai Yamaguchi, Yuji Tomizawa, Kazuyuki Noda, Nobutaka Hattori, Yas	17	1%
6	<b>Crossref</b> 15 words Dae Won Seo. "Subcortical Hypointensity in Partial Status Epilepticus Associated with Nonketotic Hyperglycemia", <i>Jou</i>	15	1%
7	<b>Internet</b> 15 words crawled on 04-Jul-2020 <a href="http://qims.amegroups.com">qims.amegroups.com</a>	15	1%
8	<b>Crossref</b> 14 words Farzad Moien-Afshari, José F. Téllez-Zenteno. "Occipital Seizures induced by hyperglycemia: A case report and review"	14	1%

Hyperglycemic hemianopia: A case report and literature review



ALL

IMAGES

VIDEOS

599,000 Results

Any time ▾

## Occipital seizures induced by hyperglycemia: A case report ...

<https://www.sciencedirect.com/science/article/pii/S1059131108002719>

Jun 01, 2009 · We discuss potential underlying mechanisms for **hyperglycemia**-induced seizures and comment about possible hypotheses for the focal nature of these seizures. 2. **Case report.** An 83-year-old right-handed male presented with a 2-day history of episodic jerking and "spasms" in the left arm, followed by weakness, each lasting approximately 1 min.

**Cited by:** 24

**Author:** Farzad Moien-Afshari, José F. Téllez-Ze...

**Publish Year:** 2009

## Hyperglycemia-induced hemiballismus hemichorea: a case ...

<https://pubmed.ncbi.nlm.nih.gov/20566257>

Abstract. Background: Metabolic conditions, including **hyperglycemia**, can have various neurological presentations. **Hemiballismus hemichorea** is a rare manifestation **reported** to occur with severe **hyperglycemia** and is **reversed** in most **cases** with control of sugars. **Case report:** We present a **case** of a patient with no known diabetes history who presented with uncontrolled jerky movements of one ...

## Hyperglycemia-induced hemiballismus hemichorea: a case ...

<https://www.ncbi.nlm.nih.gov/pubmed/20566257>

**Hemiballismus hemichorea** is a rare manifestation **reported** to occur with severe **hyperglycemia** and is **reversed** in most **cases** with control of sugars. **CASE REPORT:** We present a **case** of a patient with no known diabetes history who presented with uncontrolled jerky movements of one-half of her body, which resolved with achievement of euglycemia.

**Cited by:** 19

**Author:** Shivakumar Narayanan

**Publish Year:** 2012

## Left Homonymous Hemianopia: An Uncommon, Neuro ...

[www.sciepub.com/AJMCR/abstract/12263](http://www.sciepub.com/AJMCR/abstract/12263) ▾

Spectrum of the neurological deficits in non-ketotic **hyperglycemia** and hyperosmolar



ALL

IMAGES

VIDEOS

201,000 Results

Any time ▾

### Occipital seizures induced by hyperglycemia: A case report ...

<https://www.sciencedirect.com/science/article/pii/S1059131108002719>

Jun 01, 2009 · We discuss potential underlying mechanisms for **hyperglycemia**-induced seizures and comment about possible hypotheses for the focal nature of these seizures. 2. **Case report**. An 83-year-old right-handed male presented with a 2-day history of episodic jerking and “spasms” in the left arm, followed by weakness, each lasting approximately 1 min.

**Cited by:** 24

**Author:** Farzad Moien-Afshari, José F. Téllez-Zen...

**Publish Year:** 2009

### Left Homonymous Hemianopia: An Uncommon, Neuro ...

[www.sciepub.com/AJMCR/abstract/12263](http://www.sciepub.com/AJMCR/abstract/12263)

Spectrum of the neurological deficits in non-ketotic **hyperglycemia** and hyperosmolar **hyperglycemic** state (HHS) ranges widely among patients and can have any presentation from focal seizures, epilepsy partialis continua, chorea-hemiballismus syndrome, hemiparesis, **hemianopia** to mental obtundation and coma. Here we **report a case** of HHS which presented with Left Homonymous **Hemianopia** as the ...

**Author:** Daniel Kashani, Ganesh K Thirunavuk... **Publish Year:** 2020

### Hyperglycemia-induced hemiballismus hemichorea: a case ...

<https://www.ncbi.nlm.nih.gov/pubmed/20566257>

**Hemiballismus hemichorea** is a rare manifestation **reported** to occur with severe **hyperglycemia** and is **reversed** in most **cases** with control of sugars. **CASE REPORT:** We present a **case** of a patient with no known diabetes history who presented with uncontrolled jerky movements of one-half of her body, which resolved with achievement of euglycemia.

**Cited by:** 19

**Author:** Shivakumar Narayanan

### Search Tools

Turn off Hover Translation (关闭取词)

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

433,000 Results

Any time ▾

## Hyperglycemic hemianopia: a reversible complication of non ...

<https://pubmed.ncbi.nlm.nih.gov/16116129>

**Hyperglycemic hemianopia**: a reversible complication of non-ketotic **hyperglycemia**. Four patients each developed a reversible homonymous **hemianopia** caused by non-ketotic **hyperglycemia**. In two patients the **homonymous hemianopia** was the first manifestation of diabetes mellitus type 2. All four patients had abnormal MRI scans; in the three patients who had late follow-up scans the abn ....

**Cited by:** 68

**Author:** Patrick J.M. Lavin

**Publish Year:** 2005

## Homonymous hemianopia in nonketotic hyperglycemia is an ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5765826>

**Homonymous hemianopia** (HH) occurs in the setting of nonketotic **hyperglycemia** (NKH).<sup>1</sup> The nature of this particular phenomenon is unclear, as partial seizures are common in NKH. We **report** evidence of ictal activity from EEG and functional imaging in 3 patients with NKH-associated HH, supporting the hypothesis that this condition is the result of recurrent partial seizures.

**Cited by:** 2

**Author:** Aaron Stayman, Bassel W. Abou-Khalil, Pat...

**Publish Year:** 2013

## Reversible Hyperglycemic Homonymous Hemianopia - ...

<https://www.sciencedirect.com/science/article/pii/S0027968415308889>

Apr 01, 2009 · **Case Report** Reversible **Hyperglycemic** Homonymous **Hemianopia** John P. Mitchell, MD \* [email protected] Asha Yancy, MD Leslie Saint Louis, MD Daniel F. Rosberger, MD, PhD Department of Ophthalmology, New York-Presbyterian Hospital, New York, New York Department of Ophthalmology, New York-Presbyterian Hospital New York New York \* Department of Ophthalmology, New York ...

**Cited by:** 4

**Author:** John P. Mitchell, Asha Yancy, Leslie Saint L...

**Publish Year:** 2009

## Reversible Hyperglycemic Homonymous Hemianopia - ...