

Name of journal: *World Journal of Orthopedics*

ESPS Manuscript NO: 30601

Manuscript Type: Original Article

Retrospective Study

Associations among pain catastrophizing, muscle strength, and physical performance after total knee and hip arthroplasty

2

Kazuhiro Hayashi, Masato Kako, Kentaro Suzuki, Keiko Hattori, Saori Fukuyasu, Koji Sato, Izumi Kadono, Tadahiro Sakai, Yuki Haru Hasegawa, Yoshihiro Nishida

Abstract

Match Overview

| | | |
|---|--|--|
| 1 | Crossref 78 words Hayashi, Kazuhiro, Masato Kako, Kentaro Suzuki, Keiko Hattori, Saori Fukuyasu, Koji Sato, Izumi Kadono, Tadahiro Sa | 3% |
| 2 | Internet 20 words crawled on 07-Jan-2016 www.readbyqxmd.com | 1%  |
| 3 | Internet 19 words crawled on 03-Nov-2015 www.bmj.com | 1% |
| 4 | Crossref 17 words Wertli, Maria M., Jakob M. Burgstaller, Sherri Weiser, Johann Steurer, Reto Kofmehl, and Ulrike Held. "Influence of Ca | 1% |

Associations among pain catastrophizing, muscle strength, and physical performi

全部 图片 视频 新闻 地图 图书

找到约 48,100 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Associations among pain catastrophizing, muscle strength, and physical performance after total knee and hip arthroplasty](#)

[... and their association with knee pain and function after ...](#) - Chmielewski - 被引用次数: 59

[... depression with physical function in patients with knee ...](#) - Scopaz - 被引用次数: 84

[... muscle strength testing in people with knee pain: data ...](#) - Riddle - 被引用次数: 19

[Factors associated with physical activity in patients with ...](#)

www.sciencedirect.com/science/article/pii/S1063458411002949 ▼

18 Oct 2011 ... Patients with hip or knee OA often show pain, muscle weakness, limited ...
Among patients with knee OA, physical activity programs are, besides ... However , decreased
physical activity levels might lead to decreased muscle strength and stability of Association
with lower level of functional performance‡

[Determinants of pain in patients with symptomatic knee osteoarthritis](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5062171/>

In KOA, the quadriceps muscle strength is lower than healthy controls (40). There is an
association between quadriceps muscle weakness and pain as ... obesity was associated with
increased risk of joint pain in hips, knees, ankles and feet (52). ... time physical activity
increased the risk of total knee replacement surgery in

[Relationships of Fear, Anxiety, and Depression With Physical ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4878692/>

The Get Up and Go test was used as a physical performance measure of function There
was no association between the psychologic variables and the Get Up and undergone total
knee arthroplasty, (4) exhibited uncontrolled hypertension, knee OA that can improve
physical fitness, muscular strength, pain coping, ...

[The relationship among psychological factors, neglect-like ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4197752/>

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 60,400 条结果 (用时 1.02 秒)

Google 学术: Associations among pain catastrophizing, muscle strength, and physical performance after total knee and hip arthroplasty

... and their association with knee pain and function after ... - Chmielewski - 被引用次数: 62

... muscle strength testing in people with knee pain: data ... - Riddle - 被引用次数: 21

... is effective in treating knee osteoarthritis: a randomized ... - Wang - 被引用次数: 206

Determinants of pain in patients with symptomatic knee osteoarthritis

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: B Heidari - 2016 - 相关文章

In KOA, the quadriceps muscle strength is lower than healthy controls (40). There is an association between quadriceps muscle weakness and pain as ... obesity was associated with increased risk of joint pain in hips, knees, ankles and feet (52). ... time physical activity increased the risk of total knee replacement surgery in ...

Relationships of Fear, Anxiety, and Depression With Physical Function ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: KA Scopaz - 2009 - 被引用次数: 87 - 相关文章

The Get Up and Go test was used as a physical performance measure of function. ... There was no association between the psychologic variables and the Get Up and undergone total knee arthroplasty, (4) exhibited uncontrolled hypertension, knee OA that can improve physical fitness, muscular strength, pain coping, ...

Preoperative pain catastrophizing and postoperative pain after total ...

www.biomedcentral.com/1471-2474/17/214 ▾ 翻译此页

作者: LH Høvik - 2016 - 被引用次数: 1 - 相关文章

2016年5月17日 - Total knee arthroplasty Pain catastrophizing Pain Fast-track surgery ... Physical