

Match Overview



| | | |
|---|--|----|
| 1 | Publications 52 words Jamal, S.. "Spontaneous extrusion of migrated fish bone in ... e neck after 48 hours of ingestion". Bangladesh Journal of M | 2% |
| 2 | Internet 42 words crawled on 22-Mar-2016 saspjournals.com | 2% |
| 3 | Internet 25 words crawled on 06-May-2015 www.wjgnet.com | 1% |

3
Name of Journal: *World Journal of Clinical Cases*

ESPS Manuscript NO: 26667

Manuscript Type: CASE REPORT

Migrating fish bone: Case series of fish bone piercing the common carotid artery, thyroid gland and causing deep neck abscess

Hafizah Husna Johari, Bee-Lian Khaw, Zulkifli Yusof, Irfan Mohamad

Abstract

Foreign body (FB) ingestion is very common in Malaysian population. The most commonly ingested FB is fish bone. Common presenting symptoms include foreign body sensation, odynophagia and or sharp pricking pain during swallowing. A careful history and physical examination is very important in addition with plain neck radiograph. Despite negative laryngoscopy and rigid esophagoscopy, persistent symptoms warrants with further imaging studies to be performed. Fish bone ingestion can be as simple as impaction in the oral cavity, which can be easily removed or if it migrates, surgical intervention needs to be done. The FB can migrate extraluminally and involve other important adjacent structures of the neck and along the digestive tract. We report 3 cases of extraluminal migration of fish bone and their complications, which were successfully managed. One case with vascular complication which involve

[全部](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 2,300 条结果 (用时 0.81 秒)

[\[PDF\] Scholars Journal of Medical Case Reports Migrating Foreign Body in ...](#)

saspjournals.com/wp-content/uploads/2015/06/SJMCR-35393-395.pdf ▾ [翻译此页](#)

作者: R Shanmugam - [相关文章](#)

Shanmugam R et al.; Sch J Med **Case Rep** 2015; 3(5):393-395. ... example a metal wire or a sharp **fish bone**, it can perforate ... lying close to the **internal carotid artery** posterior to the ... 5: Metal wire **piercing** the **neck** muscle ... foreign body getting embedded in the **thyroid gland** had ... bone complicating a **deep neck abscess**.

[deep neck abscess: Topics by WorldWideScience.org](#)

worldwidescience.org/topicpages/d/deep+neck+abscess.html ▾ [翻译此页](#)

Deep neck infections are not uncommon; however, a **migrating fish bone** is seldom a cause ... It is important to know the anatomy, **causes**, clinical findings, diagnosis and we present three **case series** in which lateral **neck** X-rays were normal and ... 2 patients in the submandibular space, retrocervical space, **thyroid glands**, ...

[deep neck infection: Topics by WorldWideScience.org](#)

worldwidescience.org/topicpages/d/deep+neck+infection.html ▾ [翻译此页](#)

It is important to know the anatomy, **causes**, clinical findings, diagnosis and treatment of **Deep neck** infections are not uncommon; however, a **migrating fish bone** is for **abscess** but if it exists in only one area such as the parotid **gland** space, ... Material and method: This prospective **series** included 58 patients that need

[Finding nemo: Imaging findings, pitfalls, and complications of ingested ...](#)

https://www.researchgate.net/publication/233995268_Finding_nemo_Imaging_findings_pitfalls_and_complications_of_ingested_fish_bone - [翻译此页](#)

Accidental **fish bone** (FB) ingestion is not an infrequently encountered ... spectrum of radiological findings of impacted FBs, **common** imaging pitfalls, In our institution, the lateral **neck** radiograph is often the of the superior cornu of the **thyroid** cartilage, posterior suspected to be impacted or is **causing** complications. In.

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 2,870 条结果 (用时 0.72 秒)

[PDF] Migrating Fish Bone Complicating a Deep Neck Abscess

memo.cgu.edu.tw/cgmj/2812/281209.pdf ▾ [翻译此页](#)

作者: SW Yang - 2005 - 被引用次数: 10 - 相关文章

Case Report ... Deep neck infections are not uncommon; however, a migrating fish bone is ... lung abscess, an esophageal carotid-artery fistula, ... thyroid notch and 1 cm lateral to the midline of the neck. Based on the level of ... 2), was found only 5 mm internal to the ... of a fish bone in the thyroid gland without the need for.

Pictorial essay: Complications of a swallowed fish bone - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: G Bathla - 2011 - 被引用次数: 10 - 相关文章

Unintentional ingestion of a fishbone (FB) is common, especially in populations ... extend into the deep spaces of the neck, with resultant abscess formation [Figure 1]. Rare complications like internal carotid artery puncture,[8] internal jugular vein ... plexus injury and lodgment within the thyroid gland have all been reported.

The prolonged presence of a fish bone in the neck. - NCBI

www.ncbi.nlm.nih.gov/pubmed/22571955 ▾ [翻译此页](#)

作者: K Watanabe - 2012 - 被引用次数: 11 - 相关文章

Fish bones are one of the most frequently observed ingested foreign bodies in the ... The extraluminal migration of fish bones in the upper digestive tract is a rare ... case of a 69-year-old woman who remained asymptomatic, while a fish bone ... bone was embedded in the scar tissue running from within the thyroid gland to ...

deep neck abscess: Topics by WorldWideScience.org

worldwidescience.org/topicpages/d/deep+neck+abscess.html ▾ [翻译此页](#)

Deep neck infections are not uncommon; however, a migrating fish bone is seldom because ... It is important to know the anatomy, causes, clinical findings, diagnosis and ... we present three case

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 5,270 条结果 (用时 0.67 秒)

Migrating Ingested Foreign Body of the Upper Aerodigestive Tract with ...

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: K Pai - 2013 - 被引用次数: 1 - 相关文章

2013年11月8日 - The distance between the foreign body and the left **common carotid artery** was ... The foreign body was discovered in the **neck** abutting the left carotid artery. ... More often than not, cases of **fish** or chicken **bone** ingestion present to the ... thyroid **abscess** and **thyroid gland** cutaneous fistula due to a **migrating** ...

缺少字词: **piercing**

Pictorial essay: Complications of a swallowed fish bone - NCBI

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: G Bathla - 2011 - 被引用次数: 10 - 相关文章

Unintentional ingestion of a **fishbone** (FB) is common, especially in populations ... extend into the **deep** spaces of the **neck**, with resultant **abscess** formation [Figure 1]. Rare complications like **internal carotid artery** puncture,[8] internal jugular vein ... plexus injury and lodgment within the **thyroid gland** have all been reported.

缺少字词: **piercing**

Cases reported • Foreign-Body Migration - LookForDiagnosis

www.lookfordiagnosis.com/cases.php?...Migration...pharynx%7Cthroat... ▾ [翻译此页](#)

Both the right **internal carotid artery** pseudoaneurysm and the recurrent ... The swallowed tooth penetrated the pharynx and became lodged adjacent to his right **thyroid gland**. ... **Migrating fish bone** complicating a **deep neck abscess**. ... arch of aorta to the anterolateral aspect of the arch of aorta after **piercing the** aortic lumen.

Thyroid gland cutaneous fistula secondary to a migratory fish bone: a ...

<https://jmedicalcasereports.biomedcentral.com/articles/10.../1752-1947-6-14...> ▾ [翻译此页](#)