

Match Overview

1	Crossref 55 words Wen Xia Li, Zhao Li, Peng Ji Gao, Jie Gao, Ji Ye Zhu. "Histological differentiation predicts post-liver transplantation s...	1%
2	Crossref 53 words "Abstracts—APASL 2013", Hepatology International, 2013	1%
3	Internet 37 words crawled on 27-Jun-2019 f6publishing.blob.core.windows.net	1%
4	Crossref 36 words Ji J. Lim. "Expression of vascular endothelial growth factor in salivary gland carcinomas and its relation to p53, Ki-67 ...	1%
5	Internet 36 words crawled on 18-Aug-2020 cancerbiomedcentral.com	1%
6	Internet 29 words crawled on 27-Apr-2015 www.jthoracdis.com	1%
	Crossref 25 words	1%

3 **Name of Journal:** *World Journal of Gastrointestinal Oncology*

Manuscript NO: 65808

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

PPP2R3A gene is an index for predicting poor prognosis of hepatocellular carcinoma undergo liver transplantation

Jia-Jia He, Lei Shang, Qun-Wei Yu, Ning Jiao, Shuang Qiu, Wei-Xiong Zhu, Dong-Feng Wu, Yun-Er Tian, Qing Zhang

Abstract

BACKGROUND

PPP2R3A gene might be a predictor of poor prognosis for hepatoc



Sign in

ALL

IMAGES

VIDEOS

13,300 Results

Any time ▾

[Overexpression of Dickkopf-1 predicts poor prognosis for ...](#)

<https://link.springer.com/article/10.1007/s12032-014-0966-8> ▾

Cited by: 24

Author: Yan Huang, Xinrong Yang, Fengbo Zhao, Qiuji...

Publish Year: 2014

Estimated Reading Time: 6 mins

May 31, 2014 · Our previous data had shown that Dickkopf-1 (DKK1) combined with β -catenin was a novel prognostic **predictor for hepatocellular carcinoma (HCC) patients**. However, the role and...

[CD24 Is a Novel Predictor for Poor Prognosis of ...](#)

<https://clincancerres.aacrjournals.org/content/15/17/5518> ▾

Cited by: 130

Author: Xin-Rong Yang, Yang Xu, Bin Yu, Jian Zhou, Ji...

Publish Year: 2009

Estimated Reading Time: 10 mins

Sep 01, 2009 · **Hepatocellular carcinoma (HCC)** is one of the most prevalent tumor types, and both incidence and mortality rates of HCC have increased in recent years ().Surgery, which includes **liver...**



See more

High expression of PPP2R3A predicts poor outcome in hepatocellular



ALL

IMAGES

VIDEOS

65,000 Results

Any time

[Overexpression of Dickkopf-1 predicts poor prognosis for ...](#)

<https://pubmed.ncbi.nlm.nih.gov/24878698>

Overexpression of Dickkopf-1 **predicts poor** prognosis for **patients** with **hepatocellular carcinoma** **after** orthotopic **liver transplantation** by promoting cancer metastasis and recurrence Med Oncol . 201...

Cited by: 25

Author: Yan Huang, Xinrong Yang, Fengbo Zhao,...

Publish Year: 2014

[Long noncoding RNA HOTTIP expression predicts tumor ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/30652087>

65,900 Results Any time ▾

ASPP2 expression predicts the prognosis of patients with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7918402>

Feb 24, 2021 · As shown in Table IV, **patients** with a higher ASPP2 **expression** had a low 1-year mortality rate following combination therapy with surgical resection (**high expression** vs. low **expression**, 65.3 vs....

Author: Jiaren Mao, Zhongjun Tan, Xiaoqi Pan, ... **Publish Year:** 2021

Hepatocellular carcinoma biology predicts survival outcome ...

<https://pubmed.ncbi.nlm.nih.gov/28194604>

Purpose: The aim of this study is to evaluate the clinicopathologic prognostic factors of cancer-specific survival (CSS) in **hepatocellular carcinoma** (HCC) **patients** who underwent **liver transplantation** (LT)...

Cited by: 9 **Author:** Mohamed Abd El-Fattah

Publish Year: 2017

Overexpression of Dickkopf-1 predicts poor prognosis for ...

<https://pubmed.ncbi.nlm.nih.gov/24878698>

Overexpression of Dickkopf-1 **predicts poor** prognosis for **patients** with **hepatocellular carcinoma** after orthotopic **liver transplantation** by promoting cancer metastasis and recurrence Med Oncol . 2014...

Cited by: 25 **Author:** Yan Huang, Xinrong Yang, Fengbo Zhao, Qi...

Publish Year: 2014

Long noncoding RNA HOTTIP expression predicts tumor ...

<https://www.ncbi.nlm.nih.gov/pubmed/30652087>

Background: The long noncoding RNA HOTTIP has recently been described as a biomarker of **poor** prognosis in **patients** with **hepatocellular carcinoma** (HCC). Methods: In the present study, we evaluated...

Cited by: 9 **Author:** Liming Wu, Zhe Yang, Jie Zhang, Haiyang X...

Publish Year: 2018

Upregulation of liver kinase B1 predicts poor prognosis in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6192789>

Sep 07, 2018 · The majority of studies report that **liver** kinase B1 (LKB1) acts as a tumor suppressor by inhibiting cell proliferation and metastasis. The present study investigated the **expression** pattern of LK...

Cited by: 4 **Author:** Xiaolong Tan, Zhibin Liao, Huifang Liang, Xi...

Publish Year: 2018

Hepatocellular Carcinoma

Medical Condition

The most common form of liver cancer often seen in people with chronic liver diseases like cirrhosis.

🏠 Rare (Fewer than 200,000 cases per year in US)

📌 May be preventable by vaccine

🧪 Often requires lab test or imaging

👨🏻‍⚕️ Treatable by a medical professional

🕒 Can last several months or years

It is caused mainly due to the chronic infection of the liver or DNA mutation of the liver cells. It is characterized by unexplained weight loss, upper abdominal pain and yellowing of the skin. Treatment options include hepatectomy, target drug delivery and the use of radiation to kill the cancerous cells.

Symptoms

The early stages of the disease do not present any symptoms but in the later stages the symptoms which are noted are as follows:

- Upper abdominal pain
- Weight loss
- Jaundice
- Fluid in the abdomen
- Liver failure

Treatments

Treatment options include hepatectomy, target drug delivery and the use of radiation to kill the cancerous cells.

Medication

- Chemotherapy: Therapy where the drugs are used to kill the cancer cells.
5-Fluorouracil · Capecitabine · Irinotecan · Oxaliplatin
- Target drug delivery: Drugs which are target oriented help in slowing