

Match Overview

1	Internet 168 words crawled on 30-Oct-2020 <a href="http://www.wjnet.com">www.wjnet.com</a>	5%
2	Internet 37 words crawled on 12-May-2019 <a href="http://www.cqhmaen.com">www.cqhmaen.com</a>	1%
3	Internet 25 words crawled on 30-Mar-2020 <a href="http://www.mdpi.com">www.mdpi.com</a>	1%
4	Internet 18 words crawled on 12-Apr-2017 <a href="http://psnet.ahrq.gov">psnet.ahrq.gov</a>	1%
5	Internet 17 words crawled on 02-Dec-2020 <a href="http://f6publishing.blob.core.windows.net">f6publishing.blob.core.windows.net</a>	<1%
6	Internet 14 words crawled on 23-Oct-2020 <a href="http://docplayer.net">docplayer.net</a>	<1%
7	Internet 12 words crawled on 20-Oct-2010 <a href="http://centrumvitamins.ca">centrumvitamins.ca</a>	<1%
8	Internet 12 words crawled on 23-Aug-2020 <a href="http://www.frontiersin.org">www.frontiersin.org</a>	<1%

5  
**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 58899

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Study*

**Analysis of hospitalization costs related to fall injuries in elderly patients**

Su FY *et al.* Hospitalization costs analysis of fall-related injuries

Fei-Yue Su, Mei-Ling Fu, Qing-Hua Zhao, Huan-Huan Huang, Di Luo, Ming-Zhao Xiao

**Abstract**

BACKGROUND

With the aging world population, the incidence of falls has intensified and fall-related hospitalization costs are increasing. Falls are one type of event studied in the health economics of patient safety, and many developed countries have conducted such research on fall-related hospitalization costs. However, China, a developing country,

37,300,000 Results Any time ▾

### The extra resource burden of in-hospital falls: a cost of ...

<https://pubmed.ncbi.nlm.nih.gov/26510807>

After adjustment for age, sex, cognitive impairment, admission type, comorbidity and clustering by hospital, patients who had an in-hospital fall had a mean increase in LOS of 8 days (95% CI, 5.8-10.4;  $P < 0.001$ ) compared with non-fallers, and incurred mean additional hospital costs of \$6669 (95% CI, \$3888-\$9450;  $P < 0.001$ ).

Cited by: 72 Author: Renata Morello, Anna Barker, Jennifer Joy ...

Publish Year: 2015

### Fall-Related Hospitalization and Facility Costs Among ...

<https://academic.oup.com/gerontologist/article/48/2/213/661222>

Abstract	Methods	Results	Discussion
----------	---------	---------	------------

Falls are a major problem for elderly nursing home residents. Between 45% and 61% of nursing home residents experience a fall each year (Gryfe, Amies, & Ashley, 1977; Lord et al., 2003; Perry, 1982; Thapa, Brockman, Gideon, Fought, & Ray, 1996; Tinetti, 1987; Tinetti, Liu, & Ginter, 1992; van Doorn et al., 2003). Many falls result in serious injury—injuries for which the resident requires medical attention or rehabilitation before resuming normal activities. A search of the literature indicated rates of about 9 inju...

See more on academic.oup.com

Cited by: 27 Author: Norman V. Carroll, Jeffrey C. Delafuente, Fr...

Publish Year: 2008 Published: Apr 01, 2008

### What is the True Cost of a Fall in a Healthcare Facility ...

<https://www.parasolmed.com/2018/06/08/what-is-the...>

Jun 08, 2018 · Direct **medical costs** were calculated to include **hospital** and nursing home fees, doctors and professional services, use of medical equipment, **prescription drugs**, etc. However, these **costs** do not include the associated **costs** of the long-term impact of **fall injuries**, such as disability, loss of earnings, and poor quality of life.

### Medical Costs of Fatal and Nonfatal Falls in Older Adults ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/jgs.15304>

Older adult **falls** are a common, serious, growing public health problem. Approximately 30% of adults aged 65 and older **fall** each year, 1, 2 and these **falls** often result in serious **injuries**, decreases in mobility, and loss of independence. 3, 4 Only one-third of those who **fall** seek medical care. 5 With the aging of the "boomer" generation, the growth of the older population in the United ...

Cited by: 302 Author: Curtis S. Florence, Gwen Bergen, Adam Ath...

Publish Year: 2018

### Differences in fall injury hospitalization and related ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5005714>

Sep 28, 2015 · Around 85 % of injury-related hospitalizations are caused by fall and about one third of these seniors end up in long-term care (Public Health Agency of Canada 2014) A recent economic burden in direct and indirect costs of injury in Canada report (2015) showed that falls were the leading cause of overall injury cost, accounting for \$8.7 billion in 2010 (Parachute 2015).

Cited by: 5 Author: Shanthi Johnson, Sheila Kelly, Drona Rasali...

Publish Year: 2015

### Falls in the Elderly: Statistics & Facts to Know in 2020

<https://medalhelp.org/blog/falls-in-the-elderly-statistics>

Jan 03, 2020 · Of the £2.3 billion nationwide total that accounted for **costs from falls** both inside and outside of **hospitals**, **elderly falls** made up 25%. Experts at the NHS extrapolated that a facility with beds for **800 patients** will have about 1,500 **falls**, meaning £1.9 million.

### Posthospital Fall Injuries and 30-Day Readmissions in ...

<https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2734065>

Findings This cohort study using **Hospital Cost** and Utilization Project data from 8.3 million **Medicare beneficiaries** found that **fall-related injuries** ranked as high as the third-leading readmission diagnosis, depending on the type of **initial hospitalization**. **Fall injuries** ranked still higher for **patients** with a high preexisting risk of **falling** and for those discharged home or to home health care rather than to a skilled ...

### Fall Injuries and Related Factors of Elderly Patients at a ...

<https://www.sciencedirect.com/science/article/pii/S1873959814000921>

Dec 01, 2014 · Among these concerns, **falling** has a wider impact. **Falling** can cause **physical injuries**, consequently lowering the health and quality of life or even causing death to **elderly people**. Furthermore, **falls** are a common cause of psychological stress, extended **hospitalization**, and **costs incurred** 2, 4.

Cited by: 11 Author: Li-Yun Tsai, Shiow-Luan Tsay, Ruey-Kuen H...

Publish Year: 2014

### Incidence and cost of serious fall-related injuries in ...

<https://www.ncbi.nlm.nih.gov/pubmed/21788448>

MEASURES: Incidence of **falls**, fracture incidence, number of **hospitalizations** for FRIs, and **costs** associated with **hospitalization** for by level of FRI severity. RESULTS: Fall incidence was 10.6% in VA and 13.1% in CMS facilities. Fracture incidence was 0.9% in VHA and 1.65% in CMS facilities.

### Trends in Nonfatal Falls and Fall-Related Injuries Among ...

<https://www.cdc.gov/mmwr/volumes/69/wr/mm6927a5.htm>

In 2018, 27.5% of adults aged ≥65 years reported at least one **fall** in the past year (35.6 million **falls**) and 10.2% reported a **fall-related injury** (8.4 million **fall-related injuries**). From 2012 to 2016, the percentages of these adults reporting a **fall** increased, and from 2016 to 2018, the percentages decreased.

Some results are removed in response to a notice of local law requirement. For more information, please see [here](#).

[ALL](#)[IMAGES](#)[VIDEOS](#)[MAPS](#)[NEWS](#)[SHOPPING](#)

36,800,000 Results

Any time ▾

## [Fall-Related Hospitalization and Facility Costs Among ...](#)

<https://academic.oup.com/gerontologist/article/48/2/213/661222> ▾[Abstract](#)[Methods](#)[Results](#)[Discussion](#)

Falls are a major problem for elderly nursing home residents. Between 45% and 61% of nursing home residents experience a fall each year (Gryfe, Amies, & Ashley, 1977; Lord et al., 2003; Perry, 1982; Thapa, Brockman, Gideon, Fought, & Ray, 1996; Tinetti, 1987; Tinetti, Liu, & Ginter, 1992; van Doorn et al., 2003). Many falls result in serious injury—injuries for which the resident requires medical attention or rehabilitation before resuming normal activities. A search of the literature indicated rates of about 9 inju...

[See more on academic.oup.com](#)**Cited by:** 27**Author:** Norman V. Carroll, Jeffrey C. Delafuente, Fr...**Publish Year:** 2008**Published:** Apr 01, 2008

## [The extra resource burden of in-hospital falls: a cost of ...](#)

<https://pubmed.ncbi.nlm.nih.gov/26510807>

After adjustment for age, sex, cognitive impairment, admission type, comorbidity and clustering by hospital, patients who had an in-hospital fall had a mean increase in LOS of 8 days (95% CI, 5.8-10.4; P . 0.001) compared with non-fallers, and incurred mean additional hospital costs of \$6669 (95% CI, \$3888-\$9450; P 0.001). Patients with a fall-related injury had a mean increase in LOS of 4 days (95% CI, 1.8 ...

**Cited by:** 72**Author:** Renata Morello, Anna Barker, Jennifer Joy ...**Publish Year:** 2015

## [Incidence and cost of serious fall-related injuries in ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/21788448>

MEASURES: Incidence of **falls**, fracture incidence, number of **hospitalizations** for FRIs, and **costs** associated with **hospitalization** for by level of FRI severity. RESULTS: **Fall** incidence was 10.6% in VA and 13.1% in CMS facilities. Fracture incidence was 0.9% in VHA and 1.65% in CMS facilities.