




27323-Review

 Quotes Included
 Bibliography Included

 18%
 SIMILAR

Match Overview



1	CrossCheck 66 words G. Casella. "Eosinophilic Ascites Resolution With Ketotifen", Mayo Clinic Proceedings, 10/01/2011	5%
2	CrossCheck 44 words "Clinical Vignettes", The American Journal of Gastroenterology, 10/2010	3%
3	CrossCheck 31 words Hwa Eun Oh. "Eosinophilic gastroenteritis: a review", Journal of Gastroenterology, 10/2008	2%
4	Publications 28 words Cuko, L; Bilaj, F; Bega, B; Barbullushi, A and Resuli, B. "Eosinophilic ascites, as a rare presentation of eosinophilic gastroenteritis", World Journal of Gastroenterology, 10/2010	2%
5	CrossCheck 20 words Robert, F. "Mucosal eosinophilic gastroenteritis with systemic involvement", The American Journal of Medicine, 1977	2%
6	CrossCheck 16 words JOSEPH Y. LEE. "Allergic Reaction to Gemfibrozil Manifesting as Eosinophilic Gastroenteritis", Southern Medical Journal, 10/2008	1%

Name of Journal: World Journal of Gastrointestinal Surgery

ESPS Manuscript NO: 27323

Manuscript Type: CASE REPORT

Eosinophilic ascites: A diagnostic and therapeutic challenge

Shefali Agrawal, Sandeep Vohra, Sangeeta Rawat, Vikas Kashyap

6 Abstract

Eosinophilic gastroenteritis (EGE) is a rare condition characterized by eosinophilic infiltration of the gastrointestinal tract. Depending on the dominant layer of infiltration it is classified into three types namely, mucosal, muscularis and subserosal. The most uncommon variant is the subserosal type characterized by primarily subserosal disease, eosinophilic ascites and peripheral hypereosinophilia. The clinical features are non-specific with history of atopic predisposition and allergy. Endoscopic biopsy is frequently non-diagnostic due to an uninvolved gastrointestinal mucosa rendering its diagnosis a challenge. The mainstay of diagnosis is peripheral hypereosinophilia and eosinophil-rich ascitic fluid on diagnostic paracentesis. Oral steroid therapy is usually the first line of treatment with dramatic response. Due to a propensity for relapse, steroid-sparing therapy should be considered for relapses of EGE. We report a case of subserosal EGE with diagnostic clinical features and treatment response

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 173,000 条结果 (用时 0.70 秒)

小提示： 仅限搜索 **简体中文** 结果。您可以在 [设置](#) 中指定搜索语言

Eosinophilic ascites with marked peripheral eosinophilia: a ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/24535594 ▾ [翻译此页](#)

作者：JA Elliott - 2014 - 被引用次数：2 - [相关文章](#)

Eosinophilic ascites with marked peripheral eosinophilia: a **diagnostic** challenge. ... The **diagnostic and therapeutic challenges** associated with EGE in its ...

Eosinophilic ascites with marked peripheral eosinophilia - MedSci主页

www.medsci.cn/sci/show_paper.asp?id=33469457785 ▾

Eosinophilic ascites with marked peripheral eosinophilia: a **diagnostic** challenge ... The **diagnostic and therapeutic challenges** associated with EGE in its various ...

Eosinophilic ascites with marked peripheral eosinophilia: a ... - PubFacts

www.pubfacts.com/.../Eosinophilic-ascites-with-marked-peripheral-eosinoph... - [翻译此页](#)

Investigations showed large-volume **eosinophil-rich ascites** and a markedly elevated ... The **diagnostic and therapeutic challenges** associated with EGE in its ...

Eosinophilic ascites with marked peripheral ... - ResearchGate

https://www.researchgate.net/.../260242127_Eosinophilic_ascites_with_mark... - [翻译此页](#)

Official Full-Text Publication: **Eosinophilic ascites** with marked peripheral ... The **diagnostic and therapeutic challenges** associated with EGE in its various forms ...

外周嗜酸粒细胞明显增多的嗜酸性腹水：一个诊断挑战 - 消化 - 医学论坛网

gi.cmt.com.cn > [消化专区](#)

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 177,000 条结果 (用时 0.67 秒)

小提示: 仅限搜索简体中文结果。您可以在设置中指定搜索语言

Eosinophilic ascites with marked peripheral eosinophilia: a ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/24535594 ▾ 翻译此页

作者: JA Elliott - 2014 - 被引用次数: 2 - 相关文章

Eosinophilic ascites with marked peripheral eosinophilia: a diagnostic challenge. ... The diagnostic and therapeutic challenges associated with EGE in its ...

Eosinophilic ascites with marked peripheral eosinophilia - MedSci主页

www.medsci.cn/sci/show_paper.asp?id=33469457785

Eosinophilic ascites with marked peripheral eosinophilia: a diagnostic challenge ... The diagnostic and therapeutic challenges associated with EGE in its various ...

Eosinophilic ascites with marked peripheral eosinophilia: a ... - PubFacts

www.pubfacts.com/.../Eosinophilic-ascites-with-marked-peripheral-eosinoph... - 翻译此页

Investigations showed large-volume eosinophil-rich ascites and a markedly elevated ... The diagnostic and therapeutic challenges associated with EGE in its

Eosinophilic ascites with marked peripheral ... - ResearchGate

https://www.researchgate.net/.../260242127_Eosinophilic_ascites_with_mark... - 翻译此页

Official Full-Text Publication: Eosinophilic ascites with marked peripheral ... The diagnostic and therapeutic challenges associated with EGE in its various forms ...

外周嗜酸粒细胞明显增多的嗜酸性腹水: 一个诊断挑战 - 消化 - 医学论坛网

gi.cmt.com.cn > 消化专区 ▾

2014年4月13日 - Eosinophilic ascites with marked peripheral eosinophilia: a diagnostic ... The diagnostic and therapeutic challenges associated with EGE in its ...

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 172,000 条结果 (用时 0.51 秒)

小提示： 仅限搜索简体中文结果。您可以在设置中指定搜索语言

Google 学术: Eosinophilic ascites: A diagnostic and therapeutic challenge

Eosinophilic gastroenteritis: a clinicopathological study ... - Talley - 被引用次数: 808

Eosinophilic gastroenteritis - Khan - 被引用次数: 169

Clinical aspects of gastrointestinal food allergy in ... - Sicherer - 被引用次数: 231

Eosinophilic ascites with marked peripheral eosinophilia: a ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/24535594 ▾ 翻译此页

作者: JA Elliott - 2014 - 被引用次数: 2 - 相关文章

Eosinophilic ascites with marked peripheral eosinophilia: a diagnostic challenge. ... The diagnostic and therapeutic challenges associated with EGE in its ...

Eosinophilic Gastroenteritis: Case Report and Review in Search for ...

www.ncbi.nlm.nih.gov ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) - 翻译此页

作者: G López-Medina - 2015 - 相关文章

2015年5月5日 - The patient was evaluated and the diagnosis of eosinophilic respond to antisecretory therapy; the above symptoms can be confused with Eosinophilic ascites with marked peripheral eosinophilia: a diagnostic challenge.

[PDF] Eosinophilic ascites.pdf - TARA

www.tara.tcd.ie/bitstream/handle/2262/.../Eosinophilic%20ascites.pdf?...1... ▾ 翻译此页

Eosinophilic ascites with marked peripheral eosinophilia: a diagnostic challenge ... The diagnostic and therapeutic challenges associated with EGE in its ...