



25371-Review

Quotes Included
Bibliography Included9%
SIMILAR

1
Name of Journal: *World Journal of Gastrointestinal Endoscopy*

ESPS Manuscript NO: 25371

Manuscript Type: CASE REPORT

Cut endotracheal tube for endoscopic removal of an ingested push-through
pack

Yuki Tateno, Ryoji Suzuki

Abstract

A 52-year-old female presented to our clinic after accidentally ingesting a
push-through pack (PTP). After determining that the PTP was present in the

Match Overview

1	Internet 29 words crawled on 22-Jun-2015 www.wjgnet.com	2%
2	CrossCheck 27 words Han Jin Cho. "An Impacted Clamshell in the Duodenum M... taken for a Gall Stone". The Korean Journal of Internal Me	2%
3	CrossCheck 24 words ASGE Standards of Practice Committee. "Management o... ngested foreign bodies and food impactions". Gastrointesti	1%
4	CrossCheck 18 words Sugawa, Choichi. "Endoscopic management of foreign b... ies in the upper gastrointestinal tract: A review". World Jou	1%
5	CrossCheck 14 words Ljutić, Dragan, Goran Radovniković, and Tina Tičinović. "... rir. "Acute Renal Failure Associated with Rhabdomyolysis I	1%
6	CrossCheck 13 words Ertan Bulbuloglu. "Laparoscopic Removal of a Swallowed Sewing Needle That Migrated into the Greater Omentum ...	1%

学术搜索

找到约 26 条结果 (用时0.09秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Tube Feeding: Indications, Considerations, and Technique

WL Berger - Principles of Deglutition, 2013 - Springer

... An oral tube is probably only justified when an endotracheal tube is already in place or when very temporary, intermittent ... Because these holes are not formed by cutting tissue, but by stretching and separating muscle fibers, the holes ... Cut the tube leaving all markings possible. ...

被引用次数: 1 相关文章 所有 2 个版本 引用 保存

[HTML] Benign and malignant tumours

CD Wright, HA Gaissert, F Puma... - ... Textbook of Surgery, 1998 - ots1.narod.ru

... The operation is done in a supine position with a single lumen endotracheal tube. A laparotomy is performed first and the abdomen is explored. ... The sutures should not be tied too tight, to avoid necrosis or cutting through the muscle. ... Steiger Z, et al. ...

被引用次数: 3 相关文章 引用 保存 更多

Nasal cerebrospinal fluid leaks.

RJ Schlosser, WE Bolger - Journal of Otolaryngology, 2002 - search.ebscohost.com

... 3C, D). Shetty et al.9 evaluated the degree of sphenoid pneumatization in 11 ... to access by the midline transseptal and endoscopic approach and require an endoscopic transpterygoid approach ... make the posterior septal incisions first, followed by the inferior and superior cuts. ...

被引用次数: 29 相关文章 所有 4 个版本 引用 保存

[引用] Acute intestinal ischemia caused by arterial occlusions: optimal management to improve survival

TA Whitehill, RB Rutherford - Semin Vasc Surg, 1990

被引用次数: 23 相关文章 所有 3 个版本 引用 保存

3 A Review of Microsurgical

A Tsimpas, JJ Morcos - Neurovascular Surgical Techniques, 2013 - books.google.com

... much more natural extension of the side movement of the hand as it cuts through arachnoid ... the "Bovie" pencil, and from there to the local tissues, which can be either cut or coagulated ... are used in vascular repair and microsurgery, since they cause minimum tissue cutting and the ...

相关文章 引用 保存

[图书] Essential Procedures for Practitioners in Emergency, Urgent, and Primary Care Settings:

narod.ru 中的 [HTML]

全部 购物 图片 视频 新闻 更多 ▾ 搜索工具

找到约 7,530 条结果 (用时 0.61 秒)

Endoscopic management of foreign bodies in the upper ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: C Sugawa - 2014 - 被引用次数: 16 - 相关文章

2014年10月16日 - Roura **et al**[5] noted that 99% of **ingested** foreign bodies, in their Forceful blind **pushing** with the **endoscope** is dangerous. ... All these batteries in the stomach were **removed using** a snare net (B) one by one (C and D). Medication blister **packs** can cause bleeding or perforation of the esophagus[47].

[PDF] Management of ingested foreign bodies and food ... - ASGE

www.asge.org/.../Management%20of%20ingested%20foreign%... ▾ 翻译此页

作者: SO Ikenberry - 2011 - 被引用次数: 204 - 相关文章

esthesia and **endotracheal intubation** because smaller and more compliant airways ... **endoscopic removal** beyond 24 hours, but an attempt to adhere to this ...

缺少字词: **cut**

[PDF] The role of endoscopy in enteral feeding - ASGE

www.asge.org/.../The%20role%20of%20Endoscopy%20in%20... ▾ 翻译此页

作者: R Jain - 2011 - 被引用次数: 24 - 相关文章

enteral feeding **tubes** in patients who are unable to main- tain sufficient ... **ate** for persons who require long-term nutritional support. PEG was percutaneous placement of a tapered cannula **through** the ... known as the "**cut-and-push**" technique involves **cutting** ... tients (2.2%) required **endoscopic removal** of the internal.

[全部](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 10,600 条结果 (用时 0.69 秒)

[PDF] Management of ingested foreign bodies and food impact...

www.asge.org/.../Management%20of%20ingested%20foreign%... ▾ [翻译此页](#)

作者: SO Ikenberry - 2011 - 被引用次数: 208 - 相关文章

magnets, and medication blister **packs** increase the risk ... esthesia and **endotracheal intubation** because smaller and ... **endoscopic removal** beyond 24 hours, but an attempt to ... However, 2 large published series **using** the **push** tech-

缺少字词: cut

Endoscopic management of foreign bodies in the upper ... - N...

[www.ncbi.nlm.nih.gov > ... > PubMed Central \(PMC\)](http://www.ncbi.nlm.nih.gov...PubMed Central (PMC)) ▾ [翻译此页](#)

作者: C Sugawa - 2014 - 被引用次数: 20 - 相关文章

2014年10月16日 - Roura **et al**[5] noted that 99% of **ingested** foreign bodies, in their series of 242 The food may be successfully **pushed** into the stomach after it is **cut** into ... They should be **removed**, if possible, before they pass **through** the ... Medication blister **packs** can cause bleeding or perforation of the esophagus[47].

Review of food bolus management - NCBI - National Institute...

[www.ncbi.nlm.nih.gov > ... > PubMed Central \(PMC\)](http://www.ncbi.nlm.nih.gov...PubMed Central (PMC)) ▾ [翻译此页](#)

作者: HH Ko - 2008 - 被引用次数: 19 - 相关文章

Foreign object **ingestion** and esophageal food bolus impactions are common problems ... Flexible **endoscopy** is highly sensitive in detecting food boluses and has the advantage ... During **extraction**, it is essential to protect the patient's airway from ... Vicari **et al** (20) reported a 97% success rate **using** the **push** technique for ...

缺少字词: cut pack

[PDF] Management of Foreign Bodies in the Emergency ... - Tur...

www.turner-white.com/pdf/hp_sep99_emerg.pdf ▾ [翻译此页](#)

作者: T Nagendran - 1999 - 被引用次数: 12 - 相关文章