

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 17,300 条结果 (用时 0.60 秒)

小提示: 仅限搜索简体中文结果。您可以在设置中指定搜索语言

Google 学术: Gender differences in ghrelin, nociception genes, psychological factors and quality of life in functional dyspepsia

... ghrelin levels in patients with functional dyspepsia and ... - Shindo - 被引用次数: 102

... clinical practice guidelines for functional dyspepsia - Miwa - 被引用次数: 60

Functional dyspepsia - Brun - 被引用次数: 133

Functional dyspepsia - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: R Brun - 2010 - 被引用次数: 133 - 相关文章

Specific symptoms could include epigastric pain, epigastric burning, ... Patients with dyspepsia have reduced health-related quality of life because their symptoms, ... genetic, environmental, and psychological factors in an individual patient lead Total and preprandial ghrelin levels were significantly lower in FD [Lee et al.

Impact of Sleep Disorders, Quality of Life and Gastric Emptying in ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: H Yamawaki - 2014 - 被引用次数: 17 - 相关文章

2013年12月30日 - There were no significant differences in age, sex and Helicobacter pylori positivity ... Prevalences for sleep disorders, gastric motility and quality of life in 3 ... epigastric pain syndrome (EPS) and postprandial distress syndrome (PDS). of Factors Associated With Subtypes of Functional Dyspepsia Patients.

Brain-based Correlations Between Psychological Factors and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4288085/> - 翻译此页

作者: J Nan - 2015 - 被引用次数: 15 - 相关文章

Functional dyspepsia (FD), one of the most common functional gastrointestinal ... the cerebral glycometabolism of 40 FD patients and 20 gender- and age-matched healthy ... The Nepean dyspepsia index evaluates the patient's quality of life in 25 Interestingly, the metabolic differences in the insula, ACC, MCC and midFC ...

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 35696

Manuscript Type: ORIGINAL ARTICLE

Prospective Study

Gender differences in ghrelin, nociception genes, psychological factors and quality of life in functional dyspepsia

Choi YJ *et al.* Gender differences in functional dyspepsia

Yoon Jin Choi, Young Soo Park, Nayoung Kim, Yong Sung Kim, Sun Min Lee, Dong Ho Lee, Hyun Chae Jung

Abstract

AIM

To evaluate gender differences in the aspect of ghrelin, nociception-related genes and psychological aspects and the quality of life (QoL) in Korean functional

Match Overview

1	Internet 25 words crawled on 18-Nov-2016 e-sciencecentral.org	1%
2	Internet 24 words crawled on 21-Dec-2016 www.wjgnet.com	1%
3	Crossref 17 words b. geeraerts. "Influence of experimentally induced anxiety on rectal sensorimotor function in healthy humans", Neurogastroenterology and Motility	<1%
4	Crossref 17 words Choi, Yoon Jin, Nayoung Kim, Hyuk Yoon, Cheol Min Shin, Young Soo Park, Ji Hyun Park, Ryoung Hee Nam, Dong Ho Lee, Hyun Chae Jung	<1%
5	Crossref 14 words Ji-Eun Jang. "Religiosity, depression, and quality of life in Korean patients with breast cancer: a 1-year prospective study"	<1%
6	Crossref 14 words Tseng-Shing Chen. "Psychosocial-spiritual factors in patients with functional dyspepsia: a comparative study with healthy controls"	<1%
7	Internet 14 words crawled on 05-Oct-2017 real.mtak.hu	<1%
8	Crossref 13 words Chung, L., Q. Law, S. Fong, J. Chung, and P. Yuen. "A cost-effectiveness analysis of teledietetics in short-, intermediate-, and long-term weight management"	<1%
9	Crossref 12 words H PARKMAN. "Idiopathic Gastroparesis Gender Aspects", Principles of Gender-Specific Medicine, 2010	<1%

找到约 36,900 条结果 (用时 0.56 秒)

[Google 学术: Gender differences in ghrelin, nociception genes, psychological factors and quality of life in functional dyspepsia](#)

... ghrelin levels in patients with functional dyspepsia and ... - [Shindo](#) - 被引用次数: 108

... clinical practice guidelines for functional dyspepsia - [Miwa](#) - 被引用次数: 69

Functional dyspepsia - [Brun](#) - 被引用次数: 138

[Impact of Sleep Disorders, Quality of Life and Gastric Emptying in ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3895596/> - [翻译此页](#)

作者: H Yamawaki - 2014 - 被引用次数: 18 - [相关文章](#)

2013年12月30日 - There were no significant differences in age, sex and Helicobacter pylori ...

Prevalences for sleep disorders, gastric motility and quality of life in 3 ... Functional dyspepsia (FD), irritable bowel syndrome (IBS) and why psychological factors strongly affected on sleep disorders, especially in EPS patients.

[Abstract](#) · [Introduction](#) · [Materials and Methods](#) · [Results](#)

您 17-8-3 访问过该网页。

[Functional dyspepsia - NCBI - NIH](#)

<https://www.ncbi.nlm.nih.gov> › [NCBI](#) › [Literature](#) › [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: R Brun - 2010 - 被引用次数: 138 - [相关文章](#)

Specific symptoms could include epigastric pain, epigastric burning, ... Patients with dyspepsia have reduced health-related quality of life because their symptoms, genetic, environmental, and psychological factors in an individual patient lead Total and preprandial ghrelin levels were significantly lower in FD [Lee et al.

[Functional Dyspepsia in Review: Pathophysiology and Challenges in ...](#)

<https://www.ncbi.nlm.nih.gov> › [NCBI](#) › [Literature](#) › [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: SS Yarandi - 2013 - 被引用次数: 25 - [相关文章](#)

2013年5月16日 - Functional dyspepsia (FD) is one of the most common disorders of the upper gastrointestinal tract. ... hypersensitivity, and psychosocial and genetic factors (Table 2). ... mechanisms for postprandial pain and early satiation are different, of coexistence of these conditions on health-related quality of life.



找到约 37,700 条结果 (用时 0.65 秒)

Google 学术 : Gender differences in ghrelin, nociception genes, psychological factors and quality of life in functional dyspepsia

... ghrelin levels in patients with functional dyspepsia and ... - Shindo - 被引用次数 : 108

... clinical practice guidelines for functional dyspepsia - Miwa - 被引用次数 : 69

Functional dyspepsia - Brun - 被引用次数 : 139

Impact of Sleep Disorders, Quality of Life and Gastric Emptying in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3895596/> - 翻译此页

作者 : H Yamawaki - 2014 - 被引用次数 : 18 - 相关文章

2013年12月30日 - There were no significant differences in age, sex and Helicobacter pylori positivity . Prevalences for sleep disorders, gastric motility and quality of life in 3 subtypes of FD ... Functional dyspepsia (FD), irritable bowel syndrome (IBS) and hyper-sensitivity, H. pylori infection and potent psychological factors.

Abstract - Introduction - Materials and Methods - Results

Functional dyspepsia - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3002577/> - 翻译此页

作者 : R Brun - 2010 - 被引用次数 : 138 - 相关文章

Specific symptoms could include epigastric pain, epigastric burning, ... Patients with dyspepsia have reduced health-related quality of life because their symptoms, genetic, environmental, and psychological factors in an individual patient lead Total and preprandial ghrelin levels were significantly lower in FD [Lee et al.

Classification of functional dyspepsia based on concomitant bowel ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : J Matsuzaki - 2012 - 被引用次数 : 42 - 相关文章

2012年1月11日 - Functional dyspepsia (FD) is a heterogeneous disease, and categorized into postprandial distress syndrome (PDS) and epigastric pain syndrome (EPS). The differences of life style characteristics between three symptom based on a combination of bowel symptoms and psychosocial factors would be ...

Epidemiology of Uninvestigated and Functional Dyspepsia in Asia ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3155059/> - 翻译此页

作者 : UC Ghoshal - 2011 - 被引用次数 : 129 - 相关文章