



Intrahepatic distribution of HBV antigens in patients with and without hepatocel ▾



学术搜索

找到约 11,700 条结果 (用时0.18秒)

我的著作引用情况

文章

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

我的图书馆

[HTML] Serum **hepatitis B** surface **antigen** and **hepatitis B e antigen** titers: disease phase influences correlation with viral load and **intrahepatic hepatitis B virus** ...

wiley.com 中的 [HTML]

AJV Thompson, T Nguyen, D Iser, A Ayres... - ..., 2010 - Wiley Online Library

... Data were **not** normally **distributed** and were therefore log transformed. ... the intensity of the scoring (Intensity) as well as the cellular **distribution** of staining ... Table 3. (A) Correlation Between HBsAg, HBeAg Titer, Serum/**Intrahepatic** HBV Replicative Markers, and Quantitative IHC ...

被引用次数: 256 相关文章 所有 7 个版本 引用 保存

**Hepatitis B e antigen** and the risk of **hepatocellular carcinoma**

ams.ac.ir 中的 [HTML]

Hi Yang, SN Lu, YF Liaw, SL You, CA Sun... - ... England Journal of ..., 2002 - Mass Medical Soc

... virus (HBV) infection is a serious clinical problem because of its worldwide **distribution** and potential ... In conclusion, HBeAg, in addition to HBsAg, may be a useful marker of the risk ... and close monitoring for the development of liver diseases associated with chronic **HBV** infection. ...

被引用次数: 1117 相关文章 所有 10 个版本 引用 保存

A new staging system for mass - forming **intrahepatic** cholangiocarcinoma

wiley.com 中的 [HTML]

T Okabayashi, J Yamamoto, T Kosuge, K Shimada... - **Cancer**, 2001 - Wiley Online Library

... 9 level was < 400 U/mL versus ≥ 400 IU/mL, **tumor** size was ≤ 6 cm versus ≥ 6 cm, **tumor distribution** was unilobar ... On preoperative diagnostic imaging, the **tumor** was diagnosed as invading the **intrahepatic** or hilar bile duct in 34 **patients** (57 ... **HBV** and HCV, 2, 100.0, 0.0, 0.0, ...

被引用次数: 116 相关文章 所有 4 个版本 引用 保存

Persistent **hepatitis B** virus infection in subjects **without hepatitis B** surface **antigen**: clinically significant or purely "occult"?

researchgate.net 中的 [PDF]

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序


按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用



22728-Review

BY PARHAM SAFAIE

Quotes Excluded  
Bibliography Excluded4%  
SIMILAR

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 22728

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

**Intrahepatic distribution of hepatitis B virus antigens in patients with and without hepatocellular carcinoma**

Parham Safaie, Mugilan Poongkunran, Ping-Ping Kuang, Asad Javaid, Carl Jacobs, Rebecca Pohlmann, Imad Nasser, Daryl Tan-Yeung Lau

**Abstract**

### Match Overview

1	CrossCheck 51 words "AASLD Abstracts", Hepatology, 2012.	1%
2	CrossCheck 38 words Malik, Raza, Michelle Lai, Amama Sadiq, Rory Farnan, S hruti Mehta, Imad Nasser, Tracy Challies, Detlef Schupp	1%
3	CrossCheck 32 words Wang, Chia-Chi, Tai-Chung Tseng, Pin-Chao Wang, Ha ns Hsienhong Lin, and Jia-Horng Kao. "Baseline hepatit	1%
4	Internet 23 words crawled on 29-May-2015 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	<1%
5	CrossCheck 19 words Lok, Anna S. F., and Francesco Negro. "Hepatitis B an... D", Schiff's Diseases of the Liver Schiff/Schiff's Disease	<1%
6	Internet 10 words <a href="http://www.aasld.org">www.aasld.org</a>	<1%



Intrahepatic distribution of hepatitis B virus antigens in patients with and without h

全部 图片 视频 新闻 购物 地图 图书

找到约 138,000 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Google 学术: Intrahepatic distribution of hepatitis B virus antigens in patients with and without hepatocellular carcinoma](#)

[... hepatitis B virus infection in subjects without hepatitis B ...](#) - Br  chot - 被引用次数: 636

[... B virus-positive metastatic hepatocellular carcinomas ...](#) - Ye - 被引用次数: 712

[A longitudinal analysis of hepatitis C virus replication ...](#) - Gane - 被引用次数: 450

[Membrane staining for hepatitis B surface antigen on hepatocytes: a ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC502627/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC502627/)

METHODS--Intrahepatic expression of HBsAg and hepatitis B core antigen ( HBcAg) ... detectable serum HBV-DNA but without hepatocyte HBcAg, and two patients (2.7%) who ... Intrahepatic distribution of hepatitis B surface and core antigens in chronic ... status, racial origin, liver histology and hepatocellular carcinoma.

[Negative hepatitis B envelope antigen predicts intrahepatic ...](#)

[www.ncbi.nlm.nih.gov/pubmed/22011297](http://www.ncbi.nlm.nih.gov/pubmed/22011297)

BACKGROUND AND AIM: Patients with persistently active hepatitis B virus (HBV) ... at high risk for progression to liver cirrhosis and hepatocellular carcinoma ( HCC). ... ablation therapy in patients with HBV-related HCC has not been elucidated. ... Catheter Ablation\*/adverse effects; Chi-Square Distribution; DNA; Viral/blood ...

[Hepatitis B virus infection and primary hepatocellular carcinoma.](#)

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 134,000 条结果 (用时 0.64 秒)

## Google 学术 : Intrahepatic distribution of hepatitis B virus antigens in patients with and without hepatocellular carcinoma

... hepatitis B virus infection in subjects without hepatitis B ... - Bréchet - 被引用次数 : 637

... B virus-positive metastatic hepatocellular carcinomas ... - Ye - 被引用次数 : 713

A longitudinal analysis of hepatitis C virus replication ... - Gane - 被引用次数 : 451

## Membrane staining for hepatitis B surface antigen on ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : CM Chu - 1995 - 被引用次数 : 33 - [相关文章](#)

METHODS--Intrahepatic expression of HBsAg and hepatitis B core antigen (HBcAg) ... detectable serum HBV-DNA but without hepatocyte HBcAg, and two patients (2.7%) who ... Intrahepatic distribution of hepatitis B surface and core antigens in chronic ... status, racial origin, liver histology and hepatocellular carcinoma.

## Negative hepatitis B envelope antigen predicts intrahepatic ...

[www.ncbi.nlm.nih.gov/pubmed/22011297](http://www.ncbi.nlm.nih.gov/pubmed/22011297) ▾ [翻译此页](#)

作者 : GE Chung - 2011 - 被引用次数 : 10 - [相关文章](#)

BACKGROUND AND AIM: Patients with persistently active hepatitis B virus (HBV) ... at high risk for progression to liver cirrhosis and hepatocellular carcinoma (HCC). ... ablation therapy in patients with HBV-related HCC has not been elucidated. ... Catheter Ablation\*/adverse effects; Chi-Square Distribution; DNA, Viral/blood ...

[PDF] [Review Hepatitis B surface antigen seroclearance during ...](#)