

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 40929

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Study*

**Agitation thrombolysis combined with catheter-directed thrombolysis for the treatment of non-cirrhotic acute portal vein thrombosis**

Wang CY *et al.* AT and CDT for non-cirrhotic PVT

Chao-Yang Wang, Le-Qun Wei, Huan-Zhang Niu, Wan-Qin Gao, Tong Wang, Shun-Jun Chen

**Abstract**

*AIM*

To evaluate the safety and efficacy of agitation thrombolysis (AT) combined with catheter-directed thrombolysis (CDT) for the treatment of non-cirrhotic acute portal vein thrombosis (PVT).

## Match Overview

1	<b>Internet</b> 30 words crawled on 12-Sep-2017 <a href="http://findresearcher.sdu.dk">findresearcher.sdu.dk</a>	1%
2	<b>Internet</b> 26 words crawled on 27-Feb-2016 <a href="http://spandidos-publications.com">spandidos-publications.com</a>	1%
3	<b>Crossref</b> 13 words Chen, Yong, Peng Ye, Yanhao Li, Shuoyi Ma, Jianbo Zhao, and Qingle Zeng. "Percutaneous transhepatic balloon-assiste	<1%
4	<b>Internet</b> 12 words crawled on 22-Nov-2017 <a href="http://www.iceti.org">www.iceti.org</a>	<1%



Articles

About 25 results (0.03 sec)



My profile

Any time

Since 2018

Since 2017

Since 2014

Custom range...

Sort by relevance

Sort by date

☒ include patents

☒ include citations

☒ Create alert

**Portal hypertension in children: expert pediatric opinion on the report of the Baveno v Consensus Workshop on Methodology of Diagnosis and Therapy in Portal ...**

[PDF] semanticscho

BL Shneider, J Bosch, R De Franchis... - Pediatric ..., 2012 - Wiley Online Library

... Persistent bleeding despite **combined** pharmacological and endoscopic ... There is insufficient evidence in favor of interventional therapy such as local **thrombolysis** ... Hepatopulmonary syndrome can be diagnosed and quantified by **agitated** saline echocardiography and ...

☆ Cited by 109 Related articles All 13 versions

**Interventional radiology in liver transplantation**

JB Karani, FQC Dominic, PA Kane - Cardiovascular and interventional ..., 2005 - Springer

... RFA results in current causing ionic **agitation** and friction to produce heat that ... Although percutaneous **thrombolysis** and stent placement have been described, thrombectomy with refashioning of ... stent delivery across both the stenotic segments by a **combined** transjugular and ...

☆ Cited by 18 Related articles All 9 versions

**Portal hypertension in children**

A Di Giorgio, L D'Antiga - Textbook of Pediatric Gastroenterology ..., 2016 - Springer

... of BCS in pediatric patients may include the use of anticoagulation, **thrombolytic** therapy and ... main procedures to confirm the presence of IPVS are the echocardiography with **agitated** saline and ... or the pressures remain very high, the only viable option is a **combined** lung–liver ...

☆ Cited by 3 Related articles

**Image-Guided Interventions**

O Ayres, F Voyvodic - Palliative Surgery, 2014 - Springer

... Percutaneous drainage can be performed using a **combination** of US and fluoroscopic ... inserted into the rectum and distal sigmoid, but with **combined** colonoscopic guidance ... Complications:



[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 5 条结果 (用时 0.41 秒)

### Transhepatic catheter-directed thrombolysis for portal vein thrombosis ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4087417/> ▾ [翻译此页](#)

作者: M Nakai - 2006 - 被引用次数: 18 - 相关文章

2006年8月21日 - **Acute portal vein thrombosis** (PVT) after partial splenic embolization (PSE) in ... with chronic liver diseases such as liver **cirrhosis** or idiopathic portal ... **treated** with transhepatic **catheter-directed thrombolysis combined** ... However, CT after systemic **thrombolysis** revealed that the thrombosis did **not** resolve.

缺少字词: agitation

### Systemic thrombolysis of portal vein thrombosis in cirrhotic patients: a ...

<https://www.ncbi.nlm.nih.gov/pubmed/19819770> ▾ [翻译此页](#)

作者: A De Santis - 2010 - 被引用次数: 38 - 相关文章

2017年10月12日 - Systemic **thrombolysis** of **portal vein thrombosis** in cirrhotic patients: a pilot study. ... **thrombolysis** in **non-cirrhotic** patients suffering from **acute** portal vein ... RESULTS: The **combined** r-tPA/LMWH **treatment** was well tolerated ...

缺少字词: agitation catheter directed

### [PDF] Portal Vein Thrombosis in non cirrhotic patients - RePub, Erasmus ...

[https://repub.eur.nl/.../101217\\_Spaander,%20Vooke%20Magdalena%20Con...](https://repub.eur.nl/.../101217_Spaander,%20Vooke%20Magdalena%20Con...) ▾ [翻译此页](#)

作者: M Spaander - 2010 - 被引用次数: 1 - 相关文章

Chapter 2 **Non-cirrhotic** non-malignant **portal vein thrombosis**: a review. 15 ... **combination** of thrombotic risk factors is demonstrated[4]. ... Another **treatment** modality of recent EPVT is **thrombolysis**. .... **Acute** EPVT is characterised by a sudden formation of a thrombus within the portal vein, ..... Transhepatic **catheter-directed**.

缺少字词: agitation

### Thrombosis and Embolism: from Research to Clinical Practice

<https://books.google.com/books?isbn=3319221086> - [翻译此页](#)

Md. Shahidul Islam - 2016 - Medical

**Thrombolytics** primarily include streptokinase, urokinase, and recombinant tissue ... splanchnic **venous**

全部

图片

新闻

视频

购物

更多

设置

工具

找到约 5 条结果 (用时 0.45 秒)

### Transhepatic catheter-directed thrombolysis for portal vein thrombosis ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4087417/> ▼ 翻译此页

作者: M Nakai - 2006 - 被引用次数: 18 - 相关文章

2006年8月21日 - **Acute portal vein thrombosis** (PVT) after partial splenic embolization (PSE) in ... with chronic liver diseases such as liver **cirrhosis** or idiopathic portal ... **treated** with transhepatic **catheter-directed thrombolysis combined** ... However, CT after systemic **thrombolysis** revealed that the thrombosis did **not** resolve.

缺少字词: **agitation**

### Catheter-directed thrombolytic therapy combined with angioplasty for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3797297/> ▼ 翻译此页

作者: Q ZHANG - 2013 - 被引用次数: 11 - 相关文章

2013年7月30日 - **Catheter-directed thrombolysis combined** with angioplasty was ... by hepatic **vein thrombosis**, which classically manifests as **acute** or .... Balloon dilatation was **not** performed in two patients with .... **treatment** includes systemic **thrombolysis**, **agitation thrombolysis**, TIPS and liver transplantation (10–15).

缺少字词: **cirrhotic**

### Systemic thrombolysis of portal vein thrombosis in cirrhotic patients: a ...

<https://www.ncbi.nlm.nih.gov/pubmed/19819770> ▼ 翻译此页

作者: A De Santis - 2010 - 被引用次数: 38 - 相关文章

2017年10月12日 - Systemic **thrombolysis** of **portal vein thrombosis** in cirrhotic patients: a pilot study. ... **thrombolysis** in **non-cirrhotic** patients suffering from **acute** portal vein ... RESULTS: The **combined** r-tPA/LMWH **treatment** was well tolerated ...

缺少字词: **agitation catheter directed**

### [PDF] Portal Vein Thrombosis in non cirrhotic patients - RePub, Erasmus ...

[https://repub.eur.nl/.../101217\\_Spaander,%20Vooke%20Magdalena%20Con...](https://repub.eur.nl/.../101217_Spaander,%20Vooke%20Magdalena%20Con...) ▼ 翻译此页

作者: M Spaander - 2010 - 被引用次数: 1 - 相关文章

Chapter 2 **Non-cirrhotic** non-malignant **portal vein thrombosis**: a review. 15 ... **combination** of thrombotic risk factors is demonstrated[4]. ... Another **treatment** modality of recent EPVT is **thrombolysis** ...