



31238-Review

Quotes Excluded  
Bibliography Excluded10%  
SIMILAR

## Match Overview

1	<b>Crossref</b> 62 words Jun Kido. "Long-term outcome and intervention of urea cycle disorders in Japan", Journal of Inherited Metabolic	3%
2	<b>Crossref</b> 40 words Jalan, Anil, Ketki Kudalkar, and Rishikesh Jalan. "Management of urea cycle defects in a developing country", Jo	2%
3	<b>Crossref</b> 26 words Nakamura, Kimitoshi, Jun Kido, Shirou Matsumoto, Hiroshi Mitsubuchi, and Fumio Endo. "Clinical manifestation ...	1%
4	<b>Crossref</b> 21 words Leonard, J.V.. "Urea cycle disorders", Seminars in Neonatology, 200202	1%
5	<b>Crossref</b> 12 words U. Lichter-Konecki. "Profiling of astrocyte properties in the hyperammonaemic brain: Shedding new light on the ...	1%
6	<b>Internet</b> 11 words crawled on 15-Oct-2012 tinnitusjournal.com	1%

Name of Journal: *World Journal of Hepatology*

ESPS Manuscript NO: 31238

Manuscript Type: Case Report

Hyperammonemia crisis following parturition in a female patient with ornithine transcarbamylase deficiency

Jun Kido, Tatsuya Kawasaki, Hiroshi Mitsubuchi, Hidenobu Kamohara, Takashi Ohba, Shirou Matsumoto, Fumio Endo, Kimitoshi Nakamura

## Abstract

Ornithine transcarbamylase deficiency (OTCD) is an X-linked disorder, with an

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 2,920,000 条结果 (用时 0.86 秒)

### Ornithine Transcarbamylase Deficiency - GeneReviews® - NCBI ...

<https://www.ncbi.nlm.nih.gov/books/NBK154378/> - 翻译此页

作者: U Lichter-Konecki - 2013 - 被引用次数: 9 - 相关文章

2013年8月29日 - No matter how mild the disease, a hyperammonemic crisis can be ... In females and males with partial OTC deficiency liver transplant is ... catabolic during pregnancy and especially in the postpartum period. .... Patient Weight, Components of Infusion Solution, Loading <sup>1</sup> and Maintenance Dose <sup>2, 3</sup>.

### Ornithine Transcarbamylase Deficiency - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/24006547> - 翻译此页

作者: RA Pagon

No matter how mild the disease, a hyperammonemic crisis can be ... The diagnosis of OTC deficiency is usually established in a female proband with the ... risk of becoming catabolic during pregnancy and especially in the postpartum period.

### Hyperammonemic coma in an ornithine transcarbamylase ... - Nature

[www.nature.com](http://www.nature.com) > ... > Archive > Perinatal/Neonatal Case Presentations ▾ 翻译此页

作者: S Lipskind - 2011 - 被引用次数: 14 - 相关文章

Women who are carriers of the ornithine transcarbamylase (OTC) mutation are at risk for developing hyperammonemia during the postpartum period and at times ... pregnancy; hyperammonemic coma; ornithine transcarbamylase deficiency; .... For patients presenting with acute hyperammonemic crisis, hemodialysis is the ...

### [PDF] Urea Cycle Disorders - NORD Physician Guides

[nordphysicianguides.org/.../NORD\\_Physician\\_Guide\\_to\\_Urea\\_Cycle\\_Disor...](http://nordphysicianguides.org/.../NORD_Physician_Guide_to_Urea_Cycle_Disor...) ▾ 翻译此页

2012年2月10日 - overwhelming hyperammonemia in the newborn period with little effect .... Ornithine transcarbamylase deficiency affects the liver's ability to ... Patients who are successfully rescued from





parturition in a female patient with ornithine transcarbamylase deficiency



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 2,530,000 条结果 (用时 0.48 秒)

## Ornithine Transcarbamylase Deficiency - GeneReviews® - NCBI ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > Bookshelf - 翻译此页

作者: U Lichter-Konecki - 2013 - 被引用次数: 10 - 相关文章

2013年8月29日 - No matter how mild the disease, a **hyperammonemic crisis** can be ... In **females** and males with partial **OTC deficiency** liver transplant is typically ... on at-risk newborns (males and **females**) as soon **after birth** as possible so that the ... If the **patient** is encephalopathic, ammonia levels are typically above 200 ...

## Ornithine Transcarbamylase Deficiency - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/24006547> - 翻译此页

作者: RA Pagon

**After** successful treatment of neonatal **hyperammonemic** coma these infants can ... The diagnosis of **OTC deficiency** is usually established in a **female** proband ... of **birth** (before the ammonia level rises) can prevent a **hyperammonemic crisis** ...

## Urea Cycle Disorders Overview - GeneReviews® - NCBI Bookshelf

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > Bookshelf - 翻译此页

作者: NA Mew - 2015 - 被引用次数: 3 - 相关文章

2003年4月29日 - Infants with a severe urea cycle disorder are normal at **birth** but ... **OTC deficiency** is inherited in an X-linked manner. ... Children who are successfully rescued from **crisis** are chronically at risk for repeated bouts of **hyperammonemia**. ... Clinical onset **after** 1st month or diagnosis based on family history. 3

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 2,350,000 条结果 (用时 0.56 秒)

### Ornithine Transcarbamylase Deficiency - GeneReviews® - NCBI ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > Bookshelf - 翻译此页

作者: U Lichter-Konecki - 2013 - 被引用次数: 10 - 相关文章

2013年8月29日 - No matter how mild the disease, a **hyperammonemic crisis** can be ... In **females** and males with partial **OTC deficiency** liver transplant is typically ... on at-risk newborns (males and **females**) as soon **after birth** as possible so that the ... If the **patient** is encephalopathic, ammonia levels are typically above 200 ...

### Ornithine Transcarbamylase Deficiency - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/24006547> - 翻译此页

作者: RA Pagon

**After** successful treatment of neonatal **hyperammonemic** coma these infants can .... The diagnosis of **OTC deficiency** is usually established in a **female** proband ... of **birth** (before the ammonia level rises) can prevent a **hyperammonemic crisis** ...

### Urea Cycle Disorders Overview - GeneReviews® - NCBI Bookshelf

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > Bookshelf - 翻译此页

作者: NA Mew - 2015 - 被引用次数: 4 - 相关文章

2003年4月29日 - Infants with a severe urea cycle disorder are normal at **birth** but ... **OTC deficiency** is inherited in an X-linked manner. ... Children who are successfully rescued from **crisis** are chronically at risk for repeated bouts of **hyperammonemia**. .... Clinical onset **after** 1st month or diagnosis based on family history. 3.

### [PDF] Urea Cycle Disorders - NORD Physician Guides

[nordphysicianguides.org/.../NORD\\_Physician\\_Guide\\_to\\_Urea\\_Cycle\\_Disor...](http://nordphysicianguides.org/.../NORD_Physician_Guide_to_Urea_Cycle_Disor...) ▼ 翻译此页

2012年2月10日 - overwhelming **hyperammonemia** in the newborn period with little ... Normal appearance at **birth** ... **Ornithine transcarbamylase deficiency** affects the liver's ability to ... **Patients** who